



Butler Industrial Park  
 P.O. Box 552  
 Hazleton, PA 18201  
 www.rowlands.com

Phone: +1.570.455.5813  
 U.S.: 800.582.6388  
 Fax: +1.570.454.4790  
 solutions@rowlands.com

# MACHINERY

*in our inventory*



*See back cover for more information!*

September 27, 2021

## CATEGORY PAGE

<b>Silo &amp; Storage Tanks</b>	1 – 5
<b>Multi-Compartment Tanks</b>	6
<b>Bulk Farm Tanks</b>	7
<b>Processing Tanks</b>	7 – 14
<b>Centrifugal Pumps</b>	14 – 21
<b>Positive Pumps</b>	22 – 25
<b>Homogenizers</b>	25 – 38
<b>Separators &amp; Clarifiers</b>	38
<b>Filling &amp; Packaging Machinery</b>	39 – 41
<b>Heat Exchangers &amp; HTST Systems</b>	41 – 45
<b>Butter &amp; Cheese Machinery</b>	45 – 46
<b>Ice Cream Machinery</b>	46
<b>Refrigeration</b>	46
<b>Washing &amp; Sanitation Machinery</b>	47 – 48
<b>Laboratory Supplies</b>	48
<b>Miscellaneous Items</b>	48 – 55
<b>Terms of Sale</b>	56

**NEWNEWNEW!**

Updated English and Spanish PDF versions of our Used Equipment List are now available for download on our website. [Get them now at www.rowlands.com!](http://www.rowlands.com)

# SILO & STORAGE TANKS

Reconditioning of storage tanks includes stripping and prime painting of painted surfaces, pressure testing of heat transfer surface, complete teardown and repair of agitator drive systems, elastomer/seal replacement, cosmetic polishing as necessary of stainless steel surfaces, rebuilding of any inlet or outlet valves, and loosening of all adjustable legs. Loading on a flatbed carrier is included in the purchase price.

T-293-B	MUELLER 50,000 GALLON VERTICAL CYLINDRICAL JACKETED REFRIGERATED SILO TYPE STORAGE TANK. 18" STAINLESS STEEL ALCOVE. ATTACHED FOR SHIPMENT. CIP AND VENT LINE WITH CIP DEVICE. MECHANICAL AGITATION. 240 SQ FT OF 150 PSI COLD WALL. 3" CLAMP INLET AND OUTLET. S/N D-4888-1. SANDBLASTED AND PAINTED WITH WHITE EPOXY PAINT, COLDWALL PRESSURE TESTED, RECONDITIONED AGITATOR DRIVE, AND WELD SEAMS TESTED WITH DYE PENETRANT. <b>FOB TRUCK LOADED HAZLETON, PA.</b> 144-1/2" OD (150" BASE RING) X 811" OAH. <b>CIP AND VENT PIPING HEAT TRACE &amp; INSULATION AVAILABLE AT AN ADDITIONAL CHARGE.</b>	91,500.00
T-311-B	IMPERIAL INDUSTRIES MODEL 70-50-12-0X 3,522 CU FT, 88.05 MAXIMUM TONNAGE STAINLESS STEEL BULK GRANULATED SUGAR STORAGE SILO. STAINLESS STEEL EXTERIOR. STAINLESS SELF SUPPORTING SKIRT WITH DOUBLE MAN DOORS. TANK MOUNTED ON RICE LAKE LOAD CELLS. VIBRATING CONE BOTTOM WITH ZEPPELIN MODEL AX1320/21,8CCII STAINLESS STEEL DUAL ROTARY FEEDER, S/N 17621. TOP MOUNTED ZEPPELIN MODEL 08002-02 FILTER ASSEMBLY, S/N X4025. ZEPPELIN MODEL JS400 DUST FILTRATION SYSTEM, S/N 10000125545. TANK S/N I-64204. 144" OD X 648" OAH. <b>"AS IS", TRUCK LOADED HAZLETON, PA</b>	69,500.00
T-268-B	CREPACO 20,000 GALLON VERTICAL CYLINDRICAL REFRIGERATED SILO TYPE STORAGE TANK. 22" STAINLESS STEEL ALCOVE ATTACHED FOR SHIPMENT. MECHANICAL AGITATION. CIP AND VENT LINE WITH CIP DEVICE. 2" CLAMP INLET FERRULE. 2-1/2" CLAMP OUTLET FERRULE. DIMPLE COLDWALL PREVIOUSLY USED ON AMMONIA REFRIGERANT. <b>INTERIOR SIDEWALL AND TOP HEAD IMPLOSION, NON SANITARY USE ONLY.</b> S/N 3320. 126-3/4" OD X 445" OH. <b>"AS IS", FOB TRUCK LOADED, ALACHUA FL.</b>	10,500.00
T-1000-B	FELDMIEER MODEL CVC, 15,000 GALLON VERTICAL CYLINDRICAL CONE BOTTOM JACKETED REFRIGERATED WHEY CRYSTALLIZER STYLE SILO TANK. CIP AND VENT LINE WITH DUAL SPRAYBALLS. ALL STAINLESS STEEL EXTERIOR. VERTICAL AGITATION WITH 5/EA 86" AXIAL TURBINE BLADES AND TWO FULL LENGTH SIDEWALL BAFFLES, WITH A 20 HP, 20 RPM, 230-460/3/60 INVERTER DUTY DRIVE. TYPE 316L STAINLESS STEEL BOTTOM HEAD AND INNER BARREL, REMAINING PRODUCT CONTACT COMPONENTS 304 STAINLESS STEEL. 20" STAINLESS STEEL ALCOVE ATTACHED FOR SHIPMENT. 3" CLAMP INLET AND OUTLET. 345 SQ FT OF 150 PSI ASME SIDEWALL HEAT TRANSFER SURFACE ARRANGED IN 3 ZONES. 48 SQ FT OF 150 PSI ASME HEAT TRANSFER SURFACE ON BOTTOM CONE. KING 1777-6 LEVEL SHELL. TANK RATED SEISMIC ZONE 3. S/N N-330-04. 126-1/2" OD X 406" OAH. <b>"AS IS" FOB TRUCK LOADED, HAZLETON, PA</b>	79,500.00
T-334-B	WALKER MODEL ST, 15,000 GALLON VERTICAL CYLINDRICAL JACKETED/REFRIGERATED SILO TYPE STORAGE TANK. TYPE 316L STAINLESS STEEL PRODUCT CONTACT SURFACES. 22" STAINLESS STEEL ALCOVE ATTACHED FOR SHIPMENT. CIP AND VENT LINE WITH CIP DEVICE. 5 HP, 48/24 RPM VERTICAL OFF-CENTER TURBINE AGITATION. 2" CLAMP INLET, 3" CLAMP OUTLET. 240 SQ FT OF 100 PSI ASME COLDWALL PREVIOUSLY USED WITH AMMONIA REFRIGERANT. MFG 1991. S/N 1927-12571. 142" OD X 288" OH <b>"AS IS" FOB TRUCK LOADED, HAZLETON, PA.</b>	67,500.00
T-288-B	WALKER 15,000 GALLON VERTICAL CYLINDRICAL REFRIGERATED SILO TYPE STORAGE TANK. 316L PRODUCT CONTACT SURFACES. 22" 316L STAINLESS STEEL ATTACHED FOR SHIPMENT. CIP AND VENT LINE WITH CIP DEVICE. 3 HP, 89 RPM, CIP CLEANABLE AGITATION. SUMP STYLE INLET AND OUTLET WITH TRI CLOVER 32-595-316L VALVE FERRULE & TRI CLOVER 762A57 & 762A58 3" LONG STROKE AIR OPERATED INLET AND OUTLET VALVES. 168 SQ FT OF 150 PSI ASME AMMONIA COLDWALL. TANK RATED SEISMIC ZONE 4. S/N VSHT-6439-R. 143"OD X 287"OH. <b>"AS IS" FOB TRUCK LOADED, EL MONTE, CA.</b>	39,500.00
T-341-B	CREPACO 15,000 GALLON VERTICAL CYLINDRICAL JACKETED REFRIGERATED SILO TYPE STORAGE TANK. EXTENDED STAINLESS STEEL ALCOVE REMOVED FOR SHIPMENT. WALKER CIP CLEANABLE HORIZONTAL MECHANICAL AGITATION. CIP AND VENT LINES WITH CIP DEVICE. 3" CLAMP OUTLET. 2" CLAMP INLET. S/N 2887. 142-3/4" OD X 305" OH. <b>"AS IS", FOB TRUCK LOADED HAZLETON, PA</b>	UNDER CONTRACT
T-284-B	WALKER 10,000 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. STAINLESS STEEL FRONT HEAD. DUAL VERTICAL VERTICAL AGITATION. 3" CLAMP OUTLET. 2" CLAMP INLET. SPRAYBALLS. 66 SQ FT OF CHANNEL COLDWALL PREVIOUSLY USED WITH AMMONIA REFRIGERANT. S/N HHT-4485-R. 107"OD X 331"L X 132"H.	45,500.00
T-281-B	WALKER 10,000 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. STAINLESS STEEL FRONT HEAD. 66 SQ FT OF UNUSED CHANNEL COLDWALL FOR USE WITH ANY REFRIGERANT. 3" CLAMP OUTLET. 2-1/2" CLAMP INLET. SPRAYBALLS. 107"OD X 331"L X 114"H	37,500.00
T-282-B	S/N HHT-4487-R	
T-283-B	S/N HHT-4486-R	
	S/N HHT-4488-R	
T-166-B	CHERRY BURRELL MODEL GHW, 10,000 GALLON HORIZONTAL CYLINDRICAL FREON REFRIGERATED STORAGE TANK. TYPE 316L STAINLESS STEEL PRODUCT CONTACT SURFACES. 80 SQ FT OF ASME COLDWALL. DUAL VERTICAL LIGHTNIN AGITATION. SPRAYBALL. 2" I-LINE OUTLET. S/N 1000-72-2722.	43,500.00
T-167-B	S/N 1000-72-2723.	
T-168-B	CHERRY BURRELL MODEL GHW, 10,000 GALLON HORIZONTAL CYLINDRICAL FREON REFRIGERATED STORAGE TANK. TYPE 316L STAINLESS STEEL PRODUCT CONTACT SURFACES. 80 SQ FT OF ASME COLDWALL. DUAL VERTICAL AGITATION. SPRAYBALL. 2" I-LINE OUTLET. S/N 10000-83-3166.	45,500.00
T-274-B	DAMROW MODEL 4, 9,500 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. HORIZONTAL AGITATION REMOVED. DUAL SPRAYBALLS. 3" CLAMP OUTLET. S/N 26916. 120"D X 252"L X 140"OH.	29,500.00
T-254-B	VENDOME 9,000 GALLON TYPE 304 STAINLESS STEEL HORIZONTAL CYLINDRICAL SINGLE SHELL STORAGE TANK MOUNTED ON STAINLESS STEEL SADDLES. TOP AND FRONT HEAD MANWAYS. HORIZONTAL REAR HEAD AGITATION REMOVED. 3" CLAMP OUTLET. MFG 09/2001. 114"D X 222"L X 140"H. S/N 0157560.	25,500.00

T-322-B	FELDMEI 6,000 GALLON VERTICAL CYLINDRICAL FREON REFRIGERATED SILO TYPE STORAGE TANK. STAINLESS STEEL EXTERIOR. 3 HP, 42 RPM OFFSET VERTICAL AGITATION WITH 3/EA 32" DIAMETER TURBINE BLADES, 208-230-460/3/60. 20" STAINLESS STEEL ALCOVE ATTACHED FOR SHIPMENT. 3" CLAMP INLET AND OUTLET. 120 SQ FT OF 150 PSI COLDWALL CONFIGURED IN EIGHT ZONES FOR FREON REFRIGERANT. CIP AND VENT LINE WITH SPRAYBALL. MFG 2000. S/N A-810-00. 90-1/2" OD X 320" OAH. <b>AVAILABLE MARCH 1ST 2019.</b>	57,500.00
T-297-B	FELDMEI 6,000 GALLON VERTICAL CYLINDRICAL REFRIGERATED SILO TYPE STORAGE TANK. STAINLESS STEEL EXTERIOR. 21" STAINLESS STEEL ALCOVE ATTACHED FOR SHIPMENT. VERTICAL AGITATION. INTERNAL VENT AND OVERFLOW LINES WITH SPRAY-UP CIP DEVICE. S/N UNKNOWN. 120" OD X 205" OAH	43,500.00
T-1006-B	DCI 6,000 GALLON VERTICAL CYLINDRICAL REFRIGERATED SILO TYPE STORAGE TANK. 18" STAINLESS STEEL ALCOVE ATTACHED FOR SHIPMENT. 2 HP, 174 RPM HORIZONTAL MECHANICAL AGITATOR. CIP AND VENT LINE WITH CIP DEVICE. 3" CLAMP SUMP STYLE INLET AND OUTLET. 30 SQ FT OF 50 PSI COLDWALL PREVIOUSLY USED WITH GLYCOL REFRIGERANT. RATED SEISMIC ZONE IV. 102-3/4" OD X 262" OAH. <b>"AS IS", FOB TRUCK LOADED TRACY, CA.</b>	29,500.00
T-1007-B	S/N JC00048-A.	
	S/N JC00048-B.	
T-303-B	WALKER 6,000 GALLON VERTICAL CYLINDRICAL REFRIGERATED SILO TYPE STORAGE TANK. 22" STAINLESS STEEL ALCOVE ATTACHED FOR SHIPMENT. 120 SQ FT OF 150 PSI COLDWALL PREVIOUSLY USED ON AMMONIA REFRIGERANT. 2 HP, 46 RPM, VERTICAL AGITATION. CIP AND VENT LINE WITH CIP DEVICE. 2-1/2" CLAMP OUTLET. S/N VSHT-4762-R. 115"OD X 215"OAH.	42,500.00
T-1001-B	DCI 6,000 GALLON VERTICAL CYLINDRICAL ELECTRICALLY HEATED SILO TYPE LIQUID SWEETENER TANK. PAINTED EXTERIOR. CIP AND VENT LINE WITH CIP DEVICE. UV LIGHT, BLOWER, AND HEPA FILTRATION SYSTEM. 3" 150# FLANGE INLET & OUTLET. RATED SEISMIC ZONE IV. S/N 93-D-47587. 102"OD X 247"OAH.	47,500.00
T-1008-B	CHERRY BURRELL MODEL SVW 6,000 GALLON VERTICAL CYLINDRICAL REFRIGERATED SILO TYPE STORAGE TANK. 20" STAINLESS STEEL ALCOVE REMOVED FOR SHIPMENT. 1-1/2 HP, 97 RPM HORIZONTAL MECHANICAL AGITATION. CIP AND VENT LINE WITH CIP DEVICE. 3" CLAMP INLET AND OUTLET. 40 SQ FT OF 100 PSI COLDWALL PREVIOUSLY USED WITH GLYCOL REFRIGERANT. RATED SEISMIC ZONE IV. INTERNAL POLISHING. S/N 60-87-692. 102-1/2" OD X 242" OAH. <b>"AS IS", FOB TRUCK LOADED TRACY, CA.</b>	23,500.00
T-078-B	CHERRY BURRELL MODEL HCW 6,000 GALLON HORIZONTAL CYLINDRICAL INSULATED STORAGE TANK. HORIZONTAL AGITATION REMOVED. SPRAYBALL. 3" CLAMP OUTLET. INTERIOR PITTING, NON SANITARY USE ONLY. S/N 6000-55-CR-6690. 117"D X 189"L X 132"H. <b>AS IS.</b>	12,500.00
T-279-B	CREPACO 5,000 GALLON VERTICAL CYLINDRICAL JACKETED REFRIGERATED SILO TYPE CITRUS CONCENTRATE TANK. STAINLESS STEEL EXTERIOR. 22" STAINLESS STEEL ALCOVE ATTACHED FOR SHIPMENT. CIP AND VENT LINE WITH DUAL SPRAYBALLS. 4" CLAMP OUTLET. VERTICAL TURBINE STYLE WIDE AND SIDE SWEEP AGITATION WITH SIDE SCRAPER BLADES AND NORD 10 HP, 19 RPM, 230-460/3/60 GEAR DRIVE. S/N C4956. 118" OD X 125" STRAIGHT SIDE X 210" OAH.	49,500.00
T-298-B	WALKER 5,000 GALLON VERTICAL CYLINDRICAL REFRIGERATED SILO TYPE STORAGE TANK. 2 HP, 46 RPM VERTICAL AGITATION. 22" STAINLESS STEEL ALCOVE REMOVED FOR SHIPMENT. CIP AND VENT LINE WITH CIP DEVICE. 110 SQ FT OF 150 PSI ASME COLDWALL PREVIOUSLY USED WITH AMMONIA REFRIGERANT. 1-1/2" CLAMP INLET. 2-1/2" CLAMP OUTLET. 111"OD X 194"OAH	41,500.00
T-299-B	S/N VSHT-3376-R	
	S/N VSHT-3375-R	
T-975-B	CHERRY BURRELL MODEL SVW, 5,000 GALLON VERTICAL CYLINDRICAL REFRIGERATED SILO TYPE STORAGE TANK. STAINLESS STEEL ALCOVE ATTACHED FOR SHIPMENT. CIP AND VENT LINE WITH SPRAYBALL. MECHANICAL AGITATION. 3" CLAMP OUTLET. 2-1/2" CLAMP INLET. S/N 50-SVW-86-619. 100-1/2"D X 191"H. <b>INTERIOR BOTTOM HEAD WELD SEAM PATCHING.</b>	27,500.00
T-294-B	WALKER 5,000 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. STAINLESS STEEL FRONT HEAD. DUAL VERTICAL AGITATION. SPRAYBALL. S/N SPG-36041. 105"OD X 180"L X 112"H.	41,500.00
T-193-B	APC 5,000 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. DUAL VERTICAL AGITATION. SPRAYBALL. 2" CLAMP OUTLET. INTERIOR COOLING RIBS. S/N UNKNOWN. 96" D X 188"L X 132"H.	29,500.00
T-121-B	WALKER MODEL HHT-5000-R, 5,000 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. HORIZONTAL AGITATION REMOVED. SPRAYBALL. 60 SQ FT OF 75 PSI COLDWALL. 2" CLAMP OUTLET. S/N 1083-6674. 102"D X 174"L X 120"H.	28,500.00
T-987-A	CHESTER JENSEN MODEL AHC, 5,000 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. VERTICAL AGITATION. SPRAYBALL. 2" CLAMP OUTLET. MFG 11/66. S/N 771. 120"D X 144"L X 152"H.	31,500.00
T-139-B	HEIL 5,000 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. HORIZONTAL AGITATION. SPRAYBALL. 2" CLAMP OUTLET. S/N 167812. 96" D X 200"L X 112"H.	31,500.00
T-170-B	CHESTER JENSEN MODEL AHM, 5,000 GALLON HORIZONTAL RECTANGULAR REFRIGERATED STORAGE TANK. VERTICAL AGITATION. SPRAYBALL. 3" CLAMP OUTLET. S/N 359. 104"W X 152"L X 130"OH.	31,500.00
T-858-A	MUELLER MODEL SHW, 5,000 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. DUAL VERTICAL AGITATORS. FULL FLOODED AMMONIA CONTROLS. SPRAYBALL. 2" CLAMP OUTLET. <b>INTERIOR IMPLOSION, NON SANITARY USE ONLY.</b> S/N 109265-5. 113"D X 146"L X 145"H. <b>"AS IS"</b>	9,500.00
T-140-B	HEIL 5,000 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. HORIZONTAL AGITATION. SPRAYBALL. 2" CLAMP OUTLET. <b>INTERIOR REAR HEAD IMPLOSION, NON SANITARY USE ONLY.</b> S/N 167813. 96" D X 200"L X 112"H. <b>"AS IS"</b>	7,500.00
T-125-B	CHICAGO STAINLESS 5,000 GALLON HORIZONTAL CYLINDRICAL INSULATED STORAGE TANK. HORIZONTAL AGITATION. SPRAYBALL. 3" I-LINE OUTLET. S/N 772. 102"D X 200"L X 120"H.	25,500.00
T-716-A	CHERRY BURRELL 5,000 GALLON HORIZONTAL CYLINDRICAL INSULATED STORAGE TANK. HORIZONTAL AGITATION REMOVED. 3" CLAMP OUTLET. <b>MINOR IMPLOSION, NON SANITARY USE ONLY.</b> S/N UNKNOWN. 102"D X 195"L X 115"H. <b>"AS IS"</b>	7,500.00

T-042-B T-157-B	DCI 5,000 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED ASEPTIC STORAGE TANK. STAINLESS STEEL EXTERIOR. FRONT ENTERING MANWAY WITH DUAL O-RING STEAM TRACE SEAL. DUAL SPRAYBALLS. 3" WELD OUTLET POD ONLY. INTERIOR PITTING, NON SANITARY USE ONLY. 96"D X 216"L X 114"H. <b>"AS IS"</b> . S/N 95-D-50207-B. S/N 95-D-50207-A.	19,500.00
T-563-A	HEIL 4,300 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. HORIZONTAL AGITATION REMOVED. 2" CLAMP OUTLET. <b>INTERIOR PITTING NON SANITARY USE ONLY.</b> S/N 172057. 100"D X 160"L X 110"H. <b>"AS IS"</b>	6,500.00
T-146-B T-147-B	MUELLER MODEL SVW 4,000 GALLON VERTICAL CYLINDRICAL REFRIGERATED SILO TYPE STORAGE TANK. LESS STAINLESS STEEL FACE AND ALCOVE. SIDE ENTERING MANWAY. 2" BEVEL SEAT AIR AGITATION FERRULE. CIP DEVICE. TOP MOUNTED VENT. 2" CLAMP INLET AND OUTLET. 104"OD (112" BASE RING) X 170"OH. S/N 109265-5. S/N 109265-6.	19,500.00
T-160-B T-161-B	CHERRY BURRELL 4,000 GALLON HORIZONTAL CYLINDRICAL FREON REFRIGERATED STORAGE TANK. LIGHTNIN VERTICAL PROPELLER AGITATION. SPRAYBALL. 2" I-LINE OUTLET. S/N 67-E-40-5. S/N 67-E-40-8.	29,500.00
T-141-B	MOJONNIER MODEL M111G, 4,000 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. VERTICAL AGITATION. DUAL SPRAYBALLS. 50% COLDWALL. 2" CLAMP OUTLET. S/N 823. 96"D X 170"L X 124"H.	29,500.00
T-824-A	PFAUDLER 4,000 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. HORIZONTAL AGITATION REMOVED. 3" CLAMP OUTLET. SPRAYBALL. FRONT HEAD COLDWALL CONNECTIONS. S/N 46228. 104"D X 156"L X 118"H.	25,500.00
T-384-A	CREPACO 4,000 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. HORIZONTAL AGITATION REMOVED. SPRAYBALL. 2" CLAMP OUTLET. INTERIOR PITTING, NON SANITARY USE ONLY. S/N 1844. 102"D X 166"L X 112"H. <b>"AS IS"</b>	6,500.00
T-273-B	MUELLER MODEL SHW, 4,000 GALLON HORIZONTAL CYLINDRICAL INSULATED STORAGE TANK. ALL STAINLESS STEEL EXTERIOR. VERTICAL AGITATION. SPRAYBALL. 3" CLAMP OUTLET. S/N D-6101-2. 96"D X 168"L X 140"OH.	27,500.00
T-809-A	PORTERSVILLE 4,000 GALLON HORIZONTAL CYLINDRICAL INSULATED STORAGE TANK. VERTICAL AGITATION. SPRAYBALL. 3" CLAMP OUTLET. MINOR INTERIOR DISTORTION. S/N UNKNOWN. 102"D X 138"L X 132"H.	24,500.00
T-616-A	MOJONNIER MODEL M111G, 4,000 GALLON HORIZONTAL CYLINDRICAL INSULATED STORAGE TANK. 2" CLAMP OUTLET. LESS AGITATION. MOUNTED ON I-BEAMS. S/N 1136. 96"D X 163"L X 108"H.	22,500.00
T-715-A	HEIL 4,000 GALLON HORIZONTAL CYLINDRICAL INSULATED STORAGE TANK. HORIZONTAL AGITATION REMOVED. 3" CLAMP OUTLET. 8" ANSI FLANGE OUTLET. INTERIOR STAINING, NON SANITARY USE ONLY. S/N 148415. 100"D X 160"L X 115"H. <b>"AS IS"</b>	6,000.00
T-717-A	HEIL 4,000 GALLON HORIZONTAL CYLINDRICAL INSULATED STORAGE TANK. HORIZONTAL AGITATION REMOVED. BOTTOM 3" AND 8" ANSI FLANGE OUTLET. 3/EA TOP 8" ANSI FLANGE INLETS. INTERIOR STAINING, NON SANITARY USE ONLY. S/N 148417. 100"D X 160"L X 115"H. <b>"AS IS"</b>	6,000.00
T-220-B	DCI 3,000 GALLON VERTICAL CYLINDRICAL REFRIGERATED SILO TYPE STORAGE TANK. STAINLESS STEEL ALCOVE FACE WITH 8" FLANGE ONLY. HORIZONTAL MECHANICAL AGITATION. CIP AND VENT LINE WITH CIP DEVICE. 2" CLAMP INLET. 2" CLAMP OUTLET. S/N 1565-1. 88-3/4" OD X 169"H.	29,500.00
T-342-B	CHERRY BURRELL 3,000 GALLON HORIZONTAL CYLINDRICAL JACKETED REFRIGERATED STORAGE TANK. ALL STAINLESS STEEL EXTERIOR. 50% COLDWALL. VERTICAL AGITATION. SPRAYBALL. 3" CLAMP OUTLET. S/N 30-85-3223. 90" OD X 144"L X 127" OH.	35,500.00
T-295-B	WALKER 3,000 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. STAINLESS STEEL FRONT HEAD. VERTICAL AGITATION. 80 SQ FT OF 175 PSI ASME COLDWALL PREVIOUSLY USED WITH AMMONIA REFRIGERANT. 2" CLAMP OUTLET. SPRAYBALL. MFG 2002. S/N SPG-36039. 91"D X 153"L X 125"H.	35,500.00
T-270-B	DAMROW MODEL O, 3,000 GALLON HORIZONTAL ELLIPTICAL REFRIGERATED STORAGE TANK. STAINLESS STEEL FRONT HEAD. VERTICAL AGITATION. SPRAYBALL. 2" CLAMP OUTLET. 60"W X 211"L. S/N 357932.	29,500.00
T-126-B	CHERRY BURRELL MODEL FHW, 3,000 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. VERTICAL AGITATION. SPRAYBALL. 2" CLAMP OUTLET. S/N FHW-61-1518.	28,500.00
T-325-B T-326-B	CHESTER JENSEN MODEL AHM 3,000 GALLON HORIZONTAL RECTANGULAR JACKETED REFRIGERATED STORAGE TANK. STAINLESS STEEL FRONT HEAD. VERTICAL AGITATION. SPRAYBALL. 2" CLAMP OUTLET. MFG 1/59. 58"W X 180"L X 132"H. S/N 443. S/N 444.	25,500.00
T-120-B	PFAUDLER 3,000 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. HORIZONTAL AGITATION REMOVED. 3" NPT OUTLET. S/N UNKNOWN.	23,500.00
T-988-A	WALKER 3,000 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. STAINLESS STEEL FRONT HEAD. HORIZONTAL AGITATION. SPRAYBALL. 3" CLAMP OUTLET. SIDEWALL DISTORTION, NON SANITARY USE ONLY. S/N 14947109. <b>"AS IS"</b>	3,000.00
T-524-A	HEIL 3,000 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. HORIZONTAL AGITATION REMOVED. SPRAYBALL. COLDWALL. PEEPSIGHTS REMOVED. 2" CLAMP OUTLET. SPRAYBALL. S/N UNKNOWN. 102"D X 142"L X 115"H.	12,500.00
T-826-A	CHICAGO STAINLESS 3,000 GALLON HORIZONTAL CYLINDRICAL INSULATED STORAGE TANK. STAINLESS HEAD. HORIZONTAL AGITATION. SPRAYBALL. METALIZED EXTERIOR. MINOR REAR HEAD DISTORTION. 90"D X 148"L X 110"H. S/N 1684-RWM.	25,500.00

T-862-A	CHESTER JENSEN 3,000 GALLON HORIZONTAL CYLINDRICAL INSULATED STORAGE TANK. VERTICAL AGITATION. SPRAYBALL. 2" CLAMP OUTLET. S/N UNKNOWN. 96"D X 148"L X 130"H.	22,500.00
T-100-B	CHERRY BURRELL MODEL DHP, 3,000 GALLON HORIZONTAL CYLINDRICAL INSULATED STORAGE TANK. VERTICAL AGITATION. 2" CLAMP OUTLET. STAINLESS STEEL INTERIOR COIL FOR HEATING/COOLING. S/N UNKNOWN. 88-1/2"D X 160"L X 124"H.	29,500.00
T-505-A	CREPACO 3,000 GALLON HORIZONTAL CYLINDRICAL INSULATED STORAGE TANK. HORIZONTAL AGITATION REMOVED. SPRAYBALL. 2" CLAMP OUTLET. S/N 550. 90"D X 141"L X 107"H.	19,500.00
T-712-A	PFAUDLER 3,000 GALLON HORIZONTAL CYLINDRICAL INSULATED STORAGE TANK. HORIZONTAL AGITATION REMOVED. 3" BEVEL SEAT OUTLET. PEEPSIGHTS REMOVED. INTERIOR STAINING, NON SANITARY USE ONLY. S/N UNKNOWN. 90"D X 142"L X 102"H. <b>"AS IS"</b> .	4,500.00
T-713-A	PFAUDLER 3,000 GALLON HORIZONTAL CYLINDRICAL INSULATED STORAGE TANK. HORIZONTAL AGITATION REMOVED. 3" BEVEL SEAT OUTLET. PEEPSIGHTS REMOVED. MINOR IMPLOSION AND STAINING, NON SANITARY USE ONLY. S/N UNKNOWN. 90"D X 142"L X 102"H. <b>"AS IS"</b> .	4,500.00
T-208-B	CREPACO 2,000 GALLON VERTICAL CYLINDRICAL REFRIGERATED STORAGE TANK. ALL STAINLESS STEEL EXTERIOR. VERTICAL WIDE AND SIDE SWEEP AGITATOR WITH BAFFLE. STAINLESS STEEL ALCOVE. CIP AND VENT LINE WITH SPRAYBALL. 2" CLAMP OUTLET. 50 PSI SIDEWALL HEAT TRANSFER SURFACE. STAINLESS STEEL LEGS WITH ADJUSTABLE BALL FEET. S/N 2000-9662.	32,500.00
T-296-B	CHERRY BURRELL MODEL GRW 2,000 GALLON HORIZONTAL RECTANGULAR REFRIGERATED STORAGE TANK. STAINLESS STEEL FRONT HEAD. VERTICAL AGITATION. SPRAYBALL. 2" CLAMP OUTLET. S/N 20-67-2356. 68"W X 106"L X 121"H.	27,500.00
T-190-B	PFAUDLER 2,000 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. VERTICAL AGITATION. SPRAYBALL. 2" CLAMP OUTLET. 30% DX NH3 COLDWALL. S/N UNKNOWN. 90"D X 107"L X 128"H.	29,500.00
T-774-A	CHERRY BURRELL MODEL RW, 2,000 GALLON HORIZONTAL RECTANGULAR REFRIGERATED STORAGE TANK. SPRAYBALL. 2" CLAMP OUTLET. S/N 2000-RW-56-148. 81"W X 80"L X 124"H. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	29,500.00
T-790-A	PFAUDLER 2,000 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. HORIZONTAL AGITATION. 2-1/2" BEVEL SEAT OUTLET. INTERIOR IMPLOSION NON SANITARY USE ONLY. S/N 52185. 96"D X 106"L X 112"H. <b>"AS IS"</b> .	4,000.00
T-234-A	CHERRY BURRELL MODEL DHS, 2,000 GALLON HORIZONTAL CYLINDRICAL INSULATED STORAGE TANK. HORIZONTAL AGITATION REMOVED. SPRAYBALL. 2" I LINE OUTLET. S/N DHS-2000-46-873. 90"D X 105"L X 100"H.	22,500.00
T-527-A	HEIL 2,000 GALLON HORIZONTAL CYLINDRICAL INSULATED STORAGE TANK. HORIZONTAL AGITATION. SPRAYBALL. 2" N/A VALVE. S/N 126847. 90"D X 94"L X 100"H.	22,500.00
T-169-B	CHERRY BURRELL MODEL CH, 2,000 GALLON HORIZONTAL CYLINDRICAL SINGLE SHELL STORAGE TANK. VERTICAL AGITATION. SPRAYBALL. 3" CLAMP OUTLET. S/N 2000-78-1957.	24,500.00
T-952-B	CREPACO 1,500 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. STAINLESS HEAD. VERTICAL AGITATION. SPRAYBALL. 2" CLAMP OUTLET. S/N 3983. 70"D X 138"L X 96"H.	31,500.00
T-280-B	CHERRY BURRELL MODEL EHW, 1,500 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. STAINLESS STEEL FRONT HEAD. HORIZONTAL AGITATION. SPRAYBALL. 2" CLAMP OUTLET. S/N 15-EHW-61-1083. 72"D X 120"L + 20" LADDER X 90"H.	31,500.00
T-263-B	CREPACO 1,500 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. VERTICAL AGITATION. SPRAYBALL. 80% COLDWALL. 2" CLAMP OUTLET. S/N 1813. 90"D X 84"L X 132"H.	24,500.00
T-866-A	CHESTER JENSEN MODEL AHM, 1,500 GALLON HORIZONTAL RECTANGULAR REFRIGERATED STORAGE TANK. VERTICAL AGITATION. SPRAYBALL. 1-1/2" CLAMP OUTLET. S/N UNKNOWN. 48"W X 120"L X 122"H.	24,500.00
T-707-A	PORTERSVILLE 1,500 GALLON HORIZONTAL CYLINDRICAL INSULATED STORAGE TANK. SPRAYBALL. 2" CLAMP OUTLET. S/N 174-2. 72"D X 120"L.	18,500.00
T-544-A	HEIL 1,500 GALLON HORIZONTAL CYLINDRICAL INSULATED STORAGE TANK. HORIZONTAL AGITATION. 2" CLAMP OUTLET. S/N 129371. 72"D X 114"L X 82"H.	18,500.00
T-768-A	CHERRY BURRELL 1,000 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. HORIZONTAL AGITATION. SPRAYBALL. 2" CLAMP OUTLET. S/N UNKNOWN. 76"D X 84"L X 90"H.	24,500.00
T-791-A	PFAUDLER 1,000 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. HORIZONTAL AGITATION. 2-1/2" BEVEL SEAT OUTLET. 72"D X 94"L X 90"H.	23,500.00
T-792-A	S/N 27570. S/N 2184.	
T-811-A	PFAUDLER 1,000 GALLON HORIZONTAL CYLINDRICAL REFRIGERATED STORAGE TANK. HORIZONTAL AGITATION REMOVED. 2" CLAMP OUTLET. S/N UNKNOWN. 72"D X 94"L X 90"H.	21,500.00
T-644-A	CHESTER JENSEN MODEL AHM, 1,000 GALLON HORIZONTAL RECTANGULAR REFRIGERATED STORAGE TANK. VERTICAL AGITATION. SPRAYBALL. 1-1/2" CLAMP OUTLET. S/N 633. 66"W X 66"L X 102"H.	21,500.00
T-093-B	GIRTON MODEL CT-1000, 1,000 GALLON HORIZONTAL RECTANGULAR FREON REFRIGERATED STORAGE TANK. VERTICAL AGITATION. SPRAYBALL. 2" CLAMP OUTLET. S/N 126013. 44"W X 108"L X 100"H.	21,500.00
T-222-B	WALKER CIP DOOR ASSEMBLY FOR SILO TANK.	500.00
T-223-B	S/N UNKNOWN S/N UNKNOWN	

T-224-B	S/N UNKNOWN	
T-315-B	S/N UNKNOWN	
T-316-B	S/N UNKNOWN	
T-339-B	S/N UNKNOWN	
	WALKER CIP HARNESS FOR SILO TANK.	400.00
T-335-B	S/N UNKNOWN.	
T-336-B	S/N UNKNOWN.	
T-337-B	S/N UNKNOWN.	
T-338-B	S/N UNKNOWN.	
	MUELLER CIP DOOR ASSEMBLY FOR SILO TANK..	500.00
T-317-B	S/N UNKNOWN	
T-318-B	S/N UNKNOWN	
T-319-B	S/N UNKNOWN	
T-320-B	S/N UNKNOWN	
T-345-B	NEW, WALKER VERTICAL SILO TANK AGITATOR ASSEMBLY CONSISTING OF 5 HP, 28 RPM NORD GEARMOTOR, "H" STYLE MOTOR MOUNT, 35" OD WELD-IN MOTOR MOUNT REINFORCING PAD, GEARMOTOR MOUNT BOLTS, WELD-IN AGITATOR SHAFT SLEEVE WITH 5" TRI-CLAMP FERRULE, POLYPROPYLENE SHAFT SEAL WITH BUNA-N O-RING SEALS, SHAFT COVER WELD-IN RING, SHAFT COVER WITH (2) CLAMPS, 6" DIAMETER RUBBER DUST SHIELD (OIL SLINGER, UPPER CENTERSHAFT WITH MOTORSHAFT ADAPTER AND (1) 42" WIDE 2-BLADE SWEEP ASSEMBLY WHICH WILL BE SHIPPED LONG FOR CUSTOMER TRIMMING TO LENGTH, LOWER CENTERSHAFT WITH CENTERSHAFT SPLICE (2) 42" WIDE 2-BLADE SWEEP ASSEMBLIES AND BOTTOM GUIDE, AND WELD-IN BOTTOM GUIDE WITH REMOVABLE NYLON INSERT. DESIGNED FOR A +/- 280" OVERALL HEIGHT SILO TANK.	16,500.00
T-119-B	WALKER VERTICAL AGITATOR FOR HORIZONTAL STORAGE TANK CONSISTING OF: RELIANCE 3 HP 48 CO-SHAFT RPM RIGHT ANGLE DRIVE, AGITATOR MOTOR COUPLING, STAINLESS STEEL VERTICAL AGITATOR 102" LONG WITH 2/EA 32" OAL TWO BLADE PADDLES, AND BOTTOM AGITATOR BEARING. S/N UNKNOWN.	7,500.00
T-148-B	CHEMINEER MODEL 1HSA-3, 3 HP, 350 RPM, HORIZONTAL AGITATOR ASSEMBLY FOR STORAGE TANK. IPS FLANGE MOUNT. MILD STEEL SHAFT AND PROPELLER. S/N 1-85617-1.	1,000.00
	CHEMINEER MODEL SAG-30-142, 3 HP, 420 RPM HORIZONTAL AGITATOR ASSEMBLY FOR STORAGE TANK. IPS FLANGE MOUNT. MILD STEEL SHAFT AND PROPELLER.	1,000.00
T-149-B	S/N 1-74893-1.	
T-150-B	S/N 1-74893-2.	
T-135-B	<b>UNUSED</b> , SEW EURODRIVE TYPE KAF47DT100LS4-KS, 3 HP, 163 RPM, HOLLOW SHAFT AGITATOR DRIVE FOR MUELLER SILO TANK.	2,500.00
T-264-B	<b>UNUSED</b> , NORD 3 HP, 230-460/3/60 INVERTER DUTY GEAR MOTOR AND HOLLOW SHAFT DRIVE FOR STORAGE TANK VERTICAL AGITATOR, 41 OUTPUT RPM. S/N 1/8110342229.00.	2,500.00
T-225-B	SCHLUETER SAFEGUARD MODEL AF112602L 265 CFM STAINLESS STEEL CIP CLEANABLE UV AND HEPA FILTER ASSEMBLY. 120/1/60. S/N 403041.	4,750.00
T-226-B	SCHLUETER SAFEGUARD MODEL AF112602L 265 CFM STAINLESS STEEL CIP CLEANABLE UV AND HEPA FILTER ASSEMBLY. 120/1/60. S/N 403049.	4,750.00
T-227-B	SCHLUETER SAFEGUARD MODEL AF112602L 265 CFM STAINLESS STEEL CIP CLEANABLE UV AND HEPA FILTER ASSEMBLY. 120/1/60. S/N 403049.	4,750.00
T-228-B	SCHLUETER SAFEGUARD MODEL AF112602L 265 CFM STAINLESS STEEL CIP CLEANABLE UV AND HEPA FILTER ASSEMBLY. 120/1/60. S/N 403049.	4,750.00
T-241-B	SCHLUETER SAFEGUARD MODEL AF114302L 15 CFM STAINLESS STEEL CIP CLEANABLE UV AND HEPA FILTER ASSEMBLY. 120/1/60. S/N 188868.	4,750.00
T-902-B	DCI STAINLESS STEEL FORCED FAN ULTRAVIOLET AIR PURIFIER CONSISTING OF 4/EA AMERICAN ULTRAVIOLET UV LIGHTS AND ½ HP FAN ASSEMBLY. 3" CLAMP CONNECTIONS. S/N UNKNOWN.	2,500.00
T-347-B	DCI 005994 16" X 20" MANWAY DOOR WITH CROSS ARM, WINGNUT, DOUBLE JOINTED SWING ARM AND VARIOUS ASSORTED COMPANION PARTS.	2,000.00
T-234-B	DCI 005994 16" X 20" MANWAY DOOR. S/N UNKNOWN.	900.00
T-235-B	DCI 005994 16" X 20" MANWAY DOOR. S/N UNKNOWN.	900.00
	DCI ORIGINAL ELLIPTICAL MANWAY DOOR WITH CROSS ARM, WINGNUT, DOUBLE JOINTED SWING ARM AND VARIOUS ASSORTED COMPANION PARTS. S/N UNKNOWN.	2,000.00
T-1009-B	S/N UNKNOWN	
T-1010-B	S/N UNKNOWN	

## MULTI-COMPARTMENT TANKS

Reconditioning of multi compartment tanks includes stripping and prime painting of painted surfaces, pressure testing of heat transfer area, complete teardown and repair of agitator drive systems, elastomer/seal replacement, cosmetic polishing as necessary of stainless steel surfaces, and loosening of all adjustable legs. Loading on a flatbed carrier is included in the purchase price.

T-328-B	CHERRY BURRELL MODEL GRW 2 X 2,000 GALLON TWO COMPARTMENT HORIZONTAL RECTANGULAR JACKETED REFRIGERATED STORAGE TANK. STAINLESS STEEL FRONT HEAD. VERTICAL AGITATION. SPRAYBALLS. 2" CLAMP OUTLETS. S/N 40-72-2672. 102"W X 146"D X 133"H.	45,500.00
T-329-B	MUELLER MODEL SRW 3 X 1,200 GALLON THREE COMPARTMENT HORIZONTAL RECTANGULAR JACKETED REFRIGERATED STORAGE TANK. STAINLESS STEEL FRONT HEAD. VERTICAL AGITATION. SPRAYBALLS. 2" CLAMP OUTLETS. S/N'S SRW-15616, SRW-15716, AND 15816. 105"W X 124"L X 130"H.	52,500.00
T-1003-B	WALKER MODEL 9389 TWO COMPARTMENT GALLON HORIZONTAL RECTANGULAR JACKETED REFRIGERATED STORAGE TANK. ONE COMPARTMENT 2,000 GALLON, OTHER 1,000 GALLON. STAINLESS STEEL EXTERIOR. 3/1.5 HP, 48/24 RPM, 230/3/60 TWO SPEED VERTICAL AGITATION.. SPRAYBALL. 54 SQ FT, TWO ZONES, OF 75 PSI RATED CHANNEL COLDWALL PREVIOUSLY USED ON FREON REFRIGERANT. 2" CLAMP OUTLET. S/N RHT-3657-R. 96" W X 124"L X 116" OAH.	53,500.00
T-340-B	CREPACO MODEL R-3000, 2 X 1,500 GALLON TWO COMPARTMENT HORIZONTAL RECTANGULAR JACKETED/REFRIGERATED TANK. PAINTED EXTERIOR. HORIZONTAL AGITATION. SPRAYBALLS. 2" CLAMP OUTLETS. S/N R3000-2359. 108"W X 120"L X 90"H.	32,500.00
T-740-B	CHESTER JENSEN MODEL AHM, 2 X 1,000 GALLON 2 COMPARTMENT HORIZONTAL RECTANGULAR JACKETED/REFRIGERATED STORAGE TANK. ALL STAINLESS STEEL EXTERIOR. HORIZONTAL AGITATION. 1-1/2" CLAMP OUTLETS. MFG 1/58. S/N 401. 136"W X 58"D X 100"H.	35,500.00
P-532-B	CHERRY BURRELL 3 X 500 GALLON DOME TOP 3 COMPARTMENT JACKETED/REFRIGERATED MIX AND BLEND TANK. 14-1/2 SQ FT OF COLDWALL JACKET DESIGNED FOR AMMONIA REFRIGERANT PER COMPARTMENT. MIX TYPE AGITATION. SPRAYBALLS. 2" CLAMP OUTLETS. S/N 350-69-506. 62" LONG X 163" WIDE X 61" DUMP RAIL HEIGHT.	35,500.00
P-1004-B	MUELLER MODEL SRMW, DOME TOP JACKETED REFRIGERATED TWO COMPARTMENT MIX AND BLEND TANK. ONE COMPARTMENT 500 GALLON, OTHER 1,000 GALLON. MIX TYPE AGITATION. SPRAYBALLS. 2" CLAMP OUTLETS. S/N SRMW-78190. 104"W X 88"D X 90"OAH.	32,500.00
P-575-B	MUELLER 2 X 600 GALLON DOME TOP TWO COMPARTMENT FREON REFRIGERATED JACKETED MIX AND BLEND TANK. VERTICAL MIX TYPE AGITATION. SPRAYBALLS. 2" CLAMP OUTLETS. S/N 100500. 80" LONG X 103" WIDE.	25,500.00
P-1014-B	MUELLER MODEL SRMW-1000, 1,000 GALLON SINGLE COMPARTMENT STAINLESS STEEL JACKETED REFRIGERATED MIX AND BLEND TANK. VERTICAL MIX TYPE AGITATION. SPRAYBALL. 2" CLAMP OUTLET. S/N 112263. 68" WIDE X 83" LONG X 63" DUMP RAIL HEIGHT.	19,500.00
P-1020-B	CHERRY BURRELL MODEL ST, 2 X 500 GALLON TWO COMPARTMENT DOME TOP INSULATED MIX AND BLEND TANK. LIGHTNIN MODEL X5P25 1/2 HP THREE BLADE PROPELLER AGITATION. SPRAYBALLS. 2-1/2" CLAMP OUTLETS. S/N 250-74-650. 109" W X 61" D X 64" DRH.	16,500.00
P-635-B	CHERRY BURRELL 2 X 400 GALLON INSULATED MIX AND BLEND TANK. CENTER BRIDGE WITH LIFT TOP COVERS. FLAT PITCHED BOTTOM. MIX TYPE AGITATION. 1-1/2" BEVEL SEAT OUTLETS. S/N UNKNOWN. 103" W X 55"D X 51" DUMP RAIL HEIGHT.	17,500.00
P-636-B	CHERRY BURRELL 2 X 300 GALLON INSULATED MIX AND BLEND TANK. DOME TOP WITH RECTANGULAR LIFT OFF MANWAY. CURVED PITCHED BOTTOM. MIX TYPE AGITATION. 1-1/2" MALE I-LINE OUTLETS. SPRAYBALLS. S/N UNKNOWN. 80" W X 49" D X 62" DRH.	16,500.00
P-722-A	GIRTON MODEL FV-600, 600 GALLON SINGLE COMPARTMENT RECTANGULAR DOME TOP INSULATED MIX AND BLEND TANK. 1-1/2" CLAMP OUTLET. SPRAYBALL. MIX TYPE AGITATION. S/N 65122302.	7,500.00
P-530-B	CREPACO MODEL F150-3, 3 X 150 GALLON 3 COMPARTMENT DOME TOP INSULATED MIX AND BLEND TANK. MIX TYPE AGITATION. SPRAYBALLS. 1-1/2" CLAMP OUTLETS. S/N F150-3-204. 44" LONG X 133" WIDE X 52" DUMP RAIL HEIGHT.	19,500.00
P-302-B	CHERRY BURRELL 2 X 200 GALLON INSULATED MIX AND BLEND TANK. ENCLOSED REAR WITH 2/3 FRONT LIFT TOP COVER. MIX TYPE AGITATION. 1-1/2" CLAMP OUTLET. 40" LONG X 70" WIDE X 52" DUMP RAIL HEIGHT.	11,500.00
P-303-B	S/N 200-56-118. S/N 200-56-120.	

## BULK FARM TANKS

Reconditioning of bulk farm tanks includes stripping and prime painting of painted surfaces, pressure testing of heat transfer area, complete teardown and repair of agitator drive systems, elastomer/seal replacement, cosmetic polishing as necessary of stainless steel surfaces, and loosening of all adjustable legs. Loading on a flatbed carrier is included in the purchase price.

T-1005-B	MUELLER MODEL OH, 2,500 GALLON STAINLESS STEEL FREON REFRIGERATED JACKETED BULK FARM COOLING TANK. STANDARD AGITATION. EXTERNAL MANOMETER. 2" CLAMP OUTLET. S/N 69677.	19,500.00
T-124-B	CHERRY BURRELL 1,000 GALLON PAINTED EXTERIOR CHILLED WATER REFRIGERATED JACKETED BULK FARM COOLING TANK. CENTER BRIDGE WITH LIFT TOP COVERS. STANDARD AGITATION. 1-1/2" CLAMP OUTLET. S/N 1000-FIG-56-90.	7,500.00
T-640-A	CREPACO MODEL R1000, 1,000 GALLON PAINTED EXTERIOR AMMONIA REFRIGERATED JACKETED BULK FARM COOLING TANK. CENTER BRIDGE WITH LIFT TOP COVERS. STANDARD AGITATION. 2" BEVEL SEAT OUTLET. S/N R2980.	7,500.00
T-1004-B	MUELLER MODEL O, 600 GALLON STAINLESS STEEL FREON REFRIGERATED JACKETED BULK FARM COOLING TANK. STANDARD AGITATION. CALIBAR 1-1/2" CLAMP OUTLET. S/N 36143.	7,500.00
T-1002-B	MUELLER MODEL M 400 GALLON STAINLESS STEEL FREON REFRIGERATED JACKETED BULK FARM COOLING TANK. CENTER BRIDGE WITH LIFT TOP COVERS. STANDARD AGITATION. 1-1/2" CLAMP OUTLET. CALIBAR. S/N 20840.	4,500.00
T-203-B	GIRTON 600 GALLON STAINLESS STEEL CHILLED WATER REFRIGERATED JACKETED BULK FARM COOLING TANK. CENTER BRIDGE WITH LIFT TOP COVERS. AGITATION REMOVED. 2" MPT OUTLET. PAINTED MILD STEEL LEGS. S/N 87156.	2,500.00

## PROCESSING TANKS

Reconditioning of processing tanks includes stripping and painting of painted surfaces, pressure testing of heat transfer area, flooded water testing of atmospheric vessels, complete teardown and repair of agitator drive systems, elastomer/seal replacement, cosmetic polishing as necessary of stainless steel surfaces, rebuilding of outlet valves, and loosening of all adjustable legs. Loading on a flatbed carrier is included in the purchase price.

P-582-B	WALKER 12,000 GALLON TYPE 304 STAINLESS STEEL DOME TOP DISHED BOTTOM SINGLE SHELL TANK. SIDE ENTERING MANWAY. 2B INTERIOR AND EXTERIOR WITH RIBBON POLISHED WELD SEAMS. 3" CLAMP OUTLET. SPRAYBALL. HORIZONTAL AGITATION REMOVED. PAINTED MILD STEEL LEGS WITH NON ADJUSTABLE PAD STYLE FEET. MFG 4/82. S/N 750-4011. 136" OD X 240" OH.	43,500.00
P-1023-B	MUELLER 7,000 GALLON TYPE 304 STAINLESS STEEL DOME TOP DISHED BOTTOM SINGLE SHELL MIX AND BLEND TANK. #4 INTERIOR FINISH. 2B EXTERIOR FINISH WITH RIBBON POLISHED WELD SEAMS. HEAVY DUTY 10 HP, 40 RPM, 50" DIAMETER TURBINE AGITATION DESIGNED FOR 8,000 CPS VISCOSITY PRODUCT. 4/EA 10" SIDE MOUNTED BAFFLES. SIDE ENTERING MANWAY. DUMBBELL TYPE SPRAYBALL. 6/EA STAINLESS STEEL LEGS WITH ADJUSTABLE BALL FEET. KING LEVEL SHELL ONLY. 3" CLAMP OUTLET AT +/- 48" HEIGHT. S/N 378434. 120" OD X 252" OAH.	45,000.00
P-559-B	SFI 6,000 GALLON DOME TOP DISHED BOTTOM INSULATED STAINLESS STEEL TANK. TOP MANWAY. SPRAYBALL. 8" CENTER BOTTOM OUTLET POD +/- 36" HEIGHT WITH MULTIPLE CLAMP OUTLETS. STAINLESS STEEL LEGS WITH NON ADJUSTABLE PAD STYLE FEET. S/N S-25260. 118" OD X 127" STRAIGHT SIDE X 200" OAH.	33,500.00
P-339-B	WALKER MODEL VHT-4498, 3,500 GALLON DOME TOP DISHED BOTTOM INSULATED STAINLESS STEEL MIX AND BLEND TANK. TYPE 316L 2B PRODUCT CONTACT SURFACE. LIGHTNIN CENTER MOUNTED 20/13 HP, 84/56 RPM, PROPELLER AGITATION WITH BOLT ON BLADES. CIP DEVICES. BOTTOM HEAD STEAM INJECTION PORTS, CONFIGURED FOR USE AS A LAUTER TUN. STAINLESS SIDE MOUNTING TABS LESS LEG ASSEMBLY. MFG 1987. S/N 10225. <b>LEG RETROFIT IS AVAILABLE AND PRICED ON APPLICATION.</b>	25,500.00
P-490-B	CHERRY BURRELL 3,500 GALLON DOME TOP, DISHED BOTTOM SINGLE SHELL TANK. SIDE ENTERING MANWAY. 2" BEVEL SEAT OUTLET EXTERNAL MANOMETER. HORIZONTAL AGITATION REMOVED. PAINTED MILD STEEL LEGS. S/N 55E-4577. 96"D X 158" OH.	19,500.00
P-643-B	ROSS ENGINEERING APPROXIMATELY 400 CU FT (3,000 GALLON) STAINLESS STEEL STEAM STERILIZABLE CARBON FILTER TANK. ASME RATED 65 PSIG @ 230 DEGREES F. MFG 2007. S/N SF-997C.	33,500.00
P-271-B	CHERRY BURRELL MODEL EP, 2,500 GALLON DOME TOP FLAT PITCHED BOTTOM INSULATED MIX AND BLEND TANK. TYPE 316 SS, #4 FINISH INSIDE. 2-1/2" BEVEL SEAT OUTLET. SPRAYBALL. VERTICAL OFF CENTER MOUNTED WITH DUAL 20" DIAMETER 4-BLADED AXIAL FLOW TURBINES 3 HP SINGLE SPEED MOTOR, OPERATION @ 97 RPM 230-460/3/60, LESS BAFFLE. 84"D X 115" STRAIGHT SIDE X 160" OH. S/N E206-89-2.	21,500.00
P-244-B	CREPACO 2,500 GALLON DOME TOP FLAT PITCHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. 3/1.5 HP 56/28 RPM OFFSET PARTIAL BOTTOM SWEEP AGITATION, 460/3/60. SPRAYBALL. 3" CLAMP OUTLET. STAINLESS STEEL EXTERIOR BOTTOM. S/N 20040. 118" OD.	34,500.00
	CREPACO 2,500 GALLON DOME TOP FLAT PITCHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. PAINTED MILD STEEL EXTERIOR. STAINLESS STEEL EXTERIOR TOP HEAD WITH MANWAY. WIDE AND SIDE SWEEP AGITATOR WITH BAFFLE. SPRAYBALL. STAINLESS STEEL ALCOVE CONTAINING 2-1/2" CLAMP INLET AND OUTLET ONLY.	22,500.00
P-899-B	S/N 9699.	
P-900-B	S/N 9700.	

P-478-B	MUELLER 2,600 GALLON STAINLESS STEEL DOME TOP, FLAT PITCHED BOTTOM JACKETED MIX AND BLEND TANK. 2B INTERIOR FINISH WITH RIBBON POLISHED WELD SEAMS. VERTICAL OFFSET 1.5 HP, 35 RPM, TWO BLADE PADDLE AGITATION. TOP MANWAY. SPRAYBALL. 2-1/2" CLAMP OUTLET. BOTTOM HEAD AND PARTIAL SIDEWALL HEAT TRANSFER SURFACE RATED AT 90 PSI. STAINLESS STEEL EXTERIOR BOTTOM. NON ADJUSTABLE PAD STYLE FEET. S/N F-26787-1.	27,500.00
P-172-B	HOWARD 2,500 GALLON DISHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. CENTER BRIDGE WITH LIFT TOP COVERS. LIGHTNIN PROPELLER AGITATION. 2" BOTTOM CENTER CLAMP OUTLET. FULL SIDEWALL PRESSURE WALL SURFACE ONLY. MFG 1971. S/N 143.	24,500.00
P-647-B	WALKER MODEL MIX 2,500 GALLON DOME TOP, DISHED BOTTOM TYPE 304 STAINLESS STEEL SINGLE SHELL TANK. 3 HP, 18 RPM, VERTICAL WIDE SWEEP AGITATION WITH SCRAPER BLADES. SPRAYBALL. 4" CLAMP OUTLET. DRAWING NUMBER SP-23726-D. S/N 8063. 82"D X 144" OAH.	25,500.00
P-262-B	MANUFACTURER UNKNOWN 2,500 GALLON DOME TOP DISHED BOTTOM SINGLE SHELL TANK. SPRAYBALL 3" CLAMP OUTLET. STAINLESS STEEL LEGS WITH ADJUSTABLE BALL FEET. TOP ENTERING MANWAY. S/N UNKNOWN.	14,500.00
P-1027-B	DCI 2,000 GALLON DOME TOP CONE BOTTOM JACKETED PRESSURE WALL PROCESSOR. 3/1.5 HP, 16/8 RPM, 460/3/60 WIDE AND SIDE SWEEP AGITATOR WITH SCRAPER BLADES AND BAFFLE. SPRAYBALL. 3" CLAMP OUTLET. S/N 93-D-46518. 90" OD X 168" OAH.	47,500.00
P-320-B	DAMROW 2,000 GALLON DOME TOP FLAT PITCHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. WIDE SWEEP AGITATOR WITH BAFFLE. SPRAYBALL. 2" CLAMP OUTLET. S/N 88-014.	34,500.00
P-037-B P-038-B	CREPACO 2,000 GALLON DOME TOP FLAT PITCHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. WIDE AND SIDE SWEEP AGITATOR WITH BAFFLE. SPRAYBALL. 3" CLAMP OUTLET. INTERIOR SIDEWALL IMPLSION, NON SANITARY USE ONLY. "AS IS" S/N 2000-9578. S/N 2000-9579.	14,500.00
P-581-B	DCI 2,000 GALLON DOME TOP FLAT PITCHED BOTTOM SINGLE SHELL MIX AND BLEND TANK. WIDE SWEEP AGITATOR WITH BAFFLE. SPRAYBALL. 3" CLAMP OUTLET. S/N 92-D-44768-A. 98"D X 64"SS X 126"OAH.	24,500.00
P-348-B	ACE WELDING 2,000 GALLON DISHED BOTTOM VERTICAL SINGLE SHELL TANK. CENTER BRIDGE WITH LIFT TOP COVERS. SPRAYBALL. 3" CLAMP OUTLET. S/N UNKNOWN.	15,500.00
P-543-B	WALKER MODEL PZ-CB 1,500 GALLON DOME TOP CONE BOTTOM JACKETED PRESSURE WALL PROCESSOR. WIDE AND SIDE SWEEP AGITATION WITH SCRAPER BLADES. FULL SIDEWALL BOTTOM HEAD 75PSI ASME JACKET, THREE ZONES, WITH INTERNAL ZONE CONTROL MANIFOLD. SPRAYBALL. 2-1/2" CLAMP OUTLET. S/N 1704.	42,500.00
P-544-B	FELDMEIER 1,500 GALLON TYPE 316 STAINLESS STEEL DOME TOP FLAT PITCHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. 80 SQ FT, 2 ZONES, 100 PSI ASME JACKET LOCATED IN SIDEWALL. PERFORATED 10 GAUGE FALSE REMOVABLE INTERIOR BOTTOM, EIGHT SECTIONS, WITH 3/8" DIAMETER HOLES ON 2" CENTERS. 48" DIAMETER PARTIAL SWEEP AGITATION WITH 5 HP 43 RPM 230-460/3/60 INVERTER DUTY MOTOR AND BAFFLE. DUMBBELL TYPE SPRAYBALL. 16" X 20" SIDE MOUNTED INSIDE SWINGING MANWAY. 10" X 42" TOP ENTERING HINGED "D" STYLE DRUM DUMP MANWAY. 3" 150# FLANGE OUTLET. TOP HEAD 20" 150# FLANGE INLET. TOP HEAD 10" 150# FLANGE INLET. MFG 2004. S/N E-858-03. 102" OD X 114" OAH.	32,500.00
P-1007-B P-1008-B	MUELLER 1500 GALLON DOME TOP FLAT PITCHED BOTTOM SINGLE SHELL MIX AND BLEND TANK. 5/2.5 HP, 460/3/60, 25/12.5 RPM WIDE SWEEP AGITATOR WITH BAFFLE. SPRAYBALL. 2-1/2" CLAMP INLET AND OUTLET. NON ADJUSTABLE PAD STYLE FEET. 72"D X 84"SS X 144" OAH. S/N UNKNOWN S/N UNKNOWN.	25,500.00
P-1025-B P-1026-B	CREPACO 1,500 GALLON DOME TOP FLAT PITCHED BOTTOM SINGLE SHELL MIX AND BLEND TANK. WIDE & PARTIAL SIDE SWEEP AGITATOR WITH BAFFLE. SPRAYBALL. 2-1/2" CLAMP OUTLET. NON ADJUSTABLE PAD STYLE FEET. 90" OD X 128" OAH. S/N 9980 S/N 9979	25,500.00
P-349-B P-350-B	ACE WELDING 1,500 GALLON FLAT PITCHED BOTTOM VERTICAL SINGLE SHELL TANK. CENTER BRIDGE WITH LIFT TOP COVERS. SPRAYBALL. 3" CLAMP OUTLET. 72" OD X 112" OAH. S/N UNKNOWN. S/N 16232-1.	13,500.00
P-755-A	POTTER RAYFIELD MODEL M, 1,072 GALLON SINGLE SHELL TANK. FLAT PITCHED BOTTOM.. CENTER BRIDGE WITH LIFT TOP COVERS. 2" NPT OUTLET. SIDE MOUNTED PROPELLER AGITATION. PAINTED MILD STEEL LEGS. S/N 637M196.	9,500.00
P-053-B	MOJONNIER MODEL P226L, 1,000 GALLON DOME TOP CONE BOTTOM JACKETED PRESSURE WALL PROCESSOR. WIDE AND SIDE SWEEP AGITATOR WITH BAFFLE. SCRAPER BLADE ATTACHMENTS LESS NYLON BLADES. SPRAYBALL. VESSEL RATED 10 PSI PRESSURE UNLOADING. 2" CLAMP OUTLET. S/N 1980. 76" OD X 142" OH (111" DUMP RAIL HEIGHT, 22" OUTLET HEIGHT)	32,500.00
P-458-B	WILL FLOW 1,000 GALLON FLAT PITCHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. FULL SIDEWALL AND BOTTOM HEAD EXPOSED 50 PSI JACKET. PAINTED CENTER BRIDGE WITH STAINLESS STEEL SPLASH PAN LESS LIFT TOP COVERS. WIDE AND SIDE SWEEP AGITATOR WITH SIDE SCRAPER BLADES ONLY. 2-1/2" CLAMP OUTLET. MFG 1968. S/N 6150.	19,500.00
P-129-B	CREPACO 1,000 GALLON DOME TOP DISHED BOTTOM SINGLE SHELL MIX AND BLEND TANK. SQUIRREL CAGE AGITATION. SPRAYBALL. BOTTOM HEAD JACKETED AND INSULATED. 2" CLAMP OUTLET. S/N A3938.	21,500.00
P-227-B	MANUFACTURER UNKNOWN 1,000 GALLON FLAT PITCHED BOTTOM SINGLE SHELL MIX AND BLEND TANK. SIDE MOUNTED V-BELT AGITATOR. SPLIT LIFT TOP COVERS. S/N UNKNOWN.	9,500.00
P-199-B	MANUFACTURER UNKNOWN 1,000 GALLON OPEN TOP, CONE BOTTOM SINGLE SHELL TANK. STAINLESS STEEL NON ADJUSTABLE LEGS. 3" NPT OUTLET. SIDE MOUNTED SKIMMER OVERFLOW. 2B INTERIOR AND EXTERIOR FINISH. 66" DIAMETER X 60" STRAIGHT SIDE + 30" CONE X 120" OVERALL HEIGHT. S/N UNKNOWN.	7,500.00

P-203-B	S/N UNKNOWN.	
P-206-B	S/N UNKNOWN.	
	<b>UNUSED</b> , TERRACON MODEL CXC01000B 1,000 GALLON DOME TOP CONE BOTTOM POLYPROPYLENE TANK. MOUNTED ON MILD STEEL SUPPORT WITH NON ADJUSTABLE PAD STYLE FEET. TOP ENTERING MANWAY. 4" CLAMP OUTLET. 86" D X 24" SS X 66" OVERALL TANK HEIGHT X 84" OAH.	2,000.00
P-411-B	S/N 0804380148.	
P-412-B	S/N 0805237410.	
P-467-B	CHERRY BURRELL 900 GALLON TYPE 316L DOME TOP CONE BOTTOM JACKETED PRESSURE WALL PROCESSOR. WIDE AND SIDE SWEEP AGITATOR WITH BAFFLE. SPRAYBALL. 3" CLAMP OUTLET. OPTIONAL INTERNAL ZONE CONTROL MANIFOLD. INTERIOR DIMENSIONS OF 82" DIAMETER X 40" STRAIGHT SIDE X 10" DEEP CONE. S/N UNKNOWN. <b>SCRAPER BLADE AGITATION RETROFIT IS AVAILABLE AND PRICED ON APPLICATION.</b>	31,500.00
P-1030-B	WALKER MODEL PZ-PV 800 GALLON DOME TOP FLAT PITCHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. 100 PSI ASME JACKET. WIDE SWEEP AGITATOR. SPRAYBALL. VACUUM PRESSURE VESSEL DESIGN, 15 PSI INTERNAL PRESSURE, 10" HG VACUUM. 2" CLAMP OUTLET. S/N 272.	31,500.00
P-638-B	CHERRY BURRELL MODEL EPD, 800 GALLON DOME TOP FLAT PITCHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. WIDE AND SIDE SWEEP AGITATOR. DELUXE INTERNAL ZONE CONTROL MANIFOLD. 2-1/2" OUTLET POD ONLY. S/N 800-62-945.	29,500.00
P-565-B	DCI 800 GALLON DOME TOP CONE BOTTOM INSULATED MIX AND BLEND TANK. WIDE AND SIDE SWEEP AGITATION. SPRAYBALL. 4" CLAMP OUTLET. S/N 81-F-27537A. 62" OD X 153" OAH X 127" DUMP RAIL HEIGHT.	17,500.00
P-538-B	MOJONNIER 800 FLAT PITCHED BOTTOM GALLON INSULATED MIX AND BLEND TANK. CENTER BRIDGE WITH LIFT TOP COVERS. WIDE AND SIDE SWEEP AGITATOR WITH BAFFLE. 2-1/2" CLAMP OUTLET. INTERIOR PITTING NON SANITARY USE ONLY. S/N UNKNOWN.	5,950.00
P-160-B	WALKER MODEL SP, DOME TOP 700 GALLON FLAT PITCHED BOTTOM SINGLE SHELL CITRUS CONCENTRATE BLEND TANK. 5 HP 22 RPM HEAVY DUTY TURBINE AGITATION. SIDE MOUNTED BARREL TROUGH. SPRAYBALL. 3" CLAMP OUTLET. MFG 1985. S/N D6264.	15,500.00
P-338-B	WALKER 700 GALLON DOME TOP FLAT PITCHED BOTTOM SINGLE SHELL TANK. 3" CLAMP OUTLET. INTERIOR PATCHING, NON SANITARY USE ONLY. S/N UNKNOWN.	4,500.00
P-1011-B	A&B 600 GALLON DISHED BOTTOM JACKETED KETTLE. DUPLEX 2205 STAINLESS STEEL HEAT TRANSFER SURFACE, REMAINING PRODUCT CONTACT SURFACES 316L STAINLESS STEEL. CENTER BRIDGE WITH SINGLE LIFT TOP COVER, OPPOSITE SIDE OPEN WITH SAFETY GUARDING. HEAVY DUTY DUAL MOTION 10 HP, 22 RPM WIDE AND SIDE SWEEP AGITATION WITH 7.5 HP, 37 RPM COUNTER ROTATING PROPELLERS. 4" FLANGE OUTLET WITH TWO AIR OPERATED BALL VALVES. 150 PSI ASME JACKET. INTERNAL STEAM SPARGER RING. SIDE MOUNTING TABS FOR THRU FLOOR OR PLATFORM MOUNTING. MFG 2014. S/N 1411190301A. <b>LEG RETROFIT AVAILABLE AND PRICED ON APPLICATION.</b>	57,500.00
P-1012-B	A&B 600 GALLON DISHED BOTTOM JACKETED KETTLE. TYPE 316L STAINLESS STEEL PRODUCT CONTACT SURFACES. CENTER BRIDGE WITH SINGLE LIFT TOP COVER, OPPOSITE SIDE OPEN WITH SAFETY GUARDING. HEAVY DUTY DUAL MOTION 10 HP, 22 RPM WIDE AND SIDE SWEEP AGITATION WITH 7.5 HP, 37 RPM COUNTER ROTATING PROPELLERS. 4" FLANGE OUTLET WITH TWO AIR OPERATED BALL VALVES. 150 PSI ASME JACKET. INTERNAL STEAM SPARGER RING. SIDE MOUNTING TABS FOR THRU FLOOR OR PLATFORM MOUNTING. MFG 2012. S/N 1210970301. <b>LEG RETROFIT AVAILABLE AND PRICED ON APPLICATION.</b>	55,000.00
P-471-B	CREPACO 600 GALLON DOME TOP CONE BOTTOM JACKETED PRESSURE WALL PROCESSOR. 3 HP, 16 RPM HEAVY DUTY WIDE AND SIDE SWEEP AGITATOR WITH SCRAPER BLADES. SPRAYBALL. 3" OUTLET POD ONLY FOR USE WITH TRI CLOVER KETTLE VALVE. S/N C-4014.	35,500.00
P-123-B	SFI 600 GALLON DOME TOP DISHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. LIGHTNIN 3 BLADE PROPELLER AGITATION. SPRAYBALL. 3" CLAMP OUTLET. MFG 1992. S/N 2451-2.	19,500.00
P-355-B	CREPACO 600 GALLON DOME TOP FLAT PITCHED BOTTOM INSULATED MIX AND BLEND TANK. WIDE AND SIDE SWEEP AGITATOR WITH BAFFLE. SPRAYBALL. 2" CLAMP OUTLET. SANITARY INTERIOR BOTTOM HEAD WELD SEAM PATCH. SERIAL NUMBER C-4031. <b>FOB OHIO.</b>	14,500.00
P-041-B	CREPACO MODEL B, 600 GALLON DOME TOP FLAT PITCHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. OFFSET MIX TYPE AGITATION. SPRAYBALL. 2B INTERIOR AND EXTERIOR FINISH. 2" CLAMP OUTLET. S/N B-5049.	19,500.00
P-229-B	CHICAGO STAINLESS 600 GALLON DOME TOP FLAT PITCHED BOTTOM PRESSURE WALL PROCESSOR. 2/3 PARTIAL SWEEP AGITATION WITH BAFFLE. SPRAYBALL. 2" CLAMP OUTLET. S/N 643-2.	24,500.00
P-307-B	WALKER MODEL 1801, 600 GALLON ENCLOSED TOP JACKETED PRESSURE WALL PROCESSOR. TYPE 316L STAINLESS. LIGHTNIN 2 HP, 155 OUTPUT RPM, PROPELLER AGITATION. SIDE MOUNTING TABS FOR SUSPENSION MOUNTING. SPRAYBALL. 3/EA 3" IPS FLANGE OUTLETS. 125 PSI ASME JACKET. S/N 2675. 54"OD.	21,500.00
P-965-A	CHERRY BURRELL 600 GALLON DOME TOP FLAT PITCHED BOTTOM INSULATED MIX AND BLEND TANK. SCOTT TURBON VERTICAL HIGH SHEAR AGITATION. SPRAYBALL. 2-1/2" CLAMP OUTLET. S/N 86-E-116.	37,500.00
P-539-B	MANUFACTURER UNKNOWN TYP3 316L STAINLESS STEEL 600 GALLON DOME TOP, CONE BOTTOM SINGLE SHELL TANK. TOP MANWAY. 4" CLAMP OUTLET. TOP HEAD 6" 150# STAINLESS STEEL AGITATOR MOUNTING FLANGE. STAINLESS STEEL ADJUSTABLE BALL FEET. S/N UNKNOWN.	13,500.00
P-635-A	SANI-TANK 600 GALLON FLAT PITCHED BOTTOM INSULATED MIX AND BLEND TANK. CENTER BRIDGE WITH LIFT TOP COVERS. SUPERMIXER AGITATION. 2-1/2" CLAMP OUTLET. S/N 66649.	12,500.00
P-588-B	HOOVER LIQUITOTE 550 GALLON 304 STAINLESS STEEL SINGLE SHELL TRANSPORT TOTE. S/N 133780.	3,500.00
P-523-B	GROEN MODEL N-500, 500 GALLON JACKETED HEMISPHERICAL KETTLE. CENTER BRIDGE WITH LIFT TOP COVERS. DA/2 STYLE DOUBLE MOTION AGITATION WITH SCRAPER BLADES. 100 PSI RATED JACKET. 3" CLAMP OUTLET. MFG 1965. S/N 77962.	39,500.00

P-1029-B	APV CREPACO 500 GALLON DOME TOP, CONE BOTTOM JACKETED PRESSURE WALL PROCESSOR. WIDE AND SIDE SWEEP AGITATOR WITH SCRAPER BLADES. SPRAYBALL. 3" CLAMP OUTLET. S/N E-1967.	35,500.00
P-258-B	GIRTON MODEL PWCB, 500 GALLON DOME TOP CONE BOTTOM JACKETED PRESSURE WALL PROCESSOR. WIDE AND SIDE SWEEP AGITATOR WITH SCRAPER BLADES AND BAFFLE. SPRAYBALL. 3" CLAMP OUTLET. S/N 71110502.	29,500.00
P-1031-B	MUELLER 500 GALLON DOME TOP FLAT PITCHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. WIDE SWEEP AGITATOR. SPRAYBALL. 2" STAINLESS STEEL LEAK DETECTOR OUTLET VALVE. S/N .	29,500.00
P-519-B	CREPACO MODEL B 500 GALLON DOME TOP CONE BOTTOM JACKETED PRESSURE WALL PROCESSOR. SIDEWALL AND BOTTOM HEAD JACKET WITH INSULATED SIDEWALL AND EXPOSED BOTTOM HEAD JACKET. SQUIRREL CAGE AGITATION. SPRAYBALL. 3" BEVEL SEAT OUTLET. S/N A6455.	23,500.00
P-576-B	CHERRY BURRELL MODEL EPDA 500 GALLON DOME TOP FLAT PITCHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. WIDE SWEEP AGITATOR WITH BAFFLE. SPRAYBALL. 3" CLAMP OUTLET. S/N 500-EPDA-66-1400.	25,500.00
P-072-B	CHERRY BURRELL MODEL EPDA, 500 GALLON DOME TOP FLAT PITCHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. WIDE SWEEP AGITATOR WITH DUAL MOTION LIGHTNIN PROPELLER AGITATION. SPRAYBALL. 2" CLAMP OUTLET. S/N E-427-89-1.	24,500.00
P-070-B	CHERRY BURRELL MODEL PAEPDA, 500 GALLON DOME TOP FLAT PITCHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. WIDE SWEEP AGITATOR WITH BAFFLE. SPRAYBALL. 3" CLAMP OUTLET. S/N 500-83-2740.	19,500.00
P-074-B	CHERRY BURRELL MODEL EPDA 500 GALLON DOME TOP FLAT PITCHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. WIDE SWEEP AGITATOR WITH BAFFLE. SPRAYBALL. 2" CLAMP OUTLET. S/N 500-80-2476.	24,500.00
P-336-B	CHERRY BURRELL MODEL VPT, 500 GALLON DOME TOP PRESSURE WALL PROCESSOR. WIDE SWEEP AGITATOR WITH BAFFLE. SPRAYBALL. 2" STAINLESS VALVE. S/N 500-59-164.	21,500.00
P-634-B	GIRTON MODEL PW-500, 500 GALLON FLAT PITCHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. CENTER BRIDGE WITH LIFT TOP COVERS. WIDE SWEEP AGITATOR WITH BAFFLE. 2" CLAMP OUTLET. S/N 65040901.	19,500.00
P-288-B	MUELLER MODEL JOR, 500 GALLON DOME TOP FLAT PITCHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. WIDE SWEEP AGITATOR WITH BAFFLE. SPRAYBALL. 2" CLAMP OUTLET. INTERIOR PITTING, NON SANITARY USE ONLY. S/N D4662-6.	13,500.00
P-702-B	DAMROW MODEL MV, 500 GALLON FLAT PITCHED BOTTOM ATMOSPHERIC JACKET PASTEURIZER. CENTER BRIDGE WITH LIFT TOP COVERS. WIDE SWEEP AGITATOR WITH BAFFLE. 1-1/2" CLAMP OUTLET. S/N UNKNOWN.	17,500.00
P-287-B	GIRTON MODEL SV-500, 500 GALLON FLAT PITCHED BOTTOM ATMOSPHERIC JACKET PASTEURIZER. CENTER BRIDGE WITH LIFT TOP COVERS. MIX TYPE AGITATION. SPRAYBALL. 2" CLAMP OUTLET. SANITARY INTERIOR BOTTOM WELD SEAM PATCH. S/N 69060226.	12,500.00
P-922-B	SFI 500 GALLON DOME TOP DISH BOTTOM INSULATED MIX AND BLEND TANK. .87 HP LIGHTNIN MIXER AGITATION. SPRAYBALL. 2-1/2" OUTLET POD ONLY. S/N UNKNOWN.	9,500.00
P-004-B	CHERRY BURRELL 500 GALLON DOME TOP FLAT PITCHED BOTTOM SINGLE SHELL MIX AND BLEND TANK. PROPELLER AGITATION. 2" CLAMP OUTLET. S/N UNKNOWN.	9,500.00
P-625-A	CHERRY BURRELL 500 GALLON DOME TOP FLAT PITCHED BOTTOM SINGLE SHELL MIX AND BLEND TANK. WIDE SWEEP AGITATOR WITH SIDE MOUNTED BAFFLE. SPRAYBALL. 2" CLAMP OUTLET. S/N UNKNOWN.	9,500.00
P-388-B	WALKER MODEL 1703, 500 GALLON CLOSED TOP FLAT PITCHED BOTTOM TYPE 316L STAINLESS STEEL SINGLE SHELL TANK. LIGHTNIN AGITATION. 3" ANSI FLANGE OUTLET. TOP ENTERING MANWAY. DRAWING NUMBER SP-11428-C. S/N 2678.	12,500.00
P-389-B	WALKER MODEL 1701, 500 GALLON CLOSED TOP FLAT PITCHED BOTTOM TYPE 316L STAINLESS STEEL SINGLE SHELL TANK. 3" ANSI FLANGE OUTLET. TOP ENTERING MANWAY. DRAWING NUMBER SP-11426-C. S/N 2676.	9,500.00
P-568-B	SFI 400 GALLON TYPE 304 STAINLESS STEEL FLAT PITCHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. CENTER BRIDGE WITH LIFT TOP COVERS. LIGHTNIN MODEL 10, 1 HP, 208-230-460/3/60, 50 RPM AGITATOR WITH BOLT ON BLADES. S/N 96E7040101. 150 PSI ASME JACKET. MFG 1999. S/N 4387.	23,500.00
P-413-B	DAMROW 400 GALLON DOME TOP FLAT PITCHED BOTTOM PRESSURE WALL PROCESSOR. WIDE SWEEP AGITATOR WITH BAFFLE. SPRAYBALL. 2" STAINLESS VALVE. INGOLD pH SLEEVE LESS SENSOR. S/N UNKNOWN.	23,500.00
P-1032-B	<b>UNUSED,</b> A&B 400 GALLON DOME TOP FLAT PITCHED BOTTOM SINGLE SHELL TANK. 3" CLAMP SUMP STYLE OUTLET. SPRAYBALL INTERNAL SKIMMER OVERFLOW. STAINLESS STEEL LEGS WITH ADJUSTABLE BALL FEET. STAINLESS STEEL WORK PLATFORM WITH HANDRAIL. S/N	17,500.00
P-534-B	TROPICAL 1,200 LITER (317 GALLON) FLAT PITCHED BOTTOM JACKETED REFRIGERATED MIX AND BLEND TANK. CENTER BRIDGE WITH LIFT TOP COVERS. PADDLE MIX TYPE AGITATION. SPRAYBALL. 1-1/2" CLAMP OUTLET. MFG 2009. S/N UNKNOWN.	19,500.00
P-512-B	WALKER MODEL 10980, 300 GALLON TYPE 304L STAINLESS STEEL DOME TOP CONE BOTTOM INSULATED ASEPTIC STORAGE TANK. 50 PSI ASME VESSEL RATING. SIDE ENTERING DOUBLE O-RING STEAM SEALED MANWAY. 4" CLAMP OUTLET. SPRAYBALL. DRAWING 3876. S/N VSHTA-5281.	19,500.00
P-461-B	HOWARD MODEL 4748-A, 300 GALLON FLAT PITCHED BOTTOM 3 ZONE JACKETED PRESSURE WALL PROCESSOR. CENTER BRIDGE WITH LIFT TOP COVERS. OFFSET 3 BLADE PROPELLER AGITATION. SPRAYBALL. STAINLESS STEEL EXTERIOR BOTTOM AND LEGS. 2" STAINLESS VALVE. MFG 7/55. S/N 9290.	21,500.00
P-518-B	CREPACO MODEL B 300 GALLON DOME TOP CONE BOTTOM JACKETED PRESSURE WALL PROCESSOR. SQUIRREL CAGE AGITATION. 3" CLAMP OUTLET. SPRAYBALL. S/N E-3900.	23,500.00

P-516-B	CREPACO MODEL B 300 GALLON DOME TOP CONE BOTTOM JACKETED SINGLE SHELL TANK. EXPOSED SIDEWALL HEAT EXCHANGE JACKET. SQUIRREL CAGE AGITATION. SPRAYBALL. 3" MALE I-LINE OUTLET. S/N A5846.	19,500.00
P-264-B	MUELLER 300 GALLON DOME TOP FLAT PITCHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. WIDE SWEEP AGITATOR WITH BAFFLE. SPRAYBALL. 2" STAINLESS VALVE. INGOLD pH SLEEVE LESS SENSOR. S/N UNKNOWN.	21,500.00
P-450-B	PFAUDLER 300 GALLON FLAT PITCHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. CENTER BRIDGE LESS LIFT TOP COVERS. WIDE SWEEP AGITATOR LESS BAFFLE. 2" CLAMP OUTLET. S/N UNKNOWN.	14,500.00
P-026-A	CREPACO 300 GALLON FLAT PITCHED BOTTOM INSULATED MIX AND BLEND TANK. CENTER BRIDGE WITH LIFT TOP COVERS. STANDARD AGITATION. 2" CLAMP OUTLET. S/N F300-10733.	7,500.00
P-547-B	A&B PROCESS MODEL 500 MELT, 275 GALLON DOME TOP FLAT PITCHED BOTTOM JACKETED BUTTER/CHOCOLATE MELTER. 75 PSI JACKET ON BOTTOM HEAD ONLY. FOUR BLADE PROPELLER TYPE AGITATION. TOP MANWAY. INTERIOR 75 PSI MELTING COIL WITH RECTANGULAR SIDE ACCESS DOOR. SPRAYBALLS. 2" CLAMP OUTLET. MFG 2001. S/N 10720301.	35,500.00
P-1006-B	BREDDO MODEL LDTW 250 GALLON STAINLESS STEEL INSULATED ONLY LIKWIFIER. 25 HP, 230-460/3/60 MOTOR. S/N D-41203.89188.	29,500.00
P-1019-B	BREDDO MODEL LDD-250, 250 GALLON SINGLE SHELL LIKWIFIER. 25 HP 230-460/3/60 MOTOR. S/N D-562832-11313.	29,500.00
P-480-B	CREPACO 250 GALLON DOME TOP FLAT PITCHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. WIDE SWEEP AGITATOR WITH BAFFLE. SPRAYBALL. 2" STAINLESS VALVE. S/N P250-9110.	24,500.00
P-572-B	<b>UNUSED</b> , JOHNSON INDUSTRIES 250 GALLON DOME TOP CONE BOTTOM SINGLE SHELL MIX AND BLEND TANK. WIDE SWEEP AGITATOR WITH BAFFLE. SPRAYBALL. MFG 04/2005. S/N 4671W-A	14,500.00
P-397-B	MANUFACTURER UNKNOWN 240 GALLON, 32 CU FT STAINLESS STEEL EXPLOSION PROOF PERCOLATOR PREVIOUSLY USED FOR VANILLA EXTRACTION. 2B INTERIOR AND EXTERIOR FINISH. BOLT ON FLAT TOP COVER WITH MILD STEEL NON PRODUCT CONTACT FLANGE. 1-1/2" BEVEL SEAT OUTLET. 40" OD X 41" SS + 11" CONE.	5,000.00
P-398-B	S/N UNKNOWN.	
P-254-B	CHESTER JENSEN MODEL 70N20, 200 GALLON STAINLESS STEEL COOKER/COOLER INSULATED MIX AND BLEND TANK. CENTER BRIDGE WITH LIFT TOP COVERS. DUAL MOTION WIDE SWEEP AGITATION WITH SCRAPER BLADES AND BAFFLE. 3" CLAMP OUTLET. S/N 2966.	15,500.00
P-432-B	MUELLER MODEL PCPC 200 GALLON CONE BOTTOM JACKETED PRESSURE WALL PROCESSOR. CENTER BRIDGE WITH LIFT TOP COVERS. 4" ANSI FLANGE OUTLET. 50 PSI JACKET ON BOTTOM CONE ONLY. S/N 165513-3.	9,500.00
P-577-B	BADGER FABRICATION 200 GALLON FLAT PITCHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. ENCLOSED REAR WITH LIFT FRONT COVER. 2 HP, 14 RPM WIDE & SIDE SWEEP AGITATION. 3/EA 2" TOP MOUNTED CLAMP INLETS. 2" CLAMP OUTLET.	21,500.00
P-578-B	S/N UNKNOWN.	
P-579-B	S/N UNKNOWN.	
P-527-B	TOLAN 200 GALLON FLAT PITCHED JACKETED PRESSURE WALL PROCESSOR. ENCLOSED TOP WITH LIFT FRONT COVER. FLAT PITCHED BOTTOM. WIDE AND SIDE SWEEP AGITATION. 1-1/2" STAINLESS VALVE. S/N UNKNOWN.	19,500.00
P-293-B	CHERRY BURRELL 200 GALLON RECTANGULAR FLAT PITCHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. SPLIT HINGED LIFT TOP COVERS. 1-1/2" MNPT OUTLET. INTERIOR DIMENSION OF 36"W X 48"L X 30"D. S/N E-660-88.	6,500.00
P-592-B	MANUFACTURER UNKNOWN 200 GALLON STAINLESS STEEL SINGLE SHELL CONE BOTTOM TANK WITH EXPOSED SIDEWALL DIMPLE PRESSURE WALL JACKET. CENTER BRIDGE WITH LIFT TOP COVERS. 1-1/2" CLAMP OUTLET. S/N UNKNOWN. 37"ID X 47"SS X 62"DRH.	4,000.00
P-593-B	MANUFACTURER UNKNOWN 200 GALLON STAINLESS STEEL SINGLE SHELL CONE BOTTOM TANK WITH EXPOSED SIDEWALL DIMPLE PRESSURE WALL JACKET. OPEN TOP LESS COVERS. 1-1/2" CLAMP OUTLET. S/N UNKNOWN. 37"ID X 47"SS X 62"DRH.	4,000.00
P-360-B	MANUFACTURER UNKNOWN 200 GALLON DOME TOP CONE BOTTOM TYPE 316 STAINLESS STEEL SINGLE SHELL MIX AND BLEND TANK. LIGHTNIN 1.74 HP 1725 RPM C-FLANGE MOUNTED AGITATION. STAINLESS STEEL LEGS WITH NON ADJUSTABLE PAD STYLE FEET. 2" OUTLET POD ONLY. S/N UNKNOWN.	9,500.00
P-356-B	MUELLER MODEL F, 200 GALLON DOME TOP CONE BOTTOM TYPE 316 STAINLESS STEEL SINGLE SHELL TANK. STAINLESS STEEL LEGS WITH NON ADJUSTABLE PAD STYLE FEET. 2" FLUSH MOUNTED BALL OUTLET VALVE WITH CLAMP CONNECTION.	7,500.00
P-357-B	S/N 222070-2.	
	S/N 222070-1.	
P-878-B	CREPACO 200 GALLON SINGLE SHELL WEIGH TANK BATCH WEIGH SYSTEM WITH SINGLE ELECTRONIC TENSION TYPE LOAD CELL AND MILD STEEL SUPPORT STRUCTURE. SPRAYBALL. LESS CONTROL PACKAGE. S/N 12018.	8,950.00
P-276-B	MUELLER 175 GALLON DOME TOP FLAT PITCHED BOTTOM SINGLE SHELL TANK. TYPE 316 STAINLESS STEEL PRODUCT CONTACT SURFACES. SPRAYBALL. 3" CLAMP OUTLET. 4" SIDE MOUNTED CLAMP INLET. STAINLESS STEEL ADJUSTABLE PAD STYLE FEET. 36" DIAMETER X 42" STRAIGHT SIDE X 63" OVERALL HEIGHT. MFG 7/03. S/N 303949.	5,500.00
P-433-B	MUELLER MODEL PCPC 150 GALLON CONE BOTTOM JACKETED PRESSURE WALL PROCESSOR. CENTER BRIDGE WITH LIFT TOP COVERS. 4" ANSI FLANGE OUTLET. 50 PSI JACKET ON BOTTOM CONE ONLY. S/N 165513-4.	9,500.00
P-514-B	CREPACO MODEL B 150 GALLON DOME TOP CONE BOTTOM JACKETED SINGLE SHELL TANK. SQUIRREL CAGE AGITATION. EXPOSED SIDEWALL & BOTTOM HEAD HEAT EXCHANGE JACKET. SPRAYBALL. 3" FEMALE I-LINE OUTLET. S/N C9799.	9,500.00

P-590-B	MANUFACTURER UNKNOWN 130 GALLON STAINLESS STEEL JACKETED SINGLE SHELL CONE BOTTOM TANK WITH EXPOSED SIDEWALL DIMPLE PRESSURE WALL JACKET. CENTER BRIDGE WITH LIFT TOP COVERS. 1-1/2" CLAMP OUTLET. S/N UNKNOWN. 31"ID X 40"SS X 61"DRH.	3,750.00
P-591-B	MANUFACTURER UNKNOWN 130 GALLON STAINLESS STEEL SINGLE SHELL CONE BOTTOM TANK WITH EXPOSED SIDEWALL DIMPLE PRESSURE WALL JACKET. CENTER BRIDGE WITH LIFT TOP COVERS. 1-1/2" CLAMP OUTLET. S/N UNKNOWN. 31"ID X 40"SS X 61"DRH.	3,750.00
P-222-B	SFI 125 GALLON DOME TOP PRESSURE WALL PROCESSOR. LIGHTNIN MIXER AGITATION. SPRAYBALL. 2-1/2" Q-LINE OUTLET. S/N 6623-2.	10,500.00
P-299-B	WALKER 125 GALLON CONE BOTTOM JACKETED PRESSURE WALL PROCESSOR. CENTER BRIDGE WITH LIFT TOP COVERS. WIDE AND PARTIAL SIDE SWEEP AGITATION WITH SCRAPER BLADES AND BAFFLE. 3" CLAMP OUTLET. S/N UNKNOWN.	17,500.00
P-525-B	CHESTER JENSEN 125 GALLON STAINLESS STEEL VACUUM PRESSURE DOME TOP JACKETED PRESSURE WALL FERMENTER. LIGHTNIN MIXER AGITATION. 2" CLAMP OUTLET. SPRAYBALL. S/N 7401.	12,500.00
P-1009-B	SPRINKMAN 120 GALLON CONE BOTTOM JACKETED PRESSURE WALL PROCESSOR. CENTER BRIDGE LESS LIFT TOP COVERS. 2 HP, 26 RPM, 208-230-60/3/60, INVERTER DUTY WIDE AND SIDE SWEEP SIDE SWEEP AGITATOR WITH SCRAPER BLADES AND BAFFLE. 2" CLAMP OUTLET. S/N UNKNOWN.	17,500.00
P-1010-B	SPRINKMAN 120 GALLON CONE BOTTOM JACKETED PRESSURE WALL PROCESSOR. CENTER BRIDGE LESS LIFT TOP COVERS. 2 HP, 26 RPM, 208-230-60/3/60, INVERTER DUTY WIDE AND SIDE SWEEP AGITATOR WITH SCRAPER BLADES AND BAFFLE. 2" CLAMP OUTLET. MFG 2010. S/N E2667WA.	17,500.00
P-520-B	NORMAN 100 GALLON SINGLE SHELL LIKWIFIER. 10 HP DIRECT DRIVE MOTOR. SQUARE TOP MANWAY COVER. S/N UNKNOWN.	14,500.00
P-249-B	GRÖEN MODEL TA-100, 100 GALLON JACKETED KETTLE. CENTER BRIDGE WITH DUAL MOTION SCRAPER AGITATION. 45 PSI JACKET. STAINLESS STEEL LEGS WITH MOUNTING PADS. S/N 70838.	17,500.00
P-771-A	MUELLER 100 GALLON JACKETED SINGLE SHELL TANK. OPEN TOP. DISHED BOTTOM WITH 1" MNPT OUTLET. UNINSULATED SIDEWALL EXPOSED DIMPLED PRESSURE WALL SURFACE. S/N T14601.	3,000.00
P-589-B	HENDRICKS 90 GALLON OPEN TOP CONE BOTTOM SINGLE SHELL TANK. 1-1/2" CLAMP OUTLET. MOUNTED ON STAINLESS STEEL CART WITH CASTERS. 32"D X 28"SS X 48"DRH. S/N UNKNOWN.	2,000.00
P-136-B	GIRTON MODEL SP, 75 GALLON CONE BOTTOM PRESSURE WALL PROCESSOR. SINGLE COUNTERBALANCED LIFT TOP COVER. PADDLE TYPE AGITATION. 1-1/2" CLAMP OUTLET. S/N 239SP-1	9,500.00
	<b>UNUSED</b> , A&B PROCESS MODEL TK55, 55 GALLON FLAT PITCHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. SPLIT LIFT TOP COVERS. LIGHTNIN AGITATOR BRACKET ONLY. 1/2" NPT OUTLET. STAINLESS STEEL ADJUSTABLE FEET WITH MOUNTING PADS.	8,500.00
P-296-B	S/N 30015301-A.	
P-297-B	S/N 30015301-B.	
P-1024-B	<b>UNUSED</b> , 55 GALLON STAINLESS STEEL DRUM. CLOSED TOP. 1.2/0.9/1.2MM TOP/BODY/BOTTOM THICKNESS. UN RATING 1A1/Y1.4/200/12. S/N UNKNOWN.	500.00
P-216-B	CREPACO "FLEX MIX" 50 GALLON DOME TOP CONE BOTTOM INCLINE MIXER JACKETED PRESSURE WALL PROCESSOR. SINGLE MOTION WIDE AND SIDE SWEEP AGITATOR WITH SCRAPER BLADES. ENCLOSED TOP WITH 6" CLAMP INLET. SPRAYBALL. 2" PV OUTLET. S/N 440.	14,500.00
P-1028-B	WOODY ASSOCIATES MODEL 450 LB (40 GALLON) STAINLESS STEEL ELECTRICALLY HEATED CHOCOLATE MELT SYSTEM. JACKETED TANK EQUIPPED WITH LIFT TOP COVERS AND FEED CHUTE, BOTTOM AND SIDE SWEEP AGITATION WITH SCRAPER BLADES, WATER RECIRCULATION PUMP, AND 2 BOLT OUTLET POD LESS VALVE. INCLUDING AMPCO MODEL RBZP2-015-DM POSITIVE DISPLACEMENT PUMP WITH JACKETED CASING, AND STAINLESS STEEL CONTROL PANEL ALL MOUNTED ON STAINLESS STEEL PORTABLE FRAME WITH CASTERS. SYSTEM S/N 080420.	27,500.00
P-483-B	HOBART MODEL V-1401, 140 QUART ALL PURPOSE MIXER. STAINLESS STEEL BOWL. ALUMINUM MIXING PADDLE. 230/3/60. S/N 11-270-881.	7,500.00
P-484-B	HOBART MODEL V-1401, 140 QUART ALL PURPOSE MIXER LESS BOWL, MIXING PADDLE, AND AGITATOR GUARD. S/N 1684838.	3,000.00
P-443-B	SANI-MARK MIXMATIC MODEL 110E, 110 LITER ELECTRICALLY HEATED AND FREON COOLED BATCH PASTEURIZER FOR MILK AND ICE CREAM MIX. SPLIT LIFT TOP COVERS WITH DUAL HIGH SHEAR AND STANDARD MIX TYPE AGITATION. 1-1/2" STAINLESS VALVE. R-22 REFRIGERATION. WATER COOLED FREON CONDENSER. 230/3/60 ELECTRICS. MFG 12/82. S/N 1047. <b>ELECTRONIC BATCH PASTEURIZATION INSTRUMENTATION PACKAGE AND STEAM AIR SPACE HEATER ARE AVAILABLE AT AN ADDITIONAL CHARGE.</b>	39,500.00
P-496-B	SANI-MARK MIXMATIC MODEL 110E, 110 LITER INSULATED ONLY MIX AND BLEND TANK. SPLIT LIFT TOP COVERS WITH DUAL HIGH SHEAR AND STANDARD MIX TYPE AGITATION. 1-1/2" CLAMP OUTLET. MFG 3/29/86. S/N 1105.	6,000.00
P-639-B	DCI 25 GALLON DOME TOP DISHED BOTTOM SINGLE SHELL ASEPTIC TANK. 3" CLAMP OUTLET. SINGLE PIECE SINGLE O-RING BOLT ON COVER. INTERIOR BASKET STRAINER. VESSEL RATED 14.9 PSI AND -15 PSI AT 300 DEGREES F. S/N JS5952.	4,500.00
P-489-B	MANUFACTURER UNKNOWN 25 GALLON FLAT PITCHED BOTTOM JACKETED PRESSURE WALL PROCESSOR. WELDED REAR WITH SINGLE LIFT TOP COVER. TWO BLADE PADDLE MIX TYPE AGITATION. DIMENSIONS OF 20"ID X 20"AD X 30"DRH. <b>ELECTRONIC BATCH PASTEURIZATION INSTRUMENTATION PACKAGE, STEAM AIR SPACE HEATER, AND LEAK DETECTOR VALVE RETROFIT ARE AVAILABLE AT AN ADDITIONAL CHARGE.</b>	9,500.00
P-574-B	ADMIX MODEL VS-20 VACUSHEAR SYSTEM WITH A&B PROCESS SYSTEMS JACKETED DISHED BOTTOM VACUUM TANK, ADMIX MODEL 112RS88 10 HP 3500 RPM ROTOSHEAR MIXER, STERLING SIHI MODEL LEMB-110 5 HP VACUUM PUMP, AND WAUKESHA MODEL 006U2 POSITIVE DISPLACEMENT PRODUCT REMOVAL PUMP ALL MOUNTED ON STAINLESS STEEL FRAME WITH CASTERS. S/N 13464.	33,500.00
P-1013-B	WALKER MODEL LM-10-DS, 10 GALLON TYPE 316L STAINLESS STEEL SINGLE SHELL LIKWIFIER. 3 HP MOTOR. 1-1/2" CLAMP OUTLET. MFG 2005. SPG-51746.	19,500.00

P-449-B	HOBART (STEPHAN) MODEL VCM-40, 40 QUART STAINLESS STEEL SINGLE SHELL VERTICAL CUTTER MIXER WITH MANUAL MIXING BAFFLE. 7-1/2, 208/3/60 MOTOR. HOBART S/N U709758. STEPHAN S/N 2679156.	4,500.00
	LEE 10 GALLON STAINLESS STEEL TILTING JACKETED STEAM KETTLE WITH POURING LIP MOUNTED ON PAINTED MILD STEEL A-FRAME. 40 PSI JACKET. MFG 1965.	2,000.00
P-439-B	S/N 392-R.	
P-440-B	S/N 394-R.	
P-177-B	GROEN MODEL TDB/7-20, 20 QUART SELF CONTAINED ELECTRICALLY HEATED OPEN TOP TILTING STEAM KETTLE WITH POURING LIP. 50 PSI RATING. 208/3/60, 3 KW. MFG 1981. S/N 105549.	1,750.00
P-342-B	COULTER MODEL ETT-20-304-30, 20 LITER SELF CONTAINED ELECTRICALLY HEATED TILTING STEAM KETTLE WITH POURING LIP. 208/1/60. S/N 4346.	1,750.00
P-178-B	GROEN MODEL TDB/6-10, 10 QUART SELF CONTAINED ELECTRICALLY HEATED OPEN TOP TILTING STEAM KETTLE WITH POURING LIP. 50 PSI RATING. 240/1/60, 4 KW. MFG 1986. S/N 5661.	1,750.00
P-179-B	GROEN MODEL TDB/6-10, 10 QUART SELF CONTAINED ELECTRICALLY HEATED OPEN TOP TILTING STEAM KETTLE WITH POURING LIP. 50 PSI RATING. 240/1/60, 4 KW. MFG 1986. S/N 5684.	1,750.00
P-451-B	BREDDO (STERLING) 15HP, 1750 RPM, 28X FRAME, LIKWIFIER MOTOR. 230/3/60. S/N WBO154FX1.	3,500.00
P-1017-B	BREDDO (REULAND) 15 HP, 1800 RPM, FRAME AFO-14191, LIKWIFIER MOTOR. 230-460/3/60. S/N 722755A-1.	3,950.00
P-414-B	<b>UNUSED</b> , ALFA LAVAL LKDC-0500, 500MM (19-15/16") TYPE 304 ROUND WELD IN MANWAY ASSEMBLY WITH EPDM ELASTOMERS. 7.87" FRAME HEIGHT. S/N UNKNOWN.	600.00
	SANI FAB VERTICAL 4 BLADE AGITATOR ASSEMBLY FOR PROCESS TANK CONSISTING OF: EURODRIVE 2 HP 61 RPM RIGHT ANGLE DRIVE, C-FLANGE ADAPTER FOR 8" ANSI TANK FLANGE, MOTOR COUPLING, AND 71" OAL (60" IN TANK LENGTH) AGITATOR SHAFT WITH 4/EA 4" X 13" BOLT ON BLADES 32" TIP TO TIP. AGITATOR IS SELF SUPPORTING AND DOES NOT REQUIRE BOTTOM BEARING.	4,500.00
P-300-B	S/N UNKNOWN.	
P-301-B	S/N UNKNOWN.	
P-312-B	<b>UNUSED</b> , CHEMINEER MODEL 3CTA-3, 3 HP, 100 CO-SHAFT RPM VERTICAL AGITATOR ASSEMBLY. INCLUDING 8" MOUNTING FLANGE ADAPTER. S/N 1-95470-2.	6,950.00
P-541-B	<b>UNUSED</b> , SPX LIGHTNIN MODEL X5P100 3/4 HP PORTABLE MIXER WITH 84" 316L STAINLESS STEEL SHAFT AND 10-1/2" DIAMETER THREE BLADE SETSCREW ATTACHMENT STYLE PROPELLER WITH STABILIZER, 350 RPM. CLOCKWISE ROTATION. C-CLAMP MOUNT. 115-230/1/60. MFG 2014. S/N 2937381.	4,500.00
P-542-B	<b>UNUSED</b> , SPX LIGHTNIN MODEL X5P100 3/4 HP PORTABLE MIXER WITH 84" 316L STAINLESS STEEL SHAFT AND 10-1/2" DIAMETER THREE BLADE SETSCREW ATTACHMENT STYLE PROPELLER WITH STABILIZER, 350 RPM. CLOCKWISE ROTATION. C-CLAMP MOUNT. 115-230/1/60. MFG 2014. S/N 2937383.	4,500.00
P-540-B	<b>UNUSED</b> , LIGHTNIN MODEL XJ-67, .87 HP PORTABLE MIXER, CLOCKWISE ROTATION. C-CLAMP MOUNT. LESS SHAFT AND PROPELLER. INVERTER DUTY MOTOR, 230-460/3/60. MANUFACTURED 2014. S/N 1000002971712.	3,000.00
P-333-B	<b>UNUSED</b> , LIGHTNIN MODEL EKXJSS-43, .43 HP, 190-380/3/50, 1450 RPM PORTABLE MIXER. 6" MOUNTING FLANGE. S/N R9870808200501.	2,250.00
P-324-B	LIGHTNIN MODEL NS-1SCR, 1/3 HP, 90 VDC, 1725 RPM, PORTABLE MIXER. S/N 7610014.	1,500.00
	LIGHTNIN MODEL XD-33SCR, 1/3 HP, 90VDC, 1725 RPM, PORTABLE MIXER MOTOR ONLY LESS SHAFT AND PROPELLER.	750.00
P-325-B	S/N 90/524733-07.	
P-326-B	S/N 90/524733-14.	
P-327-B	S/N 90/524733-02.	
P-328-B	S/N 90/524733-04.	
P-548-B	<b>UNUSED</b> , SPX 102" OVERALL LENGTH 1-1/2" DIAMETER AGITATOR SHAFT WITH DUAL PERMANENTLY AFFIXED 16" DIAMETER THREE BLADE PROPELLERS, LOWER PROPELLER WITH STABILIZER. S/N UNKNOWN.	3,500.00
P-470-B	SCOTT TURBON MODEL TM8F5A25, 25 HP 3500 RPM HIGH SHEAR AGITATOR ASSEMBLY WITH STAINLESS STEEL MOUNTING FLANGE. 60" SHAFT LENGTH. S/N 2922.	12,500.00
P-313-B	ROSS MODEL 105-ME, 5 HP HIGH SHEAR AGITATOR ASSEMBLY. 33" SHAFT LENGTH. S/N 40611.	4,500.00
P-1021-B	ADMIX MODEL 85RS70 2 HP, 3500 RPM STAINLESS STEEL VERTICAL HIGH SHEAR AGITATOR. BALDOR STAINLESS STEEL WASHDOWN MOTOR. 2-1/2" FLANGE MOUNTING. 28" SHAFT LENGTH. MFG 07-02-04. S/N 18604.	4,500.00
	<b>UNUSED</b> , HOOVER LIQUITOTE SKU 328709, HS CODE 8309.90.0000, STANDARD 22" (558.8 MM) STAINLESS STEEL TOTE/DRUM COVER WITH 3" (76.2MM) WELDED HALF NIPPLE, WITHOUT FUSIBLE CAP.	50.00/EA
P-602-B	S/N UNKNOWN.	
P-608-B	S/N UNKNOWN.	
P-613-B	S/N UNKNOWN.	
P-615-B	S/N UNKNOWN.	
P-617-B	S/N UNKNOWN.	
P-619-B	S/N UNKNOWN.	
P-620-B	S/N UNKNOWN.	
P-622-B	S/N UNKNOWN.	

	<b>UNUSED</b> , HOOVER LIQUITOTE SKU 345913, HS CODE 7326.90.8595, 22" STAINLESS STEEL MANWAY BOLTED CLAMP RING	75.00/EA
P-624-B	S/N UNKNOWN.	
P-625-B	S/N UNKNOWN.	
P-626-B	S/N UNKNOWN.	
P-627-B	S/N UNKNOWN.	
P-630-B	S/N UNKNOWN.	
P-631-B	S/N UNKNOWN.	
P-632-B	S/N UNKNOWN.	
P-633-B	S/N UNKNOWN.	

## CENTRIFUGAL PUMPS

Reconditioning of centrifugal pumps includes stripping and painting of painted surfaces, motor bearing replacement, additional motor repair as required, elastomer/seal replacement, cosmetic polishing as necessary of stainless steel surfaces. Boxing and loading for shipment on package, LTL or flatbed carriers is included in the purchase price. Unless optionally listed, leg kits are not included and are available at an additional charge.

	FRISTAM MODEL FPX3542-205, 30 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2-1/2" CLAMP CONNECTIONS. STAINLESS STEEL LEG KIT.	5,000.00
PC-1100-B	S/N FPX3542007245	
PC-1101-B	S/N FPX3542007246	
PC-1102-B	S/N FPX3542971573	
PC-1103-B	S/N FPX3542971574	
PC-728-B	TRI CLOVER C218MD28T-S, 30 HP 3525 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 1-1/2" CLAMP CONNECTIONS. MOUNTED ON STAINLESS STEEL TUBULAR BASE. S/N S10543.	3,500.00
	APV W80/50, 21KW, 28 HP 3515 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2" CLAMP CONNECTIONS.	2,950.00
PC-349-A	S/N H-2602.	
PC-358-A	S/N H-7747.	
PC-359-A	APV W170/30, 21 KW, 28 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 1-1/2" CLAMP CONNECTIONS. OPTIONAL INLET INDUCER. S/N H-7758.	3,950.00
	TRI CLOVER SP4410M-7625-10, 25 HP 1750 RPM STAINLESS STEEL BASE MOUNT CENTRIFUGAL PUMP. 4" X 4" CLAMP CONNECTIONS. 1-1/2" CASING DRAIN. JOHN CRANE TYPE 28 SEAL ASSEMBLY.	4,000.00
PC-220-B	S/N Y5700. 9" IMPELLER. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	
PC-221-B	S/N Y5701. 9" IMPELLER. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	
PC-183-A	TRI CLOVER C439MDG28T-S, 25 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 4" X 3" CLAMP CONNECTIONS. SILICON CARBIDE SEAL FACE. S/N Z3494.	2,250.00
PC-342-B	<b>NEW</b> , FRISTAM MODEL FPX1051-280, 20 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 4" X 4" CLAMP CONNECTIONS. TEFC MOTOR. STAINLESS STEEL LEG KIT. 280MM IMPELLER. S/N FPX10510106978.	8,500.00
	FRISTAM MODEL FZX-250, 20 HP 1750 RPM STAINLESS STEEL SELF PRIMING LIQUID RING STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2-1/2" CLAMP CONNECTIONS.	4,750.00
PC-743-B	S/N FZX250971753.	
PC-744-B	S/N FZX250971754.	
PC-777-B	ALFA LAVAL LKH40M235SSS2FS25AA, 20 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" CLAMP CONNECTIONS WITH CASING DRAIN. STAINLESS STEEL C-FLANGE ADAPTER. STERLING STAINLESS STEEL WASHDOWN MOTOR. STAINLESS STEEL LEG KIT. S/N 649547-01.	5,000.00
	TRI CLOVER C4410MD25T-S, 20 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 4" X 4" CLAMP CONNECTIONS.	4,000.00
PC-542-B	S/N 178963-01.	
PC-543-B	S/N 220074-02.	
PC-544-B	S/N 557542-02.	
PC-158-A	TRI CLOVER SP4410SE-S, 20 HP 1750 RPM BASE MOUNT STAINLESS STEEL CENTRIFUGAL PUMP. 4" X 4" FPT CONNECTIONS. E STYLE WATER FLUSH DOUBLE SEAL. S/N R3468.	4,000.00
PC-796-B	TRI CLOVER C218MDG25T-S, 20 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 1-1/2" CLAMP CONNECTIONS. SILICON CARBIDE SEAL FACE. S/N Y7474.	2,950.00
PC-797-B	TRI CLOVER C218MDG25T-S, 20 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 1-1/2" CLAMP CONNECTIONS. SILICON CARBIDE SEAL FACE. S/N Y4968.	2,950.00
PC-813-B	TRI CLOVER C218MD25T-S, 20 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 1-1/2" CLAMP CONNECTIONS. S/N UNKNOWN.	2,650.00
PC-807-B	AMPICO 3 X 2.5-DCH2, 20 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2-1/2" CLAMP CONNECTIONS. S/N CC-49721-1-1	3,500.00
PC-1006-B	AMPICO 3 X 2.5-DCH2, 20 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2-1/2" CLAMP CONNECTIONS. S/N UNKNOWN.	3,500.00
PC-857-B	APV MODEL W+33/55 20 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2-1/2" CLAMP CONNECTIONS. STAINLESS STEEL WASHDOWN MOTOR. S/N 1000002802474.	3,500.00

PC-955-A	CREPACO W50/50-20-36, 20 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2" CLAMP CONNECTIONS. S/N G-1234-90.	3,250.00
PC-442-A	G&H CPLMMR, 20 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" CLAMP CONNECTIONS. S/N 726-9805.	2,450.00
PC-856-A	G&H LH2MMRS, 20 HP 3450 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2" BEVEL SEAT CONNECTIONS. S/N 652LH3965.	2,450.00
PC-730-B	CHERRY BURRELL S2085LV, 20 HP 3450 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. S/N UNKNOWN.	2,750.00
PC-834-A	CHERRY BURRELL VCH, 20 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2-1/2" BEVEL SEAT CONNECTIONS. S/N UNKNOWN.	1,950.00
PC-720-B	FRISTAM MODEL FPX-3532-175 15 HP 3450 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 2" CLAMP CONNECTIONS. 175MM IMPELLER. INCLUDING FACTORY STAINLESS STEEL CART AND MOTOR SHROUD. S/N FPX353297186.	4,000.00
PC-845-B	FRISTAM MODEL FPX3532-160, 15 HP, 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" CLAMP CONNECTIONS. S/N FPX35320011048.	3,750.00
PC-746-B	FRISTAM MODEL FP3551-250, 15 HP 1740 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2-1/2" CLAMP CONNECTIONS. S/N 355164029.	3,950.00
PC-561-B	<b>"UNUSED"</b> ALFA LAVAL LKH45M150SSS2ES25AA-015B36TSA 15 HP 3600 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 4" X 3" CLAMP CONNECTIONS. SINGLE SHAFT DG SEAL. EPDM ELASTOMERS. 150MM IMPELLER. ADJUSTABLE LEG KIT. S/N 656192-01.	5,000.00
PC-776-B	ALFA LAVAL MODEL LKHU55M200S4V25CINN, 15 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" CLAMP CONNECTIONS WITH INDUCER INLET AND CASING DRAIN. STAINLESS STEEL C-FLANGE ADAPTER. STERLING STAINLESS STEEL WASHDOWN MOTOR. S/N 803999.	4,500.00
PC-072-A	TRI CLOVER C218ME25T-S, 15/7.5 HP 3480/1745 RPM TWO SPEED STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 1-1/2" CLAMP CONNECTIONS. E STYLE WATER FLUSH DOUBLE SEAL. 230/3/60 MOTOR. S/N W0616. 7" IMPELLER. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	3,500.00
PC-534-B	TRI CLOVER C218ME25T-S, 15 HP 3520 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 1-1/2" CLAMP CONNECTIONS. E STYLE WATER FLUSH DOUBLE SEAL. S/N W0559.	3,000.00
PC-736-B	TRI CLOVER CS218MF25-S, 15 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. FACTORY INSTALLED STAINLESS STEEL COVER. S/N J9804.	3,000.00
PC-555-B	TRI CLOVER C218MD25T-S, 15 HP 3525 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 1-1/2" CLAMP CONNECTIONS. S/N 252920-1.	3,000.00
PC-711-B	TRI CLOVER CS216MD25T-S, 15 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. FACTORY INSTALLED STAINLESS STEEL COVER. S/N U6532.	3,000.00
PC-418-A	TRI CLOVER C218MDG25T-S, 15 HP 3525 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. SILICON CARBIDE SEAL FACE. S/N 593064-01.	3,250.00
PC-836-A	TRI CLOVER C216TD25-S, 15 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" BEVEL SEAT CONNECTIONS. S/N E5524.	2,750.00
PC-785-B	TRI CLOVER C216ME25T-S, 15 HP 35000 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS WITH CASING DRAIN. "E" STYLE DOUBLE WATER FLUSH SEAL. STAINLESS STEEL LEG KIT. S/N Z2331.	2,750.00
PC-786-B	TRI CLOVER C216MD25T-S, 15 HP 35000 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS WITH CASING DRAIN. "E" STYLE DOUBLE WATER FLUSH SEAL. STAINLESS STEEL LEG KIT. S/N Z2332	2,750.00
	TRI CLOVER C216MDG25T-S, 15 HP 35000 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS WITH CASING DRAIN. STAINLESS STEEL LEG KIT. SILICON CARBIDE SEAL FACE.	3,000.00
PC-780-B	S/N Z2339.	
PC-781-B	S/N Z2340.	
PC-784-B	S/N Z2337.	
PC-787-B	S/N Z2341.	
PC-788-B	S/N Z2333.	
PC-789-B	S/N Z2336.	
PC-790-B	S/N Z2342.	
PC-791-B	S/N Z2335.	
PC-792-B	S/N Z2334.	
PC-793-B	S/N Z2338.	
PC-751-B	TRI CLOVER C327MFG25T-S, 15 HP 3520 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2" CLAMP CONNECTIONS. S/N Z0101.	1,750.00
PC-172-A	CREPACO #10, 15 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2-1/2" BEVEL SEAT CONNECTIONS. S/N 10-75.	1,900.00
PC-173-A	CREPACO #10, 15 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2-1/2" BEVEL SEAT CONNECTIONS. S/N 10-75.	1,900.00
PC-460-A	CREPACO #8, 15 HP 3505 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" BEVEL SEAT CONNECTIONS. S/N 8-2609.	1,900.00
PC-189-A	CREPACO #8, 15 HP 3450 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2" BEVEL SEAT CONNECTIONS. S/N 8-74.	1,900.00
PC-795-A	CHERRY BURRELL VCH, 15 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2-1/2" BEVEL SEAT CONNECTIONS. S/N 25407.	1,900.00
PC-098-A	G&H GHC 2/240, 15/3.75 HP 3450/1750 RPM TWO SPEED STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2" CLAMP CONNECTIONS. 230/3/60. S/N 86-6-17498.	3,600.00

PC-074-A	G&H LH2MMRS, 15 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 2" CLAMP CONNECTIONS. S/N 636LH2404.	1,900.00
PC-485-B	GOULDS MODEL 3X4X7, 15 HP 3450 RPM MILD STEEL CENTRIFUGAL PUMP. 4" X 3" IPS FLANGE CONNECTIONS. S/N F9724222.	1,750.00
PC-352-A	APV WIA50/25, 8.6 KW, 11.5 HP 3425 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2" CLAMP CONNECTIONS. OPTIONAL INLET INDUCER. ASEPTIC SEAL DESIGN. S/N H-7735.	3,850.00
PC-353-A	APV W40/20, 8.6 KW, 11.5 HP 3435 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. S/N H-7725. 7.150" IMPELLER. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	2,950.00
PC-1001-B	FRISTAM MODEL FP-1732-155, 10 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" CLAMP CONNECTIONS. DOUBLE MECHANICAL SEAL. STAINLESS STEEL WASHDOWN MOTOR. S/N 132172005.	2,950.00
PC-665-A	G&H GHC 2/240, 10/5 HP 3460/1730 RPM TWO SPEED STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2" CLAMP CONNECTIONS. 230/3/60. S/N 86-6-17498.	1,900.00
PC-129-A	G&H GKMMRBS, 10 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2-1/2" CLAMP CONNECTIONS. S/N 886-15284.	1,900.00
PC-918-A	G&H LH2MMRS, 10 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" MPT CONNECTIONS. S/N UNKNOWN.	1,900.00
PC-743-A	CREPACO #18, 10 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" BEVEL SEAT CONNECTIONS. S/N I8-8253	1,900.00
PC-796-A	S/N I8-5190.	
PC-797-A	S/N I8-9200.	
PC-664-A	CREPACO #8, 10 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" BEVEL SEAT CONNECTIONS. S/N 1090.	1,900.00
PC-798-A	S/N 8-1414.	
PC-073-A	CREPACO #8V, 10 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" BEVEL SEAT CONNECTIONS. S/N E-0262-8V-86.	1,900.00
PC-011-A	S/N 8V-79.	
PC-256-A	S/N 8V-81. 3" X 1-1/2" BEVEL SEAT CONNECTIONS.	
PC-691-B	CREPACO I6V2, 10 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" MNPT CONNECTIONS. SILICON CARBIDE SEAL FACE. S/N F-0774-88.	2,450.00
PC-008-A	CHERRY BURRELL VBH, 10 HP 3450 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 2" BEVEL SEAT CONNECTIONS. S/N UNKNOWN. 5-1/8" IMPELLER. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	1,900.00
PC-798-B	S/N UNKNOWN.	
PC-419-A	TRI CLOVER CL2265MEG-213/215TC, 10 HP 3495 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" CLAMP CONNECTIONS. S/N 447798-02.	1,350.00
PC-958-B	TRI CLOVER C218MD21T-S, 10/2.5 HP 3500/1750 RPM TWO SPEED STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. 230/3/60 MOTOR. S/N K8474. 7-3/4" IMPELLER. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	2,250.00
PC-464-A	TRI CLOVER C328MD25S-S, 10 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 4" X 2" FPT CONNECTIONS. S/N B6480.	2,750.00
PC-458-A	TRI CLOVER C328SD21T-S, 10 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 4" X 2" FPT CONNECTIONS. S/N N3290.	2,750.00
PC-209-A	TRI CLOVER C328MD21T-S, 10 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2" CLAMP CONNECTIONS. MOUNTED ON STAINLESS STEEL PORTABLE PUMP CART. S/N 138543-01. 7" IMPELLER. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	3,250.00
PC-528-B	TRI CLOVER C328MD21T-S, 10 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2" CLAMP CONNECTIONS. S/N UNKNOWN.	2,750.00
PC-481-B	TRI CLOVER C218MD21T-S, 10 HP 3510 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 1-1/2" CLAMP CONNECTIONS. S/N H6811.	2,450.00
PC-952-A	TRI CLOVER C218MD21T-S, 10 HP 3510 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. S/N S2166. 6-1/2" IMPELLER. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	2,450.00
PC-268-A	S/N X9384.	
PC-466-A	TRI CLOVER C218MD25S-S, 10 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 1-1/2" FPT CONNECTIONS. S/N B9756.	2,450.00
PC-116-A	TRI CLOVER SP218MD-S, 10 HP 1760 RPM STAINLESS STEEL BASE MOUNT CENTRIFUGAL PUMP. 3" X 1-1/2" CLAMP CONNECTIONS. S/N W0770.	2,250.00
PC-843-B	TRI CLOVER MODEL C216MD21T-S, 10 HP, 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 1-1/2" CLAMP CONNECTIONS. S/N 118761-02.	2,450.00
PC-820-A	TRI CLOVER SP216TA-S, 10 HP 3500 RPM STAINLESS STEEL BASE MOUNT CENTRIFUGAL PUMP. 2" X 1-1/2" BEVEL SEAT CONNECTIONS. S/N V6619.	2,250.00
CVG-011	FRISTAM FP3522-130 7.5 HP 3450 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" CLAMP CONNECTIONS. S/N FP3522001297.	3,250.00
PC-1008-B	FRISTAM FPX732-165 7.5 HP 3450 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" CLAMP CONNECTIONS. S/N FPX732165080.	3,250.00
PC-861-B	ALFA LAVAL MODEL LKH45, 7.5 HP, 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 4" X 4" CLAMP CONNECTIONS. BALDOR STAINLESS STEEL WASHDOWN MOTOR. S/N UNKNOWN.	3,500.00

PC-864-B PC-865-B PC-866-B	ALFA LAVAL MODEL LKH20M 7.5 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" CLAMP CONNECTIONS. S/N 634899-01. S/N 75937. S/N 75937-01.	2,950.00
PC-527-B	TRI CLOVER C328ME21T-S, 7.5 HP 1725 RPM STAINLESS STEEL CENTRIFUGAL PUMP. "E" STYLE DOUBLE WATER FLUSH SEAL. 3" X 2" CLAMP CONNECTIONS. S/N P0080.	2,950.00
PC-800-B	TRI CLOVER MODEL C328MD21T-S, 7.5 HP 1755 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2" CLAMP CONNECTIONS. S/N X2663.	2,750.00
PC-319-A	PURITI C328MD21T-S, 7.5 HP 1800 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2" CLAMP CONNECTIONS. S/N 1512.	2,750.00
PC-492-B PC-462-B	TRI-CLOVER C218MD18T-S 7-1/2 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 1-1/2" CLAMP CONNECTIONS. STAINLESS STEEL LEG KIT. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY</b> S/N 256525-01 S/N N3292	3,250.00
PC-1003-B	TRI CLOVER MODEL C216MD18S-S, 7.5 HP 3050 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. S/N B8087.	2,350.00
PC-118-A PC-119-A	TRI CLOVER CS216MD21T-S, 7.5 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. FACTORY INSTALLED STAINLESS STEEL COVER. S/N C2863. S/N E2838.	2,500.00
PC-047-B	G&H MR185-AE, 7.5 HP 1750 RPM STAINLESS STEEL LIQUID RING SELF-PRIMING CENTRIFUGAL PUMP. 3" X 3" CLAMP CONNECTIONS. S/N S/N 3148-16006. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	3,450.00
PC-263-A	TCI SUPERIOR SCS-85, 7.5 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2-1/2" CLAMP CONNECTIONS. S/N UNKNOWN.	1,900.00
PC-370-A	APV 8V2, 7.5 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. DOUBLE WATER FLUSH SEAL ASSEMBLY. S/N E-6641-87. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	2,250.00
PC-284-A	CREPACO #8, 7.5 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" BEVEL SEAT CONNECTIONS. S/N 8-7567.	1,750.00
PC-810-A	CREPACO #8, 7.5 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" BEVEL SEAT CONNECTIONS. S/N 8-6509.	1,750.00
PC-305-A	CREPACO I6V2, 7.5 HP 3450 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2-1/2" BEVEL SEAT CONNECTIONS. S/N 18143. 5-3/4" IMPELLER.	2,250.00
PC-033-B PC-531-B PC-540-B	CREPACO #6V, 7.5 HP 3450 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. S/N 1937-B. S/N 6V-84. S/N 6V-84.	1,750.00
PC-835-A PC-861-A PC-915-A	CREPACO #6, 7.5 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" BEVEL SEAT CONNECTIONS. S/N 6-15094. S/N 6-13155. 4-1/2" IMPELLER. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b> S/N I6-78. 5-5/8" IMPELLER. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	1,750.00
PC-552-B PC-568-B	JENSEN "JENFLO" MODEL JF216, 7.5 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. S/N UNKNOWN. S/N UNKNOWN.	1,950.00
PC-825-B	WCB MODEL 2065LV, 7.5 HP 3450 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. S/N 29472201.	1,950.00
PC-724-A PC-837-A PC-838-A PC-038-A	CHERRY BURRELL VBH, 7.5 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 2" BEVEL SEAT CONNECTIONS. S/N 165541. S/N VBH-1634-M. S/N VBH-15771-M. S/N UNKNOWN.	1,250.00
PC-508-B	GOULDS MODEL 3196, 7.5 HP 1180 RPM BASE MOUNT MILD STEEL CENTRIFUGAL PUMP. 3" X 3" IPS FLANGE CONNECTIONS. S/N 740D441.	1,750.00
PC-571-B	PACO 10-30955-130001-1742, 7.5 HP 1750 RPM MILD STEEL CENTRIFUGAL PUMP. 4" X 3" IPS FLANGE CONNECTIONS. S/N DD-89R3074201-A.	1,750.00
PC-573-B	TACO MODEL UNKNOWN, 7.5 HP 1750 RPM BASE MOUNT MILD STEEL CENTRIFUGAL PUMP. 4" X 4" IPS FLANGE CONNECTIONS. S/N UNKNOWN.	1,500.00
CVG-012	FRISTAM MODEL FP3541-185 5 HP 1725 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2-1/2" CLAMP CONNECTIONS. S/N FP3541013566.	3,450.00
PC-463-A	TRI CLOVER C218SD18T-S, 5 HP 1755 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 1-1/2" FPT CONNECTIONS. S/N N3286.	1,950.00
PC-816-B	TRI CLOVER C218MD18T-S, 5 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. STAINLESS STEEL WASHDOWN MOTOR. S/N 506158.	2,800.00
PC-1002-B	TRI CLOVER C216MD18T-S, 5 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. STAINLESS STEEL WASHDOWN MOTOR. STAINLESS STEEL LEG KIT. S/N UNKNOWN.	2,650.00
PC-1004-B	TRI CLOVER MODEL C216MD18T-S, 5 HP 3480 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. S/N 182486-01.	2,250.00

PC-503-A	CREPACO W50/100 5 HP 1730 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 4" X 3" CLAMP CONNECTIONS. S/N H-3865.	1,950.00
PC-801-A	CREPACO #8, 5 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2" BEVEL SEAT CONNECTIONS. S/N 8-15301. 6-1/4" IMPELLER. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	1,250.00
PC-617-A	CREPACO #8, 5 HP 3480 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" APC CONNECTIONS. S/N 8-5094. 6-1/4" IMPELLER. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	1,250.00
PC-557-B	CREPACO #8, 5 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" BEVEL SEAT CONNECTIONS. STAINLESS STEEL WASHDOWN MOTOR. S/N 8-72.	1,500.00
PC-859-A	CREPACO #6, 5/2.5 HP 3450/1725 RPM TWO SPEED STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" CLAMP CONNECTIONS. S/N 6V-84. 3-7/8" IMPELLER. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	1,750.00
PC-229-A	CREPACO #6V, 5 HP 3450 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. S/N 6V-82.	1,250.00
PC-395-A	S/N 6V-81.	
PC-112-A	CREPACO #6, 5 HP 3450 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" BEVEL SEAT CONNECTIONS. S/N 6-79.	1,250.00
PC-113-A	CREPACO #6, 5 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. S/N 6-79. 5-1/2" IMPELLER. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	1,250.00
PC-821-B	WCB MODEL 2065, 5 HP 1725 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" CLAMP CONNECTIONS. STAINLESS STEEL LEG KIT. S/N 375117-05.	1,500.00
PC-841-B	CHERRY BURRELL MODEL VBH, 5HP, 3470 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 2" BEVEL SEAT CONNECTIONS. S/N UNKNOWN.	1,250.00
PC-016-A	CHERRY BURRELL MODEL VB, 5 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 2" BEVEL SEAT CONNECTIONS. S/N 30231. 5-1/2" IMPELLER. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	1,250.00
PC-574-B	SUPERIOR STAINLESS SCS85, 5 HP 1725 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2-1/2" CLAMP CONNECTIONS. S/N A2257.	1,250.00
PC-575-B	S/N A2258.	
PC-576-B	SUPERIOR STAINLESS SLC65, 5 HP 3450 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" CLAMP CONNECTIONS. S/N A2260.	1,250.00
PC-847-B	LC THOMSEN MODEL 4, 5HP 3450 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 1-1/2" CLAMP CONNECTIONS. BALDOR STAINLESS STEEL WASHDOWN MOTOR. S/N UNKNOWN.	1,350.00
PC-848-B	LC THOMSEN MODEL 4, 5HP 3450 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 1-1/2" CLAMP CONNECTIONS. BALDOR PAINTED WASHDOWN MOTOR. S/N UNKNOWN.	1,250.00
PC-545-B	G&H GHC 1/162, 5 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" CLAMP CONNECTIONS. S/N 88-7-19032.	1,250.00
PC-844-A	G&H CBRS, 5 HP 1725 RPM BASE MOUNT STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2" CLAMP CONNECTIONS. S/N UNKNOWN.	1,000.00
PC-478-B	MTH MODEL D71, 5 HP 3500 RPM MILD STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" IPS FLANGE CONNECTIONS. S/N D7107649910.	950.00
PC-850-B	TRI CLOVER MODEL CL-2284, 3 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" CLAMP CONNECTIONS. S/N UNKNOWN.	1,950.00
PC-851-B	TRI CLOVER MODEL CL-2284, 3 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" CLAMP CONNECTIONS. S/N UNKNOWN.	1,950.00
PC-279-A	TRI CLOVER SP328MD-S, 3 HP 1750 RPM BASE MOUNT STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2" CLAMP CONNECTIONS. STAINLESS STEEL BASE. S/N UNKNOWN.	1,550.00
PC-404-B	TRI CLOVER C218MD18T-S, 3 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 1-1/2" CLAMP CONNECTIONS. S/N K5480.	1,450.00
PC-445-B	S/N G5371.	
PC-480-B	TRI CLOVER C218MD18T-S, 3 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 1-1/2" CLAMP CONNECTIONS. S/N SO5104.	1,450.00
PC-863-B	TRI CLOVER C218MD18T-S, 3 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. S/N M5658.	1,450.00
PC-151-A	TRI CLOVER MODEL S114MHCL-36-3-S, 3 HP 3490 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 1-1/2" X 1-1/2" CLAMP CONNECTIONS. FACTORY INSTALLED STAINLESS STEEL COVER. S/N A7989.	1,250.00
PC-323-A	CREPACO 8V, 3 HP 1725 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 1-1/2" CLAMP CONNECTIONS. S/N 8V-81. 6-1/2" IMPELLER. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	1,100.00
PC-254-A	CREPACO #8, 3 HP 1725 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" BEVEL SEAT CONNECTIONS. S/N 8-15521.	1,000.00
PC-247-B	CREPACO #6V2, 3 HP 3450 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 1-1/2" CLAMP CONNECTIONS. SILICON CARBIDE SEAL FACE. S/N 6-8977-92. 3-1/4" IMPELLER. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	1,250.00
PC-493-A	CREPACO 6V-86, 3 HP 3505 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" BEVEL SEAT CONNECTIONS. S/N E-3279-6V-86.	1,000.00
PC-307-A	CREPACO #6, 3 HP 3505 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 2" BEVEL SEAT CONNECTIONS. S/N 6-84.	1,000.00

PC-325-A	THOMSEN 52907-HA, 3 HP 1750RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2" CLAMP CONNECTIONS. S/N 3A-2266. 4" IMPELLER. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	1,250.00
PC-553-B	G&H GHC2/240, 3 HP 1735 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2" CLAMP CONNECTIONS. S/N 92-4-21160.	1,250.00
PC-059-A	CHERRY BURRELL 4BHE-F, 3 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 2" BEVEL SEAT CONNECTIONS. S/N 1752.	1,000.00
PC-852-A	CHERRY BURRELL VB, 3HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 2" BEVEL SEAT CONNECTIONS. S/N VB-15426M.	1,000.00
PC-190-A	CHERRY BURRELL VAH, 3 HP 3450 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 1-1/2" X 1-1/2" BEVEL SEAT CONNECTIONS. 440/3/60. S/N 25986. 4-1/2" IMPELLER. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	1,000.00
PC-948-A	SUPERIOR SCS-65, 2 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" CLAMP CONNECTIONS. S/N A2913.	1,250.00
PC-928-A	G&H GHC-1/162, 2 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" CLAMP CONNECTIONS. S/N 85-5-16938. 5-3/4" IMPELLER. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	1,250.00
PC-1007-B	G&H MODELGHC-0 2 HP 3450 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. LEESON 2 HP WASHGUARD STAINLESS STEEL MOTOR. S/N UNKNOWN.	1,650.00
PC-525-B	G&H PMMRBS, 2 HP 1725 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" CLAMP CONNECTIONS. S/N UNKNOWN.	1,000.00
PC-807-A	G&H HBRS, 2 HP 1750 RPM BASE MOUNT STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" BEVEL SEAT CONNECTIONS. S/N 6110H1576.	1,000.00
PC-840-A	G&H GHRBS, 2 HP 1725 RPM BASE MOUNT STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" BEVEL SEAT CONNECTIONS. S/N UNKNOWN.	1,000.00
PC-760-B	FRISTAM MODEL FPX3531-165, 2 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" CLAMP CONNECTIONS. S/N 353168196.	2,950.00
PC-1011-B	FRISTAM FPX3531-160 2HP 1745 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" CLAMP CONNECTIONS. S/N FPX35310514329.	2,950.00
PC-626-B	FRISTAM FP712-110, 2 HP 3450 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. S/N 12170326.	1,950.00
PC-630-B	S/N 12170330.	
PC-599-B	S/N 12170328.	
PC-503-B	FRISTAM FP712-110, 2 HP 3450 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 1-1/2" X 1-1/2" CLAMP CONNECTIONS. S/N 12167166.	1,950.00
PC-554-B	S/N 12170325.	
PC-565-B	S/N 12170323.	
PC-566-B	S/N 12164076.	
PC-598-B	S/N 12167175.	
PC-601-B	S/N 12166109.	
PC-602-B	S/N 12171612.	
PC-603-B	S/N 12169303.	
PC-617-B	S/N 12167188.	
PC-618-B	S/N 12167197.	
PC-619-B	S/N 12170320.	
PC-620-B	S/N 12167176.	
PC-621-B	S/N 12167192.	
PC-623-B	S/N 12171629.	
PC-624-B	S/N 12166104.	
PC-625-B	S/N 12167178.	
PC-627-B	S/N 12168403.	
PC-628-B	S/N 12166115.	
PC-629-B	S/N 12167172.	
PC-649-B	S/N 12171623.	
PC-653-B	S/N 12171621.	
PC-664-B	S/N 12171611.	
PC-665-B	S/N 12167170.	
PC-666-B	S/N 12171605.	
PC-667-B	S/N 12172208.	
PC-668-B	S/N 12171610.	
PC-670-B	S/N 12166120.	
PC-671-B	S/N 12167183.	
PC-672-B	S/N 12167187.	
PC-673-B	S/N 12171626.	
PC-674-B	S/N 12171609.	
PC-675-B	S/N 12170319.	
PC-680-B	S/N 12167200.	
PC-477-A	AMPCO ZC2, 2 HP 3450 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" 4 BOLT ANSI FLANGE CONNECTIONS. S/N UNKNOWN.	1,500.00
PC-448-B	AMPCO ZC, 2 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" CLAMP CONNECTIONS. S/N O-88338-1-8.	1,350.00
PC-1000-B	AMPCO MODEL C216-DG-140TC 2 HP, 1755 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. S/N 1713017-5-1.	1,750.00
PC-538-B	TRI CLOVER C114ME56T-S, 2 HP 3450 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. S/N 605852-02.	1,600.00
PC-539-B	S/N 605852-03.	

PC-346-B	<b>UNUSED</b> , ALLIS CHALMERS MODEL 2X1.5X8, 2 HP 1725 RPM MILD STEEL CENTRIFUGAL WATER PUMP. 2" X 1.5" IPS FLANGE CONNECTIONS. S/N 12219922.	1,250.00
PC-301-B	APV PUMA MODEL 1.5-2-7, 2 HP 3450 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" DIN CONNECTIONS. S/N L512.	1,250.00
PC-820-B	LC THOMSEN MODEL 622P2, 2 HP, 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" BEVEL SEAT CONNECTIONS. STAINLESS STEEL WASHDOWN MOTOR. S/N 3A-10128.	1,150.00
PC-572-B	TACO MODEL FE1508, 2 HP 1725 RPM BASE MOUNTED MILD STEEL CENTRIFUGAL PUMP. 3" X 2-1/2" IPS CONNECTIONS. S/N FE1508E2C1E2LOH.	950.00
PC-808-B	<b>UNUSED</b> , STA-RITE MODEL JHG-52HL, 2 HP 3500 RPM MILD STEEL CENTRIFUGAL PUMP. 1-1/4" X 1-1/4" FPT CONNECTIONS.	800.00
PC-811-B	S/N UNKNOWN.	
PC-812-B	S/N UNKNOWN.	
PC-765-B	ALFA LAVAL SOLID C-2, 1.5 HP 1740 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 1-1/2" CLAMP CONNECTIONS. WEG STAINLESS STEEL WASHDOWN MOTOR. STAINLESS STEEL LEG KIT. S/N UNKNOWN.	1,950.00
PC-1009-B	AMPICO MODEL C214-D-056C 1.5 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 1-1/2" X 1-1/2" CLAMP CONNECTIONS. S/N 1712970-5-1.	1,500.00
PC-750-B	TRI CLOVER C114TD14T-S, 1.5 HP 1755 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 1-1/2" X 1-1/2" BEVEL SEAT CONNECTIONS. S/N 9185.	1,500.00
PC-841-A	G&H GHBR, 1.5 HP 1750 RPM STAINLESS STEEL BASE MOUNT CENTRIFUGAL PUMP. 1-1/2" X 1-1/2" BEVEL SEAT CONNECTIONS. S/N 624G1841.	1,000.00
PC-806-B	FRISTAM MODEL FPX731-173, 1.5 HP, 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. BALDOR STAINLESS STEEL WASHDOWN MOTOR. S/N FPX731007413.	2,500.00
PC-769-B	<b>UNUSED</b> , AMPICO MODEL LCR40-252-14, INTERCHANGEABLE WITH FRISTAM MODEL FPX-741, 1.5 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" CLAMP CONNECTIONS. 165MM IMPELLER. BALDOR 208-230-460/3/60 SUPER E WASHDOWN MOTOR. LESS LEG KIT.	3,000.00
PC-770-B	S/N CC-72781-1-4.	
PC-774-B	S/N CC-72781-1-5.	
	S/N CC-72781-1-8.	
PC-487-A	CHERRY BURRELL MODEL 2065, 1.5 HP 1725 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" CLAMP CONNECTIONS.	1,250.00
PC-491-A	S/N W7237.	
	S/N W7241.	
PC-840-B	TRI CLOVER C114MD56T-S, 1 HP 3450 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. S/N G2724.	1,250.00
PC-302-A	CREPACO 6V, 1 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 1-1/2" CLAMP CONNECTIONS. S/N 6V-81.	950.00
PC-930-A	G&H GHC-1/162, 1 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2-1/2" X 2" CLAMP CONNECTIONS. S/N 85-5-16945.	950.00
PC-092-A	G&H HMMRS, 1 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. S/N UNKNOWN.	950.00
PC-1010-B	FRISTAM FPX711-130 3/4 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2 X 1-1/2" CLAMP CONNECTIONS. S/N FPX711173072.	2,250.00
PC-515-B	TRI CLOVER C114MD56T-S, 3/4 HP 1725 RPM STAINLESS STEEL CENTRIFUGAL PUMP 2" X 1-1/2" CLAMP CONNECTIONS. S/N W0802.	1,250.00
PC-138-A	CHERRY BURRELL VA, 3/4 HP 1745 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" BEVEL SEAT CONNECTIONS. 220/3/60. S/N 30510. 4" IMPELLER. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	950.00
PC-287-A	CHERRY BURRELL VA, 3/4 HP 1745 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. S/N 30510.	950.00
PC-496-A	TEEL 4XZ30, 3/4 HP 3450 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 1-1/2" X 3/4" FPT CONNECTIONS. S/N 0202.	500.00
PC-647-B	AMT MODEL 2865-96, 3/4 HP 3450 RPM MILD STEEL CENTRIFUGAL WATER PUMP. 1-1/2" X 1-1/2" FPT CONNECTIONS. 115-230/1/60. S/N 2825-96-0704.	500.00
PC-522-B	TRI CLOVER C114MD56T-S, 1/2 HP 1725 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 1-1/2" X 1-1/2" CLAMP CONNECTIONS. S/N UNKNOWN.	1,250.00
PC-696-B	TRI CLOVER C114TD56T-S, 1/2 HP 1725 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 1-1/2" X 1-1/2" BEVEL SEAT CONNECTIONS. EXPLOSION PROOF MOTOR. S/N H8699.	1,250.00
PC-838-B	TRI CLOVER C114MD56T-S, 1/2 HP 1725 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 1-1/2" X 1-1/2" CLAMP CONNECTIONS. 115-230/1/60 MOTOR. S/N 138544-01.	1,250.00
PC-521-B	AMPICO AC114MD56T-F, 1/2 HP 1725 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 2" X 1-1/2" CLAMP CONNECTIONS. S/N CC-25814-1-1.	1,250.00
PC-645-B	G&H AMMRBS, 1/4 HP 1750 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 1-1/2" X 1-1/2" CLAMP CONNECTIONS. 115-230/1/60. S/N UNKNOWN.	950.00
PC-860-B	ALFA LAVAL LKH70M280F2EN36AAN MODEL 9613271556 STAINLESS STEEL CENTRIFUGAL PUMP LESS MOTOR. 4" X 3" CLAMP CONNECTIONS. S/N 793501.	2,500.00
PC-817-B	<b>UNUSED</b> , WORTHINGTON MODEL D1011, TYPE 3X1.5X6, BASE MOUNT MILD STEEL CENTRIFUGAL PUMP. 3" X 1-1/2" IPS FLANGE CONNECTIONS. 6.5" IMPELLER. 275 PSI MAXIMUM PRESSURE. S/N 860895. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	2,500.00

PC-569-B	TRI CLOVER CL2265MDG25T-SPND-Y1602 STAINLESS STEEL CENTRIFUGAL PUMP LESS MOTOR. 2-1/2" X 2" CLAMP CONNECTIONS. S/N 53919601.	600.00
PC-821-A	TRI CLOVER SP216TA-S, BASE MOUNT CENTRIFUGAL PUMP LESS MOTOR, BASE, AND COUPLING. 2" X 1-1/2" BEVEL SEAT CONNECTIONS. S/N W4067. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	850.00
PC-153-A	G&H CBR, BASE MOUNT CENTRIFUGAL PUMP LESS MOTOR, BASE AND COUPLING. 3" X 2" I-LINE CONNECTIONS. S/N 6912-6878. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	500.00
PC-154-A	G&H CBR, BASE MOUNT CENTRIFUGAL PUMP LESS MOTOR, BASE AND COUPLING. 3" X 2" I-LINE CONNECTIONS. S/N UNKNOWN. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	500.00
PC-494-A	G&H LH2BRS, BASE MOUNT CENTRIFUGAL PUMP LESS MOTOR, BASE, AND COUPLING. 2" X 2" CLAMP CONNECTIONS. S/N 635LH2446. 6" IMPELLER. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	500.00
PC-157-B	TRI CLOVER 2EBH-141B-008-S, STAINLESS STEEL BASE MOUNT CENTRIFUGAL PUMP LESS MOTOR, BASE, AND COUPLING. 3" X 2" BEVEL SEAT CONNECTIONS. S/N B8809. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION. "AS IS".</b>	500.00
PC-244-A	TRI CLOVER 1.5EJ-141C-00A-S, STAINLESS STEEL BASE MOUNT CENTRIFUGAL PUMP LESS MOTOR, BASE, AND COUPLING. 2-1/2" X 2" BEVEL SEAT CONNECTIONS. S/N G0847. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION. "AS IS".</b>	300.00
PC-155-A	G&H MODEL GBPG, STAINLESS STEEL BASE MOUNT CENTRIFUGAL PUMP LESS MOTOR, BASE, AND COUPLING, 1-1/2" X 1-1/2" BEVEL SEAT CONNECTIONS. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	500.00
PC-156-A	S/N 674-5424.	
	S/N 575-0456.	
PC-835-B	STAINLESS MOTORS MODEL PT2LO4T03B1T, 25 HP, 3500 RPM, 284TC FRAME, STAINLESS STEEL WASHDOWN MOTOR. 230-460/3/60. S/N 14124-050865	2,500.00
PC-1012-B	<b>UNUSED</b> , BALDOR MODEL CEWDM23934T, 20 HP, 1765 RPM, 256TC FRAME, 208-230-460/3/60, SUPER-E PAINTED WASHDOWN CENTRIFUGAL PUMP MOTOR.	3,000.00
PC-834-B	<b>UNUSED</b> , BALDOR MODEL CWDMM1906T, 20 HP, 3500 RPM, 256TC FRAME, 208-230-460/3/60, STANDARD-E PAINTED WASHDOWN CENTRIFUGAL PUMP MOTOR. S/N 40401321231.	2,500.00
PC-818-B	BALDOR SUPER-E 15 HP, 3520 RPM, 254TC FRAME STAINLESS STEEL WASHDOWN CENTRIFUGAL PUMP MOTOR. 208-230-460/3/60. S/N Z1012010106.	1,850.00
PC-856-B	<b>UNUSED</b> , BALDOR MODEL CEWDM23933T, 15 HP, 1765 RPM, 254TC FRAME, 208-230-460/3/60, SUPER-E PAINTED WASHDOWN CENTRIFUGAL PUMP MOTOR. S/N Z1602160175.	2,250.00
PC-1104-B	<b>UNUSED</b> , STERLING MODEL TH0152PFA-1 15 HP 3500 RPM 254T FRAME TEFC PUMP MOTOR. 208-230-460/3/60. S/N W23052.	1,500.00
PC-862-B	<b>UNUSED</b> , BALDOR MODEL CSSEWDM3714T, 10 HP, 1770 RPM, 215TC FRAME, SUPER-E STAINLESS STEEL HIGH EFFICIENCY WASHDOWN MOTOR. 208-230-460/3/60. S/N .	2,750.00
PC-859-B	<b>UNUSED</b> , BALDOR MODEL JMEWDM3711T, 10 HP, 3450 RPM, FRAME 215JM, SUPER-E PAINTED WASHDOWN PUMP MOTOR, 208-230-460/3/60. S/N P1609305846.	2,250.00
PC-177-B	BALDOR 10/1.9 HP, 3500/1750 RPM, 215TC FRAME, TEFC, TWO SPEED PUMP MOTOR. 230/3/60.	850.00
	<b>UNUSED</b> , BALDOR 1.5 HP 3450 RPM, 143C FRAME, EXPLOSION PROOF CLASS I GROUP D, CLASS II GROUP F & G, CLASS I ZONE I GROUP IIA PUMP MOTOR. LESS MOUNTING BASE. 208-230-460/3/60.	500.00
PC-635-B	S/N F02101T1709.	
PC-644-B	S/N F02101T1694.	
PC-264-B	<b>UNUSED</b> , LEESON 1 HP 1725 RPM, G56HC FRAME, TEFC PUMP MOTOR. 115-230/1/60. S/N 110910.	450.00
PC-322-B	<b>UNUSED</b> , STERLING 1 HP 1750 RPM <b>STAINLESS STEEL</b> WASHDOWN CENTRIFUGAL PUMP MOTOR. 56TC FRAME. 208-230-460/3/60. MFG 2000. S/N 008232.	425.00

## POSITIVE PUMPS

Reconditioning of positive displacement pumps includes stripping and painting of painted surfaces, motor/drive bearing replacement, additional motor/drive repair as required, elastomer/seal replacement, repair/replacement of worn parts, and cosmetic polishing as necessary of stainless steel surfaces. Boxing and loading for shipment on LTL or flatbed carriers is included in the purchase price.

PP-513-B	CREPACO MODEL 10DA45, 1,000 LB CAPACITY, 5 HP DUAL AUGER FEEDER FOR USE WITH RECTANGULAR INLET POSITIVE DISPLACEMENT PUMP. S/N UNKNOWN.	12,500.00
PP-498-B	FRISTAM FKL-250 STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 4" CLAMP CONNECTIONS. S/N FKL250-0203118. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	11,500.00
PP-488-B	<b>UNUSED</b> , WAUKESHA GEAR CASE ONLY FOR MODEL 220 UNIVERSAL STAINLESS STEEL POSITIVE DISPLACEMENT PUMP.	7,000.00
PP-542-B	WAUKESHA MODEL 220U STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 4" CLAMP CONNECTIONS. WITH PAINTED MILD STEEL BASE, COUPLING, GUARD, AND EURODRIVE 25 HP CONSTANT SPEED DRIVE 302 OUTPUT RPM. S/N 01177R2-02.	16,500.00
PP-529-B	WAUKESHA MODEL 229 (220) STAINLESS STEEL POSITIVE DISPLACEMENT PUMP WITH 10 HP 169 RPM INTEGRAL SPEED REDUCER MOUNTED ON MILD STEEL BASE. 4" CLAMP CONNECTIONS. ISR S/N 6.65:1-447. PUMP S/N 17585-SS.	16,500.00
PP-579-B	WAUKESHA MODEL 220 STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 4" CLAMP CONNECTIONS. S/N 338619-03. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	11,500.00
PP-510-B	CREPACO MODEL R700R STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 4" PV CLAMP CONNECTIONS. OUTBOARD BEARING FRONT COVER. WITH STAINLESS STEEL BASE, COUPLING, GUARD, AND RELIANCE 15 HP CONSTANT SPEED DRIVE, 190 RPM.	12,500.00
PP-511-B	S/N D-2186. S/N D-2187.	
PP-522-B	CREPACO MODEL R700R STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 4" PV CLAMP CONNECTIONS. OUTBOARD BEARING FRONT COVER. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	7,500.00
PP-523-B	S/N D-2184 S/N D-2185.	
PP-578-B	G&H MODEL GHDP-7372-P STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 4" CLAMP CONNECTIONS. WITH STAINLESS STEEL BASE, COUPLING, GUARD AND STERLING 10 HP CONSTANT SPEED DRIVE, 389 OUTPUT RPM. S/N 96-11-7232A.	7,500.00
PP-281-A	CREPACO MODEL R6RX STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 2-1/2" BEVEL SEAT CONNECTIONS. WITH BASE, COUPLING, GUARD, AND REEVES 7-1/2 HP VARIDRIVE 280-70 RPM. S/N C7736.	8,500.00
PP-318-B	CREPACO MODEL R6R STAINLESS STEEL RECTANGULAR FLANGE INLET POSITIVE DISPLACEMENT PUMP. 3" BEVEL SEAT DISCHARGE. TOP SHAFT DRIVE. S/N 25920. WITH BASE COUPLING, GUARD, AND REEVES 7-1/2 HP VARI-DRIVE 164-16.4 RPM.	8,500.00
PP-418-A	CREPACO 6R, STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 2-1/2" CLAMP CONNECTIONS. BOTTOM SHAFT DRIVE. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	4,500.00
PP-419-A	S/N 18787.	
PP-426-A	S/N D-0779. S/N P-2461-96.	
PP-391-A	STA-RITE (IVARSON) MODEL RS-150 STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 4" CLAMP CONNECTIONS. S/N 3454. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	3,500.00
PP-593-B	FRISTAM MODEL FKL150 STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 3" CLAMP CONNECTIONS. STAINLESS STEEL GEAR CASE. INCLUDING STAINLESS STEEL TUBULAR BASE WITH STERLING STAINLESS STEEL 7.5 HP CONSTANT SPEED DRIVE, 4.0:1 RATIO, 420 OUTPUT RPM, COUPLING AND GUARD. S/N FKL150A1001720.	11,500.00
PP-570-B	WAUKESHA MODEL 130U1 STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 3" CLAMP CONNECTIONS. WITH STAINLESS STEEL TUBULAR CART WITH HANDLE ON CASTERS, COUPLING, GUARD, AND NORD CONSTANT SPEED GEAR DRIVE WITH BALDOR 10 HP SUPER-E MOTOR, 213 OUTPUT RPM. MFG 2011. S/N 1000002630918.	12,500.00
PP-571-B	WAUKESHA MODEL 130 STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 3" CLAMP CONNECTIONS. WITH STAINLESS STEEL TUBULAR CART WITH HANDLE ON CASTERS, COUPLING, GUARD, AND APG CONSTANT SPEED GEAR DRIVE WITH BALDOR 10 HP STANDARD-E MOTOR, 235 OUTPUT RPM. S/N 109303.	12,000.00
PP-575-B	WAUKESHA MODEL 130U STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 3" CLAMP CONNECTIONS. WITH STAINLESS STEEL BASE ON CASTERS, COUPLING GUARD AND EURODRIVE 3 HP CONSTANT SPEED DRIVE, 257 RPM. S/N 2741667-R1.	12,000.00
PP-550-B	WAUKESHA MODEL 130U STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 3" CLAMP CONNECTIONS. WITH STAINLESS STEEL BASE AND 10 HP MODEL 79 INTEGRAL SPEED REDUCER 6.35:1 RATIO. S/N 217557.	11,500.00
PP-582-B	WAUKESHA MODEL 130U STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 3" CLAMP CONNECTIONS. STAINLESS STEEL SQUARE TUBULAR BASE WITH COUPLING, GUARD, AND DODGE 15 HP, 430 OUTPUT RPM, CONSTANT SPEED DRIVE. S/N 114356.	11,500.00
PP-583-B	WAUKESHA MODEL 130U STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 3" CLAMP CONNECTIONS. STAINLESS STEEL BASE WITH COUPLING, GUARD, AND DODGE 10 HP, 344 OUTPUT RPM, CONSTANT SPEED DRIVE. S/N 341654-03.	11,500.00

PP-447-B	WAUKESHA MODEL 134 UNIVERSAL STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. RECTANGULAR FLANGE INLET WITH HOPPER. 3" CLAMP OUTLET. WITH STAINLESS BASE, COUPLING, GUARD, AND REEVES 2 HP VARI-DRIVE 89.2-8.92 RPM. S/N 6753-SS.	11,500.00
PP-574-B	WAUKESHA MODEL 130U STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 3" CLAMP CONNECTIONS. WITH PAINTED MILD STEEL BASE LESS COUPLING, GUARD, AND DRIVE. S/N 148909-R1. <b>VARIOUS DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	7,500.00
PP-553-B	WAUKESHA MODEL 130U STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 3" CLAMP CONNECTIONS. S/N 369410-04. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	7,500.00
PP-556-B	WAUKESHA MODEL 130U STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 3" CLAMP CONNECTIONS. S/N 230802-R1. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	7,500.00
PP-595-B	WAUKESHA MODEL 130U STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 3" CLAMP CONNECTIONS. S/N 302579-02. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	7,500.00
PP-601-B	WAUKESHA MODEL 130U STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 3" CLAMP CONNECTIONS. S/N 101273. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	7,500.00
PP-589-B	WAUKESHA MODEL 130U STAINLESS STEEL POSITIVE DISPLACEMENT PUMP GEAR CASE ONLY LESS PUMP CASING, ROTORS, ROTOR NUTS, AND FRONT COVER. S/N 15141SS.	5,000.00
PP-415-A	WAUKESHA MODEL 125DO STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 2-1/2" CLAMP CONNECTIONS. BOTTOM SHAFT DRIVE. S/N DO44324SS. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	4,000.00
PP-462-A	WAUKESHA MODEL 125DO STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 2-1/2" BEVEL SEAT CONNECTIONS. BOTTOM SHAFT DRIVE. RELIEF FRONT COVER. S/N DO54346SS. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	4,000.00
PP-470-A	WAUKESHA MODEL 125DO STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 2-1/2" BEVEL SEAT CONNECTIONS. TOP SHAFT DRIVE. S/N DO43130SS. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	4,000.00
PP-461-A	ITT JABSCO MODEL 25700-5500 STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 3" BEVEL SEAT CONNECTIONS. BOTTOM SHAFT DRIVE. S/N 2402. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	3,500.00
PP-535-B	WAUKESHA MODEL 64U1 STAINLESS POSITIVE DISPLACEMENT PUMP. RECTANGULAR FLANGE INLET. 2-1/2" CLAMP OUTLET. S/N 239016. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	6,500.00
PP-584-B	WAUKESHA MODEL 060-U1 STAINLESS STEEL POSITIVE DISPLACEMENT PUMP GEAR CASE ONLY LESS PUMP CASING, ROTORS, ROTOR NUTS, AND FRONT COVER. S/N 1000002863173.	3,000.00
PP-586-B	WAUKESHA MODEL 060-U1 STAINLESS STEEL POSITIVE DISPLACEMENT PUMP GEAR CASE ONLY LESS PUMP CASING, ROTORS, ROTOR NUTS, AND FRONT COVER. S/N 418539-06.	3,000.00
PP-587-B	WAUKESHA MODEL 060-U1 STAINLESS STEEL POSITIVE DISPLACEMENT PUMP GEAR CASE ONLY LESS PUMP CASING, ROTORS, ROTOR NUTS, AND FRONT COVER. S/N 357339-04.	3,000.00
PP-588-B	WAUKESHA MODEL 060-U1 STAINLESS STEEL POSITIVE DISPLACEMENT PUMP GEAR CASE ONLY LESS PUMP CASING, ROTORS, ROTOR NUTS, AND FRONT COVER. S/N 369191-04.	3,000.00
PP-217-A	G&H (IBEX) MODEL 2130 STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 3" BEVEL SEAT CONNECTIONS. TOP SHAFT DRIVE. S/N UNKNOWN. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	3,500.00
PP-533-B	ALFA LAVAL MODEL GHDP-622P STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 2-1/2" CLAMP CONNECTIONS. S/N 98-5-7969A. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	3,500.00
PP-512-B	CREPACO MODEL R4RHD STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 2-1/2" PV CLAMP CONNECTIONS. OUTBOARD BEARING FRONT COVER. WITH STAINLESS STEEL BASE, COUPLING, GUARD, AND RELIANCE 7.5 HP CONSTANT SPEED DRIVE 190 RPM. S/N D-2190.	7,500.00
PP-604-B	CREPACO MODEL R4BRI STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. WITH STAINLESS STEEL BASE, COUPLING, AND CONSTANT SPEED DRIVE. S/N 95035213.	7,500.00
PP-492-B	CREPACO R4R, STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 2" CLAMP CONNECTIONS. BOTTOM SHAFT DRIVE. WITH PAINTED MILD STEEL BASE, COUPLING, GUARD, AND REEVES 3 HP VARI-DRIVE 70-350 RPM. S/N B4154	7,500.00
PP-339-A	CREPACO #4R, STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 2" BEVEL SEAT CONNECTIONS. BOTTOM SHAFT DRIVE. RELIEF FRONT COVER. S/N 4R-2722. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	4,500.00
PP-354-A	CREPACO #4R, STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 2" BEVEL SEAT CONNECTIONS. TOP SHAFT DRIVE. S/N 9309 <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	4,500.00
PP-355-A	CREPACO #4R, STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 2" BEVEL SEAT CONNECTIONS. TOP SHAFT DRIVE. WITH BASE, COUPLING, GUARD, AND US MOTORS 3 HP REDUCTION GEAR DRIVE. S/N 16828.	5,500.00
	CREPACO #4R, STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 2" CLAMP CONNECTIONS. BOTTOM SHAFT DRIVE. 200 DEGREE F. ROTORS. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION. RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	5,000.00
PP-425-A	S/N 950352A.	
PP-361-A	S/N 23465.	

PP-382-A PP-383-A	CREPACO #4R, STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 2" BEVEL SEAT CONNECTIONS. TOP SHAFT DRIVE. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b> S/N 4R-283. S/N 4R-2703.	4,500.00
PP-598-B	APV MODEL DW4/039/20 STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 2" CLAMP CONNECTIONS. MFG 2008. S/N 10004504.	3,650.00
PP-420-A	WAUKESHA MODEL 4050 STAINLESS STEEL CIP CLEANABLE POSITIVE DISPLACEMENT PUMP. 2-1/2" CLAMP CONNECTIONS. BOTTOM SHAFT DRIVE. S/N 105231. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	4,500.00
PP-500-B PP-501-B	ALFA LAVAL MODEL GHPD-432 STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 2" CLAMP CONNECTIONS. WITH STAINLESS STEEL BASE, COUPLING, GUARD, AND EURODRIVE 1 HP CONSTANT SPEED DRIVE 443 RPM. S/N 00-2-8855A. S/N 00-2-8856A.	5,500.00
PP-602-B	WAUKESHA MODEL 30U1 STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 1-1/2" I-LINE CONNECTIONS. WITH PAINTED BASE, COUPLING, GUARD, AND EURODRIVE 5 HP 148 OUTPUT RPM REDUCTION GEAR DRIVE. MFG 04/19/14. PUMP S/N 1000002920505.	7,000.00
PP-605-B	WAUKESHA MODEL 030U1 STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 1-1/2" CLAMP CONNECTIONS. WITH STAINLESS STEEL BASE COUPLING, GUARD, AND 1 HP, 460/3/60 CONSTANT SPEED DRIVE, OUTPUT RPM. MFG 01/31/2014. S/N 1000002903195.	8,500.00
PP-594-B	WAUKESHA MODEL 30U STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 1-1/2" BEVEL SEAT CONNECTIONS. S/N 159143-95. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	4,500.00
PP-596-B	WAUKESHA MODEL 30U1 STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 1-1/2" BEVEL SEAT CONNECTIONS. S/N 1000002799142 <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	4,500.00
PP-477-B	TRI CLOVER MODEL PR25-1.5M-UH4-SL-S STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 1-1/2" CLAMP CONNECTIONS. TOP SHAFT DRIVE. WITH STAINLESS STEEL BASE AND HYDRAULIC DRIVE MOTOR ASSEMBLY. S/N 180020-01.	4,000.00
PP-515-B	CREPACO R3R STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 2" CLAMP CONNECTIONS. TOP SHAFT DRIVE. WITH PAINTED MILD STEEL BASE, COUPLING, GUARD, AND RELIANCE 1 HP CONSTANT SPEED RIGHT ANGLE DRIVE. S/N A-3221.	4,500.00
PP-527-B	CREPACO R3 STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 1-1/2" CLAMP CONNECTIONS. WITH MILD STEEL BASE AND 2 HP V-BELT DRIVE. S/N 2312313.	3,500.00
PP-507-B	CREPACO 3R STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 2" CLAMP CONNECTIONS. S/N 3R-5922. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	3,000.00
PP-411-A	CREPACO R3UR STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 1-1/2" BEVEL SEAT CONNECTIONS. TOP SHAFT DRIVE. S/N 8873. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	3,000.00
PP-569-B	WAUKESHA MODEL 018U STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 1-1/2" BEVEL SEAT CONNECTIONS. S/N 84517.	3,550.00
PP-581-B	WAUKESHA MODEL 018U STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 1-1/2" CLAMP CONNECTIONS. S/N 200398-97.	3,500.00
PP-520-B	WAUKESHA MODEL 015 STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 1" CLAMP CONNECTIONS. RELIEF FRONT COVER. WITH MILD STEEL BASE, COUPLING, GUARD, AND NORD 1/2 HP CONSTANT SPEED DRIVE, 363 RPM. S/N 136434.	4,500.00
PP-603-B	WAUKESHA MODEL 015 STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 1-1/2" CLAMP CONNECTIONS. S/N 463265-08.	3,500.00
PP-591-B	FRISTAM MODEL FKL15 STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 1-1/2" CLAMP CONNECTIONS. STAINLESS STEEL GEAR CASE. INCLUDING STERLING STAINLESS STEEL 1 HP, 11:0-1 RATIO, 164 OUTPUT RPM INTEGRAL DRIVE WITH STAINLESS STEEL TUBULAR BASE, COUPLING AND GUARD. S/N FKL151001813.	4,250.00
PP-592-B	FRISTAM MODEL FKL15A STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. 1-1/2" CLAMP CONNECTIONS. STAINLESS STEEL GEAR CASE. INCLUDING STERLING STAINLESS STEEL 1 HP, 11:0-1 RATIO, 164 OUTPUT RPM INTEGRAL DRIVE WITH STAINLESS STEEL TUBULAR BASE, COUPLING AND GUARD. S/N FKL150A1001720.	4,250.00
PP-504-B	WAUKESHA MODEL 06 STAINLESS STEEL POSITIVE DISPLACEMENT PUMP. RECTANGULAR FLANGE INLET. 1-1/2" CLAMP OUTLET. WITH STAINLESS STEEL BASE, COUPLING, GUARD, AND US MOTORS 2 HP CONSTANT SPEED DRIVE 156 RPM. S/N 113369.	3,750.00
PP-557-B	CREPACO MODEL R1R STAINLESS POSITIVE DISPLACEMENT PUMP. BOTTOM SHAFT DRIVE. 1" CLAMP CONNECTIONS. INCLUDING STAINLESS STEEL TUBULAR BASE, COUPLING, GUARD, AND 1 HP CONSTANT SPEED DRIVE. S/N D-4436.	3,950.00
PP-562-B	WAUKESHA MODEL SP-4 STAINLESS STEEL SHEAR PUMP. 2" BEVEL SEAT CONNECTIONS. WITH STAINLESS STEEL BASE, COUPLING, GUARD, AND BALDOR 20 HP MOTOR. S/N 373710-05.	10,500.00
PP-476-B	WAUKESHA MODEL SP STAINLESS STEEL SHEAR PUMP. 2" BEVEL SEAT CONNECTIONS. S/N 353SS. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	6,500.00
PP-534-B	CHARLOTTE MODEL SD-2 LABORATORY AND R&D JACKETED COLLOID MILL MOUNTED ON PAINTED MILD STEEL BASE WITH COUPLING, GUARD AND 3 HP DRIVE. TYPE 316L WETTED PARTS. AVERAGE PARTICLE SIZE 3-5 MICRONS. 100 PSI MAXIMUM PRESSURE. 1" BEVEL SEAT CONNECTIONS. S/N 2665.	8,500.00
PP-495-B	SINE MODEL MR125NNTC STAINLESS STEEL PROGRESSIVE CAVITY PUMP. 2-1/2" CLAMP CONNECTIONS. WITH STAINLESS STEEL TUBULAR BASE, COUPLING, GUARD, AND RELIANCE 5.82 HP CONSTANT SPEED DRIVE, 438 RPM. S/N 209653125C375.	4,500.00

PP-496-B	SINE MODEL MR125NNTC STAINLESS STEEL PROGRESSIVE CAVITY PUMP. 2-1/2" CLAMP CONNECTIONS. WITH STAINLESS STEEL TUBULAR BASE, COUPLING, GUARD, AND SIEMENS 5 HP CONSTANT SPEED DRIVE, 157 RPM. S/N 96710763.	4,500.00
PP-599-B	MURZAN MODEL PI-50-DL STAINLESS STEEL DIAPHRAGM PUMP. GUIDED BALL (MUSHROOM) STYLE PUMP VALVES. 4" CLAMP CONNECTIONS. MOUNTED ON STAINLESS STEEL FLOOR STAND. S/N 01094663.	5,950.00
PP-600-B	MURZAN MODEL PI-50-DL TYPE 304 STAINLESS STEEL AIR OPERATED DIAPHRAGM PUMP. 4" CLAMP CONNECTIONS. MOUNTED ON STAINLESS STEEL FLOOR STAND. S/N 96042684.	5,950.00
PP-568-B	MURZAN MODEL PI-50-DL TYPE 304 STAINLESS STEEL AIR OPERATED DIAPHRAGM PUMP. BALL STYLE SUCTION VALVES, FLAPPER STYLE DISCHARGE VALVES. 3" CLAMP CONNECTIONS. S/N 99124095.	4,950.00
PP-572-B	MURZAN MODEL PI-50-DL TYPE 304 STAINLESS STEEL AIR OPERATED DIAPHRAGM PUMP. BALL STYLE SUCTION VALVES, FLAPPER STYLE DISCHARGE VALVES. 2" CLAMP CONNECTIONS. S/N	4,950.00
PP-573-B	MURZAN MODEL PI-50-DL TYPE 304 STAINLESS STEEL AIR OPERATED DIAPHRAGM PUMP. BALL STYLE SUCTION AND DISCHARGE VALVES. 2" CLAMP CONNECTIONS. S/N 03015137.	4,950.00
PP-576-B	<b>UNUSED</b> , WILDEN MODEL XPX4/SZNNN/LEL/TF/TF/0770 STAINLESS STEEL AIR OPERATED DIAPHRAGM PUMP. 1-1/2" CLAMP CONNECTIONS. MFG 03/27/2014. S/N 0021497289.	4,500.00
PP-590-B	MURZAN MODEL P150DL1B STAINLESS STEEL DIAPHRAGM PUMP, 1-1/2" CLAMP CONNECTIONS, MOUNTED ON STAINLESS STEEL CART WITH GIRTON 30" DIAMETER X 23" STRAIGHT SIDE 70 GALLON DOME TOP FLAT PITCHED BOTTOM SINGLE SHELL TANK AND CASTERS. PUMP S/N 05015765.	6,500.00
PP-580-B	MURZAN MODEL DUS-51M DRUM UNLOADING SYSTEM WITH MODEL DUS-501M 4" AIR OPERATED DIAPHRAGM PUMP S/N 04115701. SYSTEM S/N D-32407.	19,500.00
PP-473-B	GRACO BULLDOG 10:1 PAINTED FRAME DRUM UNLOADING STATION. SERIES FOF. STAINLESS DRUM RAM PLATE AND PUMP PRODUCT CONTACT PARTS. S/N 207-172.	9,500.00
PP-565-B	<b>UNUSED</b> , VIKING MODEL LS125 BASE MOUNT MILD STEEL POSITIVE DISPLACEMENT GEAR PUMP. 3" FLANGE CONNECTIONS. MAXIMUM CAPACITY 200 GPM @ 640 RPM. MAXIMUM PRESSURE 200 PSI. INTERNAL RELIEF VALVE ASSEMBLY. S/N 11866240. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	3,500.00
PP-563-B	<b>UNUSED</b> , VIKING MODEL K124A BASE MOUNT MILD STEEL POSITIVE DISPLACEMENT GEAR PUMP. 2" FLANGE CONNECTIONS. MAXIMUM CAPACITY OF 75 GPM @ 780 RPM. MAXIMUM PRESSURE 200 PSI. INTERNAL RELIEF VALVE ASSEMBLY. S/N 12058278. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION</b>	2,000.00
PP-577-B	VIKING MODEL Q4124A MILD STEEL POSITIVE DISPLACEMENT GEAR PUMP. 4" IPS FLANGE CONNECTIONS. STUFFING BOX SEAL ASSEMBLY. WITH PAINTED MILD STEEL BASE, COUPLING, GUARD, AND 15 HP INVERTER DUTY DRIVE. MAXIMUM CAPACITY OF 300 GPM. S/N 10762502.	4,500.00
PP-489-B	ROPER MODEL 1AM32 BASE MOUNT MILD STEEL LIQUID SWEETENER PUMP ONLY. MAXIMUM CAPACITY OF 59.5 GPM. 2" NPT CONNECTIONS. S/N G-390935. <b>VARIOUS BASE, DRIVE, COUPLING, &amp; GUARD OPTIONS ARE AVAILABLE AND PRICED ON APPLICATION.</b>	1,500.00
PP-528-B	BSM MODEL 517 MILD STEEL GEAR PUMP. 1" FPT CONNECTIONS. WITH MILD STEEL BASE, COUPLING, GUARD AND COMTRAC 5 HP MECHANICAL VARI-SPEED DRIVE, 420-2100 RPM. MAXIMUM CAPACITY 12 GPM @ 1140 RPM. S/N UNKNOWN.	2,500.00
PP-483-B	<b>NEW</b> , BROWING 20 HP REDUCTION DRIVE. 230-460/3/60. 350 OUTPUT RPM. S/N RC10-98135219-GT01.	3,000.00
PP-471-B	RELANCE 15 HP REDUCTION DRIVE. 230-460/3/60. 158 OUTPUT RPM. S/N M94854.	1,500.00
PP-410-B	<b>UNUSED</b> , EURODRIVE 3HP REDUCTION DRIVE. 230-460/3/60. 165 OUTPUT RPM. S/N 850069785-8.	1,000.00

## HOMOGENIZERS

Reconditioning of homogenizers includes stripping and painting of painted surfaces, complete teardown and repair of drive systems including total bearing replacement, motor bearing replacement with additional motor repairs as necessary, elastomer/seal replacement, new plungers, regrinding and/or replacement of pump and homogenizing valves, repair and/or replacement of HVA systems, installation of new oil coolers, cosmetic polishing as necessary of stainless steel surfaces, and loosening of all adjustable legs. Water testing of all systems is standard. Tools that are unique to the machine are provided. Minimum capacities may require optional lower rpm motors or VFD's that are not included in published list prices. Shrink wrapping and loading on a flatbed carrier is included in the purchase price.

H-834-B	GAULIN MODEL MC100 1.5TPS STAINLESS STEEL CLAD HOMOGENIZER. MICRO GAP VALVE ASSEMBLY. 3-1/8" PLUNGERS. 1,500 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 5,000 GPH, MAXIMUM CAPACITY 10,000 GPH. S/N 129613332.	139,500.00
H-1067-B	GAULIN MODEL MC100 1.5TPS STAINLESS STEEL CLAD HOMOGENIZER. MICRO GAP VALVE ASSEMBLY. 3-1/8" PLUNGERS. 1,500 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 5,000 GPH, MAXIMUM CAPACITY 10,000 GPH. S/N 19111600.	139,500.00
H-1043-B	APV GAULIN MODEL R200-80.6118X STAINLESS STEEL CLAD HOMOGENIZER. 80MM PLUNGERS. TWO STAGE HVA. 200BAR (2,900 PSI) TAPERED SEAT BALL VALVE THREE PIECE (RANNIE) ASEPTIC CYLINDER. 300 HP 460/3/60 MOTOR. MAXIMUM CAPACITY 8,840 GPH. S/N 3-06.241. <b>NON ASEPTIC CYLINDER RETROFIT AVAILABLE AND PRICED ON APPLICATION.</b>	200,000.00
H-1044-B	APV GAULIN MODEL R200-80.6118X STAINLESS STEEL CLAD HOMOGENIZER POWER FRAME LESS CYLINDERS AND HOMOGENIZING VALVE ASSEMBLIES. INCLUDING 300 HP 460/3/60 MOTOR AND STAINLESS STEEL SHROUD. INCOMPLETE SUITABLE FOR PARTS ONLY. S/N 2-06.234. <b>"AS IS"</b>	25,000.00

H-1042-B	<b>UNUSED</b> , GAULIN J00120064 SINGLE POWER FRAME FOR MODEL 200kw HOMOGENIZER. S/N UNKNOWN.	15,000.00
H-835-B	GAULIN MODEL MC100 1.7TPS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 3" PLUNGERS. 1,700 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 5,000 GPH, MAXIMUM CAPACITY 9,000 GPH. S/N 39813683.	145,500.00
H-1071-B	GAULIN MODEL MC100 1.7TPS STAINLESS STEEL CLAD HOMOGENIZER. MICRO GAP VALVE ASSEMBLY . 3" PLUNGERS. 1,700 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 5,000 GPH, MAXIMUM CAPACITY 9,000 GPH. S/N 128610232.	139,500.00
H-1359-B	GAULIN MODEL 185Q 2.5B STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 90MM PLUNGERS. 2,500 PSI TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 2,700 GPH, MAXIMUM CAPACITY 8,000 GPH. S/N 02-09-426	185,500.00
H-1398-B	GAULIN MODEL MC75/100 STAINLESS STEEL CLAD HOMOGENIZER DRIVE LESS FLUID CYLINDER AND HOMOGENIZING VALVE ASSEMBLY. S/N 5652781. <b>VARIOUS FLUID CYLINDERS AND HOMOGENIZING VALVES AVAILABLE AND PRICED ON APPLICATION.</b>	79,500.00
H-1068-B	GAULIN MODEL MC75/100 HOMOGENIZER DRIVE FRAME ONLY INCLUDING BASE, FEET, MOTOR RAIL ASSEMBLY, CROSSHEAD COVER, TOP PLATE, MILD STEEL TOP COVER, ECCENTRIC BEARING CAPS, AND GEAR CASE COVER. S/N 88911148.	35,500.00
H-1050-B	GAULIN MODEL MC120 3TBS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 2-3/4" PLUNGERS. 3,000 PSI TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 4,000 GPH, MAXIMUM CAPACITY 6,075 GPH. S/N 19992410328.	165,500.00
H-1278-B	GAULIN MC120 4TPS STAINLESS STEEL CLAD HOMOGENIZER. COMBINATION MICROGAP WITH SECOND STAGE HVA. 2-3/8" PLUNGERS. 4,000 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 1,800 GPH, MAXIMUM CAPACITY 5,020 GPH. S/N 95L34740.	165,500.00
H-1232-B	GAULIN 4500 MC140 5TBS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 2-1/8" PLUNGERS. 5,000 PSI TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 2,000 GPH, MAXIMUM CAPACITY 4,500 GPH. S/N 4744915.	197,500.00
H-660-B	GAULIN MODEL 3000 MF75 2.5PS STAINLESS STEEL CLAD HOMOGENIZER LESS CYLINDER AND HOMOGENIZING VALVE ASSEMBLY. S/N 3601089. <b>VARIOUS CYLINDER AND HOMOGENIZING VALVE ASSEMBLIES AVAILABLE AND ARE PRICED ON APPLICATION.</b>	49,500.00
H-300-B	CREPACO MODEL 7DS813 STAINLESS STEEL CLAD HOMOGENIZER LESS CYLINDER AND HOMOGENIZING VALVE. S/N B5466. <b>VARIOUS CYLINDER AND HOMOGENIZING VALVE ASSEMBLIES AVAILABLE AND ARE PRICED ON APPLICATION.</b>	33,500.00
H-1174-B	NIRO MODEL NS5132H, STAINLESS STEEL CLAD HOMOGENIZER. SINGLE STAGE HVA. 90MM CERAMIC PLUNGERS. 2,030 PSI POPPET VALVE CYLINDER. RATED CAPACITY 7,500 GPH. MANUFACTURED 2004. S/N 5400. <b>"AS IS"</b>	25,000.00
H-142-A	CHERRY BURRELL SS-7500-TGR STAINLESS STEEL CLAD HOMOGENIZER. SINGLE STAGE MANUAL VALVE ASSEMBLY. 3.25" PLUNGERS. 1,800 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 6,500 GPH, MAXIMUM CAPACITY 7,500 GPH. MFG 1998. S/N 222583-98.	51,500.00
H-332-B	CREPACO MODEL 5DL-770 STAINLESS STEEL CLAD HOMOGENIZER. SINGLE STAGE HYDRAULIC VALVE ASSEMBLY. 2.40" PLUNGERS. 2,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. KEYLESS CYLINDER DESIGN. 3,600 GPH MINIMUM CAPACITY, 5,200 GPH MAXIMUM CAPACITY. S/N F-0577. <b>"AS IS"</b>	49,500.00
H-333-B	CREPACO MODEL 5DL-770 STAINLESS STEEL CLAD HOMOGENIZER. BULKHEAD ALCOVE STYLE MALL MOUNT. SINGLE STAGE HYDRAULIC VALVE ASSEMBLY. 2.40" PLUNGERS. 2,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. KEYLESS CYLINDER DESIGN. 3,600 GPH MINIMUM CAPACITY, 5,200 GPH MAXIMUM CAPACITY. S/N B-2806. <b>"AS IS"</b>	54,500.00
H-213-A	DE LAVAL (CHERRY BURRELL MODEL SS-5000-TGR) MODEL 15F-5500 STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 2.375" PLUNGERS. 2,500 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 2,225 GPH, MAXIMUM CAPACITY 3,500 GPH. S/N 276202.	51,500.00
H-373-B	CHERRY BURRELL MODEL SS-5000-TGR STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 2.375" PLUNGERS. 3,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 2,250 GPH, MAXIMUM CAPACITY 3,500 GPH. S/N UNKNOWN.	51,500.00
H-1262-B	GAULIN MODEL MS45 2.5TPS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA 3" PLUNGERS. 2,500 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 2,400 GPH, MAXIMUM CAPACITY 5,500 GPH. S/N 18810468.	103,500.00
H-1246-B	GAULIN MODEL 5,000 MC45 2TPS HOMOGENIZER FRAME LESS STAINLESS STEEL COVERS, ECCENTRIC SHAFT, ECCENTRIC SHAFT GEAR, DRIVE SHAFT W/ PINION, MOTOR, CONNECTING RODS W/ CROSSHEADS, CYLINDER, CYLINDER COMPANION PARTS, AND HOMOGENIZING VALVE ASSEMBLY. S/N 11818709. <b>"RECONDITIONED", AVAILABLE FOR IMMEDIATE DELIVERY.</b>	22,500.00
H-826-B	GAULIN MC45 2.5TPS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 3" PLUNGERS. 2,500 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 2,400 GPH, MAXIMUM CAPACITY 5,500 GPH. S/N 9684083.	91,500.00
H-952-B	GAULIN MC45 2.5TPS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 3" PLUNGERS. 2,500 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 2,400 GPH, MAXIMUM CAPACITY 5,500 GPH. S/N110808460.	91,500.00
H-701-B	GAULIN MC45 2.5TPS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 3" PLUNGERS. 2,500 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 2,400 GPH, MAXIMUM CAPACITY 5,500 GPH. S/N 11715372.	91,500.00
H-1279-B	GAULIN MC45 2.5TPS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 3" PLUNGERS. 2,500 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 2,400 GPH, MAXIMUM CAPACITY 5,500 GPH. S/N 82L31765.	91,500.00
H-1332-B	GAULIN MODEL 5240 MC45 2.5TPS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 3" PLUNGERS. 2,500 PSI TAPERED SEAT POPPET VALVE CYLINDER, MFG 2018. MINIMUM CAPACITY 2,400 GPH, MAXIMUM CAPACITY 5,500 GPH. S/N 8694379.	91,500.00
H-1366-B	GAULIN MODEL 5240 MC45 2.5TPS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 3" PLUNGERS. 2,500 PSI TAPERED SEAT POPPET VALVE CYLINDER, MFG 2018. MINIMUM CAPACITY 2,400 GPH, MAXIMUM CAPACITY 5,500 GPH. S/N 12684180.	91,500.00

H-141-B	DE LAVAL (GAULIN) DL45 3TPS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 2-3/4" PLUNGERS. 3,000 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 1,700 GPH, MAXIMUM CAPACITY 4,500 GPH. S/N 5797041.	89,500.00
H-1337-B	GAULIN 2400 MC45 3TPS STAINLESS STEEL CLAD HOMOGENIZER. MICRO GAP VALVE ASSEMBLY. 2-3/4" PLUNGERS. 3,000 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 1,700 GPH, MAXIMUM CAPACITY 4,500 GPH. S/N UNKNOWN.	87,500.00
H-1338-B	GAULIN 2400 MC45 3TPS STAINLESS STEEL CLAD HOMOGENIZER. MICRO GAP VALVE ASSEMBLY. 2-3/4" PLUNGERS. 3,000 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 1,700 GPH, MAXIMUM CAPACITY 4,500 GPH. S/N 12642635.	87,500.00
H-128-B	GAULIN MC45 3TPS STAINLESS STEEL CLAD HOMOGENIZER. 2-3/4" PLUNGERS. 3,000 PSI TAPERED SEAT POPPET VALVE CYLINDER TWO STAGE HVA. MINIMUM CAPACITY OF 1,700 GPH, MAXIMUM CAPACITY 4,500 GPH. S/N 9694395	91,500.00
H-1428-B	GAULIN MODEL MS45 3TPSX STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 2-3/4" PLUNGERS. 3,000 PSI ASEPTIC TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 1,700 GPH, MAXIMUM CAPACITY 4,500 GPH. S/N 39211921.	110,000.00
H-1390-B	GAULIN MODEL MS45 3.5TBS STAINLESS STEEL CLAD HOMOGENIZER. SINGLE STAGE HVA. 2-3/4" PLUNGERS. 3,500 PSI TYPE 316L STAINLESS STEEL TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 1,700 GPH, MAXIMUM CAPACITY 3,630 GPH. S/N 38911007.	105,500.00
H-1401-B	GAULIN MODEL MS45 3.5TBS STAINLESS STEEL CLAD HOMOGENIZER. SINGLE STAGE HVA. 2-3/4" PLUNGERS. 3,500 PSI TYPE 316L STAINLESS STEEL TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 1,700 GPH, MAXIMUM CAPACITY 3,630 GPH. S/N .	105,500.00
H-1212-B	GAULIN MODEL 2113 MC45 4TBS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 2-7/16" PLUNGERS. 4,000 PSI TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 1,250 GPH, MAXIMUM CAPACITY 2,825 GPH. S/N S/N 9798049.	94,500.00
H-583-B	GAULIN 2642 MC45 5TPS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 2-1/8" PLUNGERS. 5,000 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 1,000 GPH, MAXIMUM CAPACITY 2,800 GPH. S/N 80L31547.	91,500.00
H-1231-B	GAULIN 1700 MC45 5TBS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 2-1/8" PLUNGERS. 5,000 PSI TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 1,000 GPH, MAXIMUM CAPACITY 2,270 GPH. S/N 9663303.	91,500.00
H-1134-B	GAULIN 2500 MC45 5TBS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 2-1/8" PLUNGERS. 5,000 PSI TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 1,000 GPH, MAXIMUM CAPACITY 2,270 GPH. S/N 9584092.	91,500.00
H-161-B	GAULIN 2500 MC45 5TBS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 2-1/8" PLUNGERS. 5,000 PSI TAPERED SEAT BALL VALVE CYLINDER WITH BRIDGEMAN FRONT CLOSURES. MINIMUM CAPACITY 1,000 GPH, MAXIMUM CAPACITY 2,270 GPH. S/N 12642654.	87,500.00
H-1170-B	GAULIN MODEL G132T-3B STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 80MM PLUNGERS. 3,000 PSI TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 1,600 GPH, MAXIMUM CAPACITY 5,020 GPH. S/N 20042410688.	125,500.00
H-425-B	GAULIN MODEL 6000 G90-1B STAINLESS STEEL CLAD HIGH CAPACITY PUMP. 120MM PLUNGERS. 1,000 PSI TAPERED SEAT BALL VALVE CYLINDER. DISCHARGE BLOCK ONLY, LESS HOMOGENIZING VALVE ASSEMBLY. MINIMUM CAPACITY 3,500 GPH, MAXIMUM CAPACITY 10,500 GPH. S/N 20032410555.	85,500.00
H-704-B	GAULIN MODEL G90-2B STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 85MM PLUNGERS. 2,000 PSI TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 2,000 GPH, MAXIMUM CAPACITY 5,000 GPH. S/N 20002410409.	99,500.00
H-1029-B	GAULIN MODEL G90-2.5P STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 75MM PLUNGERS. 2,500 PSI TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 1,850 GPH, MAXIMUM CAPACITY 4,750 GPH. S/N 19982410106.	99,500.00
H-1176-B	GAULIN MODEL G90-3B STAINLESS STEEL CLAD HOMOGENIZER. SINGLE STAGE HVA. 70MM PLUNGERS. 3,000 PSI 15-5PH STAINLESS STEEL TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 1,000 GPH, MAXIMUM CAPACITY 3,500 GPH. S/N 20032410566.	99,500.00
H-1253-B	GAULIN MODEL G90-3B STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 70MM PLUNGERS. 3,000 PSI STAINLESS STEEL TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 1,000 GPH, MAXIMUM CAPACITY 3,500 GPH. S/N 20002410391.	99,500.00
H-1018-B	GAULIN MODEL G90-4.3P STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 60 MM PLUNGERS. 4,300 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 750 GPH, MAXIMUM CAPACITY 2,455 GPH. S/N J3-07497.	97,500.00
H-358-B	GAULIN MODEL G55-2P STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 70MM PLUNGERS. 2,000 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 900 GPH, MAXIMUM CAPACITY 2,775 GPH. S/N 19982410021.	69,500.00
H-1340-B	GAULIN POWER FRAME ONLY LESS DRIVE COMPONENTS FOR MODEL G55 HOMOGENIZER. S/N 20032410564.	20,000.00
H-1077-B	GAULIN MODEL G37 1.5P STAINLESS STEEL CLAD HOMOGENIZER. SINGLE STAGE MANUAL VALVE ASSEMBLY. 70MM PLUNGERS. 1,500 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 1,550 GPH, MAXIMUM CAPACITY 2,960 GPH. S/N 20032410605.	59,500.00
H-1020-B	GAULIN MODEL MF45B 2PS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 3-1/2" PLUNGERS. 2,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 2,400 GPH, MAXIMUM CAPACITY 5,000 GPH. S/N 5642444.	59,500.00
H-585-A	GAULIN MODEL 4000 MF45 2PS STAINLESS STEEL CLAD HOMOGENIZER. LESS CYLINDER AND HOMOGENIZING VALVE ASSEMBLY. S/N 91159144. <b>VARIOUS CYLINDER AND HOMOGENIZING VALVE ASSEMBLIES AVAILABLE AND ARE PRICED ON APPLICATION.</b>	29,500.00
H-565-A	GAULIN MODEL 2325 MF45A 3PS STAINLESS STEEL CLAD HOMOGENIZER. LESS CYLINDER AND HOMOGENIZING VALVE ASSEMBLY. S/N 6642425. <b>VARIOUS CYLINDER AND HOMOGENIZING VALVE ASSEMBLIES AVAILABLE AND ARE PRICED ON APPLICATION.</b>	29,500.00
H-223-B	GAULIN M/MF45 FRAME ASSEMBLY AND STAINLESS STEEL SHROUD LESS ECCENTRIC SHAFT, ECCENTRIC SHAFT GEAR, DRIVE SHAFT WITH PINION, MOTOR, CONNECTING RODS WITH CROSSHEADS, CYLINDER, AND HOMOGENIZING VALVE ASSEMBLY. S/N UNKNOWN.	17,500.00

H-659-A	GAULIN MODEL 3000 KL24 2PS SIZE 24 PAINTED FRAME HOMOGENIZER. TWO STAGE HVA WITH REMOTE POWER SYSTEM. LAG STYLE BASE. 2-3/8" PLUNGERS. 2,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 1,500 GPH, MAXIMUM CAPACITY 3,000 GPH. S/N 52576142.	33,500.00
H-882-B	GAULIN MODEL 7200 HCMP18 TPN PAINTED FRAME HIGH CAPACITY PUMP. 3-1/4" PLUNGER DIAMETER. 1,000 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 2,800 GPH, MAXIMUM CAPACITY 7,200 GPH. S/N 11736021.	39,500.00
H-023-B	GAULIN MODEL 4500 HCMP18 TPN PAINTED FRAME HIGH CAPACITY PUMP. 3-1/4" PLUNGER DIAMETER. 1,000 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 2,800 GPH, MAXIMUM CAPACITY 7,200 GPH. S/N 12746406.	39,500.00
H-1357-B	GAULIN MS18 2TPS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 2-1/2" PLUNGERS. 2,000 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 1,425 GPH, MAXIMUM CAPACITY 3,500 GPH. S/N 79212026.	74,500.00
H-1426-B	GAULIN MODEL MS18 2TPS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 2-1/2" PLUNGERS. 2,000 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 1,425 GPH, MAXIMUM CAPACITY 3,500 GPH. S/N 5849493.	71,500.00
H-1358-B	GAULIN MODEL MC18 2.5TPS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 2-3/8" PLUNGERS. 2,500 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 900 GPH, MAXIMUM CAPACITY 2,500 GPH AT 2,500 PSI OR 3,000 GPH AT 2,000 PSI. S/N 5775295.	67,500.00
H-1423-B	GAULIN MODEL MC18 2.5TPS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 2-3/8" PLUNGERS. 2,500 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 900 GPH, MAXIMUM CAPACITY 2,500 GPH AT 2,500 PSI OR 3,000 GPH AT 2,000 PSI. S/N 5673571.	65,500.00
H-985-B	GAULIN MODEL MC18 3TPSX STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 2-1/8" PLUNGERS. 3,000 PSI ASEPTIC TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 725 GPH, MAXIMUM CAPACITY 2,300 GPH. S/N 1277395. <b>2,500 PSI, 2-3/8", PLUNGER ARRANGEMENT IS AVAILABLE WITH A MINIMUM CAPACITY OF 900 GPH, MAXIMUM CAPACITY OF 2,500 GPH AT NO ADDITIONAL CHARGE.</b>	67,500.00
H-1270-B	GAULIN MODEL 1800 MS45 5TPS STAINLESS STEEL CLAD HOMOGENIZER. SINGLE STAGE HVA. 2-1/8" PLUNGERS. 5,000 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 1,000 GPH, MAXIMUM CAPACITY 2,800 GPH. S/N 79412607.	99,500.00
H-1322-B	GAULIN MODEL MS18 3TPS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 2-1/8" PLUNGERS. 3,000 PSI TAPERED SEAT SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 725 GPH, MAXIMUM CAPACITY 2,300 GPH. CYLINDER S/N'S 957859, 07272, 9-3-86, 15-5PH, 22810-2, ALTECH. MACHINE S/N UNKNOWN.	74,500.00
H-1368-B	GAULIN MODEL MSP18 2.5TBS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 2-3/8" PLUNGERS. 2,500 PSI TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 900 GPH, MAXIMUM CAPACITY 2,270 GPH. S/N 89212070.	71,500.00
H-416-B	GAULIN MC18 STAINLESS STEEL CLAD HOMOGENIZER DRIVE, LESS CYLINDER, HOMOGENIZING VALVE ASSEMBLY, AND CYLINDER COMPANION PARTS S/N 2746069.	39,500.00
H-482-B	GAULIN MC18 STAINLESS STEEL CLAD HOMOGENIZER FRAME AND SHROUD LESS ECCENTRIC SHAFT, ECCENTRIC SHAFT GEAR, DRIVE SHAFT W/ PINION, MOTOR, CONNECTING RODS W/ CROSSHEADS, CYLINDER AND HOMOGENIZING VALVE ASSEMBLIES. S/N UNKNOWN.	UNDER CONTRACT
H-336-B	GAULIN MODEL MC18 HOMOGENIZER FRAME AND BASE ONLY LESS CYLINDER, DRIVE COMPONENTS, HOMOGENIZING VALVE, AND STAINLESS STEEL SHROUD. S/N 6808326.	15,500.00
H-223-A	GAULIN MODEL 1500 CGD, SIZE 24 PAINTED FRAME HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 2-1/8" PLUNGERS. 3,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 1,250 GPH, MAXIMUM CAPACITY 2,100 GPH. S/N 820473694.	32,500.00
H-557-B	GAULIN KF24 SIZE 24 PAINTED FRAME HOMOGENIZER LESS CYLINDER AND HOMOGENIZING VALVE ASSEMBLY. S/N 245626. <b>VARIOUS CYLINDER AND HOMOGENIZING VALVE ASSEMBLIES AVAILABLE AND ARE PRICED ON APPLICATION.</b>	19,500.00
H-141-A	GAULIN KLX24 2BS SIZE 24 PAINTED FRAME HOMOGENIZER LESS CYLINDER AND HOMOGENIZING VALVE ASSEMBLY. LAG STYLE BASE. S/N 37576047. <b>VARIOUS CYLINDER AND HOMOGENIZING VALVE ASSEMBLIES AVAILABLE AND ARE PRICED ON APPLICATION.</b>	19,500.00
H-1023-B	GAULIN MODEL MC45 8TBS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 1-3/4" PLUNGERS. 8,000 PSI TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 700 GPH, MAXIMUM CAPACITY 1,190 GPH. S/N 10808442.	91,500.00
H-1287-B	GAULIN MODEL MS18 5TBS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 1-3/4" PLUNGERS. 5,000 PSI TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 500 GPH, MAXIMUM CAPACITY 1,190 GPH. S/N 498-13706.	74,500.00
H-1019-B	GAULIN MC18 5TBS STAINLESS STEEL CLAD HOMOGENIZER SINGLE STAGE MANUAL VALVE ASSEMBLY. 1-3/4" PLUNGERS. 5,000 PSI TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 500 GPH, MAXIMUM CAPACITY 1,190 GPH. S/N 9818701. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	63,500.00
H-1238-B	GAULIN MC18 5TBS STAINLESS STEEL CLAD HOMOGENIZER SINGLE STAGE HVA. 1-3/4" PLUNGERS. 5,000 PSI TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 500 GPH, MAXIMUM CAPACITY 1,190 GPH. S/N 87L32758.	65,500.00
H-597-B	GAULIN MODEL 800 MF18B 3SS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 2-1/8" PLUNGERS. 3,000 PSI STELLITE STRAIGHT SIDE REPLACEABLE SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 625 GPH, MAXIMUM CAPACITY 1,550 GPH. S/N 4642429.	44,500.00
H-477-B	GAULIN MODEL MF18B 3PS STAINLESS STEEL CLAD HOMOGENIZER. SINGLE STAGE MANUAL VALVE ASSEMBLY. 1-3/4" PLUNGERS. 3,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 450 GPH, MAXIMUM CAPACITY 1,100 GPH. S/N 3692384.	37,500.00
H-619-B	GAULIN MODEL MF18 2.5SS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 1-3/4" PLUNGERS. 2,500 PSI STELLITE STRAIGHT SIDE REPLACEABLE SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 450 GPH, MAXIMUM CAPACITY 1,100 GPH.	44,500.00

	S/N 91859148.	
H-1288-B	GAULIN MODEL 800 MF18 2.5SS STAINLESS CLAD HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 1-1/2" PLUNGERS. 2,500 PSI STELLITE STRAIGHT SIDE REPLACEABLE SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 450 GPH, MAXIMUM CAPACITY 1,100 GPH. S/N 57591121.	44,500.00
H-629-A	GAULIN MODEL 1200 HCP6 1TPN SIZE 6 PAINTED FRAME HIGH CAPACITY PUMP. HYDRAULIC DRIVE LESS POWER UNIT. 2-5/8" PLUNGERS. 1,000 PSI TAPERED SEAT CYLINDER. LAG STYLE BASE. MINIMUM CAPACITY 900 GPH, MAXIMUM CAPACITY 3,000 GPH. DURABLE DISC STYLE PUMP VALVES. S/N 6808117.	29,500.00
H-429-B	CHERRY BURRELL SS-3000-SGR STAINLESS STEEL CLAD HOMOGENIZER. SINGLE STAGE MANUAL VALVE ASSEMBLY. 2-1/8" PLUNGERS. 2,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 1,500 GPH, MAXIMUM CAPACITY 2,800 GPH. S/N UNKNOWN.	29,500.00
H-267-B	CHERRY BURRELL SS-3000-SGR STAINLESS STEEL CLAD HOMOGENIZER. SINGLE STAGE MANUAL VALVE ASSEMBLY. 1-5/8" PLUNGERS. 3,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 700 GPH, MAXIMUM CAPACITY 1,860 GPH. S/N 89013.	29,500.00
H-673-B	CHERRY BURRELL SS-3000-SGR STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 1-1/2" PLUNGERS. 3,740 PSI ASEPTIC INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 1,000 GPH, MAXIMUM CAPACITY 1,500 GPH. S/N 262127.	42,500.00
H-913-B	SOAVI MODEL D/61 STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. CURRENTLY OPERATING AT A CAPACITY OF 8,000 LPH, 2,114 GPH. 64 MM PLUNGERS. 250 BAR, 3,625 PSI ASEPTIC TAPERED SEAT POPPET VALVE CYLINDER. 65 KW MOTOR. S/N 1688. <b>"AS IS"</b>	15,000.00
H-101-B	GAULIN 1500 DJF20 3PS SIZE 12 PAINTED FRAME HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 1-15/16" PLUNGERS. 3,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 600 GPH, MAXIMUM CAPACITY 1500 GPH. S/N 420596784.	34,500.00
H-231-A	GAULIN MODEL 1200E, SIZE 12 PAINTED FRAME HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 1-15/16" PLUNGERS. 3,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 600 GPH, MAXIMUM CAPACITY 1,200 GPH. S/N 1121567279.	31,500.00
H-709-B	GAULIN MODEL MCP45 8TPS STAINLESS STEEL CLAD HOMOGENIZER. 1" NPT OUTLET BLOCK LESS HOMOGENIZING VALVE. 1-3/4" PLUNGERS. 8,000 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 700 GPH, MAXIMUM CAPACITY 1,700 GPH. S/N 3787413.	91,500.00
H-529-B	GAULIN 1200 MS45 8TBS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 1-3/4" PLUNGERS. 8,000 PSI TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 700 GPH, MAXIMUM CAPACITY 1,190 GPH. S/N 99111780.	103,500.00
H-859-B	GAULIN MC45 8TBS STAINLESS STEEL CLAD HOMOGENIZER. SINGLE STAGE MANUAL BYPASS RELIEF VALVE ASSEMBLY. 1-3/4" PLUNGERS. 8,000 PSI TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 700 GPH, MAXIMUM CAPACITY 1,190 GPH. S/N 3808196.	89,500.00
H-1364-B	GAULIN MODEL 951 MS18 5TPS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 1-3/4" PLUNGERS. 5,000 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 500 GPH, MAXIMUM CAPACITY 1,400 GPH. S/N 79512929.	74,500.00
H-1057-B	GAULIN MODEL MS18 5TBS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 1-3/4" PLUNGERS. 5,000 PSI TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 500 GPH, MAXIMUM CAPACITY 1,190 GPH. S/N UNKNOWN	71,500.00
H-1388-B	GAULIN MODEL MS18 5TBS STAINLESS STEEL CLAD HOMOGENIZER. SINGLE STAGE BYPASS MANUAL VALVE ASSEMBLY. 1-3/4" PLUNGERS. 5,000 PSI TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 500 GPH, MAXIMUM CAPACITY 1,190 GPH. S/N	69,500.00
H-274-B	GAULIN MODEL 800E, SIZE 12 PAINTED FRAME HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 1-19/32" PLUNGERS. 3,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 500 GPH, MAXIMUM CAPACITY 1,000 GPH. S/N 927508L64.	31,500.00
H-368-B	GAULIN 1000E, SIZE 12 PAINTED FRAME HOMOGENIZER. SINGLE STAGE BYPASS MANUAL VALVE ASSEMBLY. 1-15/16" PLUNGERS. 3,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 600 GPH, MAXIMUM CAPACITY 1,200 GPH. S/N 34473343.	31,500.00
H-1062-B	GAULIN 1000E, SIZE 12 PAINTED FRAME HOMOGENIZER LESS CYLINDER AND HOMOGENIZING VALVE ASSEMBLY. S/N 428507672. <b>VARIOUS CYLINDER AND HOMOGENIZING VALVE ASSEMBLIES AVAILABLE AND ARE PRICED ON APPLICATION.</b>	19,500.00
H-1106-B	GAULIN MODEL KL12 8RASMD SIZE 12 PAINTED FRAME HOMOGENIZER DRIVE ONLY LESS CYLINDER AND HOMOGENIZING VALVE ASSEMBLY. S/N 95586561. <b>VARIOUS CYLINDER AND HOMOGENIZING VALVE ASSEMBLIES AVAILABLE AND ARE PRICED ON APPLICATION.</b>	19,500.00
H-179-B	GAULIN MODEL 1000 CGD SIZE 12 PAINTED FRAME HOMOGENIZER. SINGLE STAGE BYPASS MANUAL VALVE ASSEMBLY. 1-13/16" PLUNGERS. 3,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 500 GPH, MAXIMUM CAPACITY 1,000 GPH. S/N 827473682.	27,500.00
H-622-B	CREPACO MODEL 5DL435 STAINLESS STEEL CLAD HOMOGENIZER. SINGLE STAGE HVA. 1.630" PLUNGERS. 2,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 2,100 GPH, MAXIMUM CAPACITY 3,100 GPH. S/N E-9993. <b>"AS IS"</b>	22,500.00
H-473-B	CREPACO 3DL421 STAINLESS STEEL CLAD HOMOGENIZER. SINGLE STAGE MANUAL VALVE ASSEMBLY. 1.250" PLUNGERS. 5,000 PSI INTEGRAL SEAT POPPET VALVE KEYLESS DESIGN CYLINDER. MINIMUM CAPACITY 700 GPH, MAXIMUM CAPACITY 1050 GPH. S/N E-6556. <b>"AS IS"</b>	19,500.00
H-808-B	CREPACO 3DD4 STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 1.250" PLUNGERS. 3,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 540 GPH, MAXIMUM CAPACITY 850 GPH. S/N 3DD4-2332. <b>"AS IS"</b>	21,500.00
H-1416-B	APV MODEL G37 4.3BX STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 42MM PLUNGERS. 4,300 PSI TAPERED SEAT BALL VALVE ASEPTIC DOUBLE PACKED CYLINDER. MINIMUM CAPACITY 500 GPH, MAXIMUM CAPACITY 860 GPH. S/N 20042410632.	65,500.00
H-1129-B	GAULIN MODEL M12 2PS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 1-15/16" PLUNGERS. 2,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 420 GPH, MAXIMUM CAPACITY 1,500 GPH. S/N 10621907.	56,500.00
H-585-B	GAULIN MODEL MC18 5TBS STAINLESS STEEL CLAD HOMOGENIZER. SINGLE STAGE BYPASS MANUAL VALVE ASSEMBLY. 1-3/4" PLUNGERS. 5,000 PSI TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 500 GPH, MAXIMUM CAPACITY 1,190 GPH. S/N 10715342.	63,500.00

H-475-B	GAULIN MODEL 1200E SIZE 12 PAINTED FRAME HOMOGENIZER. SINGLE STAGE MANUAL VALVE ASSEMBLY. 1-15/16" PLUNGERS. 3,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 600 GPH, MAXIMUM CAPACITY 1,200 GPH. S/N 104508166.	33,500.00
H-1281-B	GAULIN MODEL 500 M12 3TPS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 1-1/2" PLUNGERS. 3,000 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 290 GPH, MAXIMUM CAPACITY 1,125 GPH. S/N 2839170.	59,500.00
H-1177-B	GAULIN MODEL 800 M6 3TPS SIZE 6 PAINTED FRAME HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 1-1/2" PLUNGERS. 3,000 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 290 GPH, MAXIMUM CAPACITY 1,125 GPH. S/N 2787452.	52,500.00
H-1427-B	GAULIN MODEL 650 DJF10 3PS SIZE 6 PAINTED FRAME HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. S/N 1020586618.	34,500.00
H-061-B	GAULIN MODEL 1000 DJF9 2PS SIZE 6 PAINTED FRAME HOMOGENIZER. SINGLE STAGE MANUAL VALVE ASSEMBLY. 1-15/16" PLUNGERS. 2,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 500 GPH, MAXIMUM CAPACITY 1,000 GPH. S/N 4642410.	29,500.00
H-064-B	GAULIN MODEL 1000 DJF9 2PS SIZE 6 PAINTED FRAME HOMOGENIZER. SINGLE STAGE MANUAL VALVE ASSEMBLY. 1-15/16" PLUNGERS. 2,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 500 GPH, MAXIMUM CAPACITY 1,000 GPH. S/N 6652840.	29,500.00
H-676-B	GAULIN MODEL 600 DJF9A 3PS, SIZE 6 PAINTED FRAME HOMOGENIZER. SINGLE STAGE MANUAL VALVE ASSEMBLY. 1-7/16" PLUNGERS. 3,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 300 GPH, MAXIMUM CAPACITY 600 GPH. S/N 11362295.	29,500.00
H-232-B	GAULIN MODEL G15P-3B STAINLESS STEEL CLAD HOMOGENIZER. SINGLE STAGE MANUAL VALVE ASSEMBLY. 35MM PLUNGERS. 3,000 PSI TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 190 GPH, MAXIMUM CAPACITY 420 GPH. S/N 20002410341. <b>TWO STAGE MANUAL VALVE ASSEMBLY RETROFIT AVAILABLE AND PRICED ON APPLICATION.</b>	37,500.00
H-1233-B	APV G15 4.3B STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 30 MM PLUNGERS. 4,300 PSI TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 100 GPH, MAXIMUM CAPACITY 300 GPH. S/N J-07-456.	55,000.00
H-586-B	GAULIN MODEL 400 DJF7 3PS SIZE 6 PAINTED FRAME HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 1-3/8" PLUNGERS. 3,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 300 GPH, MAXIMUM CAPACITY 500 GPH. S/N 6601188.	35,500.00
H-867-B	GAULIN MODEL 500 DJF7 3PS SIZE 6 PAINTED FRAME HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 1-3/8" PLUNGERS. 3,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 300 GPH, MAXIMUM CAPACITY 500 GPH. S/N 4601102.	35,500.00
H-1381-B	GAULIN MODEL 400 KF6 3PS SIZE 6 PAINTED FRAME HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 1-3/8" PLUNGERS. 3,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 300 GPH, MAXIMUM CAPACITY 500 GPH. S/N 14565577.	35,500.00
H-1049-B	GAULIN MODEL 500E SIZE 6 PAINTED FRAME HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 1-3/8" PLUNGERS. 3,000 PSI STRAIGHT SIDE REPLACEABLE SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 300 GPH, MAXIMUM CAPACITY 500 GPH. S/N 911508149.	39,500.00
H-875-B	GAULIN MODEL 500E SIZE 6 PAINTED FRAME HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 1-3/8" PLUNGERS. 3,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 300 GPH, MAXIMUM CAPACITY 500 GPH. S/N 511507770.	35,500.00
H-1382-B	CHERRY BURRELL MODEL 500 PAINTED FRAME HOMOGENIZER. SINGLE STAGE MANUAL VALVE ASSEMBLY. 1-3/16" PLUNGERS. 2,600 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. 15 HP MOTOR. CAPACITY OF 500 GPH. S/N 273357.	29,500.00
H-1402-B	GAULIN 300 M12 5TBS STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE HVA. 1-3/16" PLUNGERS. 5,000 PSI TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 160 GPH, MAXIMUM CAPACITY 450 GPH. S/N 5787501.	65,500.00
H-1403-B	GAULIN 382/166 DJL9A 5BS SIZE 6 PAINTED FRAME HOMOGENIZER. LAG STYLE BASE. 1-3/16" PLUNGERS. 5,000 PSI STRAIGHT SIDE REPLACEABLE SEAT BALL VALVE CYLINDER. TWO STAGE HVA WITH REMOTE POWER UNIT. MINIMUM CAPACITY 100 GPH, MAXIMUM CAPACITY 450 GPH. S/N 9621880.	45,500.00
H-1111-B	GAULIN MODEL 500 KF6 5BS SIZE 6 PAINTED FRAME HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 1-3/16" PLUNGERS. 5,000 PSI STRAIGHT SIDE REPLACEABLE SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 160 GPH, MAXIMUM CAPACITY 450 GPH. S/N 10362254.	39,500.00
H-378-B	GAULIN MODEL 300 KL6 5RA SIZE 6 PAINTED FRAME HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. LAG STYLE BASE. 1-3/16" PLUNGERS. 5,000 PSI BALL VALVE CYLINDER WITH LOWER CYLINDER CAPS AND ADJUSTING SCREW PACKING ARRANGEMENT. MINIMUM CAPACITY 160 GPH, MAXIMUM CAPACITY 450 GPH. CYLINDER PITTING, NON SANITARY USE ONLY. S/N 528569645.	29,500.00
H-1396-B	GAULIN MODEL 200 M6 8TBS SIZE 6 PAINTED FRAME HOMOGENIZER. SINGLE STAGE MANUAL VALVE ASSEMBLY. 8,000 PSI TAPERED SEAT BALL VALVE CYLINDER. LAG STYLE BASE. MINIMUM CAPACITY 120 GPH, MAXIMUM CAPACITY 315 GPH. S/N 5859781.	49,500.00
H-590-B	GAULIN MODEL 200 K6HP SIZE 6 PAINTED FRAME HOMOGENIZER. SINGLE STAGE MANUAL BYPASS VALVE ASSEMBLY. 1" PLUNGERS. 8,000 PSI BALL VALVE CYLINDER. MINIMUM CAPACITY 120 GPH, MAXIMUM CAPACITY 300 GPH. S/N 72539556.	35,500.00
H-759-B	GAULIN MODEL 300 CGD SIZE 6 PAINTED FRAME HOMOGENIZER DRIVE ONLY LESS BELT COVER, FLUID CYLINDER AND HOMOGENIZING VALVE ASSEMBLY. <b>VARIOUS CYLINDER AND HOMOGENIZING VALVE ASSEMBLIES AVAILABLE AND PRICED ON APPLICATION.</b>	24,500.00
H-1137-B	GAULIN MODEL 200 CGC, SIZE 6 PAINTED FRAME HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 1" PLUNGERS. S/N 17401178.	39,500.00
	GAULIN HOMOGENIZER DRIVE LESS MOTOR, FLUID, CYLINDER, AND HOMOGENIZING VALVE ASSEMBLY FOR MODEL K, E, AND CGD FRAME SIZE 6 HOMOGENIZER.	25,500.00
H-1348-B	S/N 626539554	
H-1349-B	S/N 620497122	
H-1350-B	S/N 101674001	
H-593-B	GAULIN MODEL 225 KF3 3PS SIZE 3 PAINTED FRAME HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 1" PLUNGERS. 3,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 50 GPH, MAXIMUM CAPACITY 225 GPH. S/N 5555378.	33,500.00

H-1252-B	GAULIN MODEL KF3 3PS SIZE 3 PAINTED FRAME HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 1" PLUNGERS. 3,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 50 GPH, MAXIMUM CAPACITY 225 GPH. S/N	33,500.00
H-1021-B H-1022-B	GAULIN MODEL 200E SIZE 3 PAINTED FRAME HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 1" PLUNGERS. 3,000 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 50 GPH, MAXIMUM CAPACITY 225 GPH. S/N 221518527. S/N UNKNOWN.	31,500.00
H-062-B	GAULIN MODEL 150 M3 5TBS SIZE 3 PAINTED FRAME HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 7/8" PLUNGERS. 5,000 PSI TAPERED SEAT BALL VALVE CYLINDER. MINIMUM CAPACITY 65 GPH, MAXIMUM CAPACITY 160 GPH. S/N 9777279	36,500.00
H-448-B	GAULIN MODEL 50 M3 8TPS SIZE 3 PAINTED FRAME HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 3/4" PLUNGERS. 8,000 PSI TAPERED SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 50 GPH, MAXIMUM CAPACITY 150 GPH. S/N 5777193.	36,500.00
H-538-B	GAULIN MODEL 120 M3 8TBS SMD SIZE 3 PAINTED FRAME HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 3/4" PLUNGERS. 8,000 PSI TAPERED SEAT BALL VALVE CYLINDER. LAG STYLE BASE. MINIMUM CAPACITY 50 GPH, MAXIMUM CAPACITY 120 GPH. S/N 4797872.	36,500.00
H-1070-B	GAULIN MODEL 60 M3 8TBS SIZE 3 PAINTED FRAME HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 3/4" PLUNGERS. 8,000 PSI TAPERED SEAT BALL VALVE CYLINDER. LAG STYLE BASE. MINIMUM CAPACITY 50 GPH, MAXIMUM CAPACITY 120 GPH. S/N 129011596.	36,500.00
H-354-B	GAULIN MODEL 100 DJF3 8SSX SIZE 3 PAINTED FRAME HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 3/4" PLUNGERS. 8,000 PSI ASEPTIC STELLITE STRAIGHT SIDED REMOVABLE SEAT POPPET VALVE CYLINDER. MINIMUM CAPACITY 50 GPH, MAXIMUM CAPACITY 150 GPH. S/N 7632117.	31,500.00
H-1055-B	GAULIN MODEL 75/37.5 DJF3 8BS SIZE 3 PAINTED FRAME HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 3/4" PLUNGERS. 8,000 PSI BALL VALVE CYLINDER. MINIMUM CAPACITY 50 GPH, MAXIMUM CAPACITY 120 GPH. S/N 4611355.	31,500.00
H-627-B	GAULIN MODEL 106 MC7 15RBF1 (APV 24 OR RANNIE 18.66) STAINLESS STEEL CLAD HOMOGENIZER. SINGLE STAGE MANUAL VALVE ASSEMBLY. 18MM CERAMIC PLUNGERS. 15,000 PSI THREE PIECE BALL VALVE CYLINDER. MINIMUM CAPACITY 45 GPH, MAXIMUM CAPACITY 130 GPH. S/N 92L34136.	59,500.00
H-1148-B	GAULIN MODEL 125CGD PAINTED FRAME HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 3/4" PLUNGERS. S/N 520473171.	27,500.00
H-764-B	GAULIN MODEL 40E SIZE 3 PAINTED FRAME HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 1/2" PLUNGERS. 10,000 PSI BALL VALVE CYLINDER. MINIMUM CAPACITY 35 GPH, MAXIMUM CAPACITY 75 GPH. S/N 56497095.	29,500.00
H-1151-B	CREPACO MODEL 3DD13 PAINTED FRAME LABORATORY HOMOGENIZER. SINGLE STAGE MANUAL VALVE ASSEMBLY. .625" PLUNGERS. 3,500 PSI INTEGRAL SEAT POPPET VALVE CYLINDER. KEYED CYLINDER DESIGN. MINIMUM CAPACITY 80 GPH, MAXIMUM CAPACITY 140 GPH. S/N 3DD13-2778. "AS IS"	17,500.00
H-1360-B	GAULIN LAB100-6TBSX STAINLESS STEEL CLAD HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 6,000 PSI TAPERED SEAT BALL VALVE CYLINDER. CAPACITY OF 100 LITERS PER HOUR. S/N94L34421	31,500.00
H-1221-B	GAULIN MODEL 25K 3BA PAINTED FRAME LABORATORY HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 3,000 PSI BALL VALVE CYLINDER WITH INTERMITTENT OPERATION UP TO 3,500 PSI. CAPACITY OF 25 GPH. S/N 722555373.	15,500.00
H-1343-B	GAULIN MODEL 25CGB PAINTED FRAME LABORATORY HOMOGENIZER. SINGLE STAGE MANUAL VALVE ASSEMBLY. 3,000 PSI BALL VALVE CYLINDER WITH INTERMITTENT OPERATION UP TO 3,500 PSI. CAPACITY OF 25 GPH. S/N 217472852.	13,500.00
H-1003-B	GAULIN MODEL 15MR-8TBA, PAINTED FRAME LABORATORY HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 8,000 PSI BALL VALVE CYLINDER WITH INTERMITTENT OPERATION UP TO 10,000 PSI. CAPACITY OF 15 GPH. 3 HP MOTOR. S/N 39011388.	21,500.00
H-1325-B	GAULIN MODEL 15MR-8TBA LABORATORY HOMOGENIZER. SINGLE STAGE MANUAL VALVE ASSEMBLY. 8,000 PSI BALL VALVE CYLINDER WITH INTERMITTENT OPERATION UP TO 10,000 PSI. CAPACITY OF 15 GPH. 3 HP MOTOR. S/N 128710608.	19,500.00
H-404-B	GAULIN MODEL 15M8TA PAINTED FRAME LABORATORY HOMOGENIZER. SINGLE STAGE MANUAL VALVE ASSEMBLY. 8,000 PSI BALL VALVE CYLINDER WITH INTERMITTENT OPERATION UP TO 10,000 PSI. CAPACITY OF 15 GPH. 3 HP MOTOR. S/N 1735708.	13,500.00
H-1110-B	GAULIN MODEL 15M8TA PAINTED FRAME LABORATORY HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 8,000 PSI BALL VALVE CYLINDER WITH INTERMITTENT OPERATION UP TO 10,000 PSI. CAPACITY OF 15 GPH. 3 HP MOTOR. S/N 9652906.	15,500.00
H-1114-B	GAULIN MODEL 15M8TA PAINTED FRAME LABORATORY HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 8,000 PSI BALL VALVE CYLINDER WITH INTERMITTENT OPERATION UP TO 10,000 PSI. CAPACITY OF 15 GPH. 3 HP MOTOR. S/N 11705047.	15,500.00
H-1222-B	GAULIN MODEL 15M BB PAINTED FRAME LABORATORY HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 8,000 PSI BALL VALVE CYLINDER WITH INTERMITTENT OPERATION UP TO 10,000 PSI. CAPACITY OF 15 GPH. 3 HP MOTOR. S/N 1031586624	15,500.00
H-1336-B	GAULIN MODEL 15M 8BA PAINTED FRAME LABORATORY HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 8,000 PSI BALL VALVE CYLINDER WITH INTERMITTENT OPERATION UP TO 10,000 PSI. CAPACITY OF 15 GPH. 3 HP MOTOR. S/N 1601015.	15,500.00
H-1147-B	GAULIN MODEL CGB LABORATORY HOMOGENIZER. TWO STAGE MANUAL VALVE ASSEMBLY. 8,000 PSI BALL VALVE CYLINDER. CAPACITY OF 15 GPH. 3 HP MOTOR. S/N 724474730M.	13,500.00
H-698-B	GAULIN MODEL HS-2 HYDROSHEAR MIXER/EMULSIFIER MODULE CONFIGURED WITH ONE MANIFOLD WITH 8/EA NOZZLES AND ONE SPACER. 2" CLAMP CONNECTIONS. MAXIMUM CAPACITY OF 24 GPM. S/N UNKNOWN.	2,500.00
H-106-B	GAULIN MODEL MC120 2.5TPS STAINLESS STEEL CYLINDER BLOCK WITH STUDS, SEATS, VALVES, FRONT CAPS, AND TOP CAPS. CYLINDER S/N SC, MACHINE MODEL 7212 MC120 2.5TPS, S/N 84L32094.	42,500.00

H-1051-B	<b>NEW</b> , GAULIN MODEL MC120 3TBS STAINLESS STEEL CYLINDER BLOCK WITH STUDS, SEATS, VALVES, AND GUIDES ONLY. S/N'S PT-928910, HT-314788, OR-28402218.	65,500.00
H-1086-B	GAULIN MODEL 132Q-1P STAINLESS STEEL CYLINDER BLOCK WITH STUDS, SEATS, VALVES, FRONT CAPS, TOP CAPS, INLET ADAPTER, 120MM PLUNGERS, AND PLUNGER COMPANION PARTS. S/N'S HT-3820716BBA, PT-12730056, OR-907793.	39,500.00
H-360-B	GAULIN MODEL 132Q-2P STAINLESS STEEL CYLINDER BLOCK WITH STUDS, SEATS, VALVES, FRONT CAPS, TOP CAPS, INLET ADAPTER, PLUNGERS, AND PLUNGER COMPANION PARTS. S/N'S HT3814547, PT12720023, OR1118.	42,500.00
H-1037-B	GAULIN MC100 1.2TFS HOMOGENIZER CYLINDER BLOCK WITH STUDS, SEATS, AND VALVES ONLY. S/N'S 3820407A3B1, PT-127878, OR-15794.	22,500.00
H-1104-B	GAULIN MC100 1.2TFN HOMOGENIZER CYLINDER BLOCK WITH STUDS, SEATS, AND VALVES ONLY. S/N'S. 3814705B3, 127878, 9275.	22,500.00
H-1184-B	<b>NEW</b> GAULIN 157854 MC100/75 1.5/1.72.0TPS HOMOGENIZER CYLINDER BLOCK INCLUDING STUDS, SEATS, AND PUMP VALVES. S/N'S J127854, HTS5513, 05-17-18.	55,500.00
H-037-B	GAULIN MC100 1.5PS 304 STAINLESS HOMOGENIZER CYLINDER WITH STUDS, PUMP VALVES, FRONT CAPS, TOP CAPS, AND 3-1/8" PLUNGER COMPANION PARTS. S/N'S 157833, 25418, 304SS CA, 5-16-66.	26,500.00
H-1103-B	GAULIN MODEL MC100/75 1.7/2.0TPS STAINLESS STEEL CYLINDER BLOCK INCLUDING PUMP SEATS, VALVES, STUDS, FRONT CAPS, AND TOP CAPS ONLY. S/N'S 3872-3, 127835, 130133, 90J6275 11-13-9C.	39,500.00
H-1215-B	GAULIN MODEL MS804 1.5TPN STAINLESS STEEL CYLINDER BLOCK WITH STUDS, SEATS, PUMP VALVES, FRONT CAP, TOP CAP, AND PLUNGER COMPANION PARTS ONLY. S/N'S PT-J928720, HT-318984, 12-20-10.	39,500.00
H-1266-B	GAULIN MODEL MS804 1.5TPN STAINLESS STEEL CYLINDER BLOCK WITH STUDS, SEATS, PUMP VALVES, FRONT CAP, TOP CAP, AND PLUNGER COMPANION PARTS ONLY. S/N'S HT-676129, 475707-1, PT-928720, 7-20-87.	39,500.00
H-010-B	GAULIN J-12721084 MODEL G90-3.0B STAINLESS STEEL CYLINDER BLOCK WITH J036704 VALVE SEATS, J18920008 TOP CAP STUDS, AND J189200022 FRONT CAP STUDS ONLY. S/N 1-01-604.	23,500.00
H-173-B	GAULIN J-12721031 MODEL G90-1.5B STAINLESS STEEL CYLINDER BLOCK WITH VALVE SEATS, VALVES, GUIDES, AND STUDS ONLY. S/N'S 12721031, HT303848, OR155048.	23,500.00
H-625-B	GAULIN MODEL MS/MC45 8TBS 15-5PH STAINLESS STEEL CYLINDER BLOCK WITH PUMP VALVES, SEATS, GUIDES, STUDS, FRONT CAPS, TOP CAPS, AND COMPANION PARTS. S/N'S 957789, 02802, 15-5, 2X2226, ARMCO, 3-2-83.	34,500.00
H-598-B	GAULIN MODEL MC45 6SS 15-5PH STAINLESS STEEL CYLINDER BLOCK WITH STELLITE STRAIGHT SIDE REPLACEABLE SEATS, PUMP VALVES, STUDS, FRONT CAPS, AND TOP CAPS ONLY. S/N'S 157743, 16268, 15-5PH, 10-23-64, C&S.	27,500.00
H-1421-B	GAULIN MODEL MC45 6SS 15-5PH STAINLESS STEEL CYLINDER BLOCK WITH STELLITE STRAIGHT SIDE REPLACEABLE SEATS, PUMP VALVES, STUDS, FRONT CAPS, AND TOP CAPS ONLY. S/N'S	27,500.00
H-162-B	GAULIN MC/MS45 5TPS CYLINDER BLOCK WITH STUDS, SEATS, FRONT CAPS, TOP CAPS, SUCTION VALVES, DISCHARGE VALVES, PLUNGERS, AND PLUNGER COMPANION PARTS. S/N'S 957792, PH-15-5SS, ARMCO, 3X1335, 83365, 2-3-78.	34,500.00
H-1098-B	GAULIN MS/MC45 5TPS CYLINDER BLOCK WITH STUDS, SEATS, VALVES, FRONT CAPS, AND TOP CAPS ONLY. S/N'S HT-3924-1, PT-927790, OR-134969, SR-91E6466, DT-7-1-91.	34,500.00
H-1415-B	GAULIN MS/MC45 5TBS STAINLESS STEEL CYLINDER BLOCK WITH STUDS, SEATS, VALVES, GUIDES, FRONT CAPS, TOP CAPS AND 2-1/8" PLUNGER COMPANION PARTS ONLY. S/N'S HT-A409404, PT927792, OR-CO89982, SN-96CS981	34,500.00
H-013-B	GAULIN MC45 4SS 15-5PH HOMOGENIZER CYLINDER WITH STUDS, STELLITE STRAIGHT SIDE REPLACEABLE SEATS, PUMP VALVES, FRONT CAPS, TOP CAPS, AND 2-7/16" PLUNGER COMPANION PARTS. S/N'S 157731, 7881, 15-5PH C&S, 3-14-63.	27,500.00
H-026-B	GAULIN MODEL MC45 3TBS STAINLESS STEEL CYLINDER BLOCK WITH PUMP VALVES, SEATS, GUIDES, STUDS, FRONT CAPS, AND TOP CAPS ONLY. S/N'S 157783, 304S, WOLL, 36640, 9-25-68. <b>PLUNGER BORE AND PUMP VALVE SEAT FACES SLEEVED.</b>	15,500.00
H-674-B	GAULIN MODEL MS/MC45 3TBS 15-5PH STAINLESS STEEL CYLINDER BLOCK WITH DOUBLE WATER FLUSH PLUNGER PACKING ASSEMBLY INCLUDING PUMP VALVES, SEATS, GUIDES, STUDS, FRONT CAPS, AND TOP CAPS ONLY.	27,500.00
H-572-B	S/N'S HT3983-2, PT928770, OR373585, SR91E6463, DT5-30-91.	
H-576-B	S/N'S HT3983-2, PT928770, OR373584, SR91E6462, DT5-22-91.	
H-939-B	S/N'S HT3983-2, PT928770, OR373583, SR91E6449, DT5-20-91.	
H-664-B	S/N'S 157741, 37796, 11-22-68, 304SS, CA.	
H-664-B	GAULIN MODEL MS/MC45 3TBS 15-5PH CYLINDER WITH STUDS, SEATS, PUMP VALVES, FRONT CAPS, TOP CAPS, AND PLUNGER COMPANION PARTS ONLY. S/N'S 957791, 15-5PH, 3X2150, ARMCO, 08038, 7-6-84. <b>CYLINDER PITTING, SUITABLE FOR NON SANITARY USE ONLY.</b>	19,500.00
H-552-B	GAULIN MODEL MC45 3TPS STAINLESS STEEL CYLINDER BLOCK WITH PUMP VALVES, SEATS, STUDS, FRONT CAPS, AND TOP CAPS ONLY. <b>PITTING UNDER DISCHARGE VALVE SEATS.</b> S/N'S 957780, 12-18-77, 15-5PH, ARMCO, 82474.	22,500.00
H-1404-B	GAULIN MODEL MS/MC45 3TPS STAINLESS STEEL CYLINDER BLOCK WITH PUMP VALVES, SEATS, STUDS, FRONT CAPS, TOP CAPS AND PLUNGER COMPANION PARTS. S/N TY-277510, 23997.	32,500.00
H-1422-B	GAULIN MODEL MS/MC45 3TPS STAINLESS STEEL CYLINDER BLOCK WITH PUMP VALVES, SEATS, STUDS, FRONT CAPS, TOP CAPS AND PLUNGER COMPANION PARTS. S/N	32,500.00
H-1367-B	GAULIN MODEL MS/MC45 2.5TPS 304L STAINLESS STEEL CYLINDER BLOCK WITH SEATS, PUMP VALVES, STUDS, FRONT CAPS, TOP CAPS, AND PLUNGER COMPANION PARTS ONLY. S/N'S 157846, 69724, 304LSS, 12-5-74.	32,500.00

H-983-B	GAULIN MODEL MC45 2.5SS 15-5PH STAINLESS STEEL CYLINDER BLOCK WITH STELLITE STRAIGHT SIDE REPLACEABLE SEATS, PUMP VALVES, STUDS, FRONT CAPS, TOP CAPS, AND PLUNGER COMPANION PARTS ONLY. S/N'S 157731, 3-14-63, 15-5PH, 7881.	25,500.00
H-446-B	GAULIN MODEL MC45 .8TFN 15-5PH CYLINDER FOR HIGH CAPACITY PUMP CYLINDER WITH STUDS, SEATS, PUMP VALVES, FRONT CAPS, TOP CAPS, AND PLUNGER COMPANION PARTS. S/N'S 957793, 85125, 15-5, 3W1363, ARMCO.	22,500.00
H-626-B	GAULIN MODEL MS803 1.5TPN STAINLESS STEEL CYLINDER BLOCK WITH STUDS, FRONT CAP, TOP CAP, SEATS, PUMP VALVES, PLUNGERS, AND PLUNGER COMPANION PARTS. S/N'S 8715036, HT 636891, PN HP-928505, 510629, 5-13-88.	19,500.00
H-1101-B	GAULIN MODEL MS803 1.5TPN STAINLESS STEEL CYLINDER BLOCK WITH STUDS, FRONT CAP, TOP CAP, SEATS, PUMP VALVES, PLUNGERS, AND PLUNGER COMPANION PARTS. S/N'S 056, 31302, L31641894.	19,500.00
H-1102-B	GAULIN MODEL MS803 1.5TPN TYPE 316 STAINLESS STEEL CYLINDER BLOCK WITH STUDS, FRONT CAP, TOP CAP, SEATS, PUMP VALVES, PLUNGERS, AND PLUNGER COMPANION PARTS. S/N'S 958505, 316 SS, ARMCO, 626299.	19,500.00
H-1289-B	GAULIN MODEL MS803 1.5TPN TYPE 316 STAINLESS STEEL CYLINDER BLOCK WITH STUDS, FRONT CAP, TOP CAP, SEATS, PUMP VALVES, PLUNGERS, AND PLUNGER COMPANION PARTS. S/N'S 958505, 316SS, ARMCO, 616-900, 98802 6-1-82	19,500.00
H-1291-B	GAULIN MODEL MS803 1.5TPN STAINLESS STEEL CYLINDER BLOCK WITH STUDS, FRONT CAP, TOP CAP, SEATS, PUMP VALVES, PLUNGERS, AND PLUNGER COMPANION PARTS. S/N'S 66611-7, 87K-5105, S0477315, 2/2/88	19,500.00
H-1362-B	GAULIN MODEL MS803 1.5TPN STAINLESS STEEL CYLINDER BLOCK WITH STUDS, FRONT CAP, TOP CAP, SEATS, PUMP VALVES, PLUNGERS, AND PLUNGER COMPANION PARTS. S/N'S 87K5124, HT-656800T2, 44HP-928505, SO-570682, 8-25-89.	19,500.00
H-1363-B	GAULIN MODEL MS803 1.5TPN TYPE 316 STAINLESS STEEL CYLINDER BLOCK WITH STUDS, FRONT CAP, TOP CAP, SEATS, PUMP VALVES, PLUNGERS, AND PLUNGER COMPANION PARTS. S/N'S 958505, 316SS, 646505, ARMCO, 00514, 1-17-85.	19,500.00
H-1424-B	NEW, GAULIN MODEL MS/MC18 8TBS STAINLESS STEEL CYLINDER BLOCK WITH STUDS, SEATS, VALVES, AND GUIDES ONLY. S/N'S J957851, HT8427, 05-11-21.	46,720.00
H-514-B	GAULIN MODEL MC18 8TBAX STAINLESS STEEL CYLINDER BLOCK WITH STUDS AND BRIDGEMAN FRONT THREADS ONLY. S/N'S 157587, 97434, 37062-2, 10-15-81.	11,500.00
H-1224-B	GAULIN MODEL MC18 8TBAX STAINLESS STEEL CYLINDER BLOCK WITH SEATS, VALVES, GUIDES, STUDS, AND BRIDGEMAN FRONT THREADS ONLY. S/N'S 157587, 15-5PH, 4W1257, ARMCO, 78642, 8-23-77.	12,500.00
H-1091-B	GAULIN MS/MC18 5TBS STAINLESS STEEL CYLINDER BLOCK ASSEMBLY WITH STUDS, SEATS, VALVES, GUIDES, FRONT CAPS AND TOP CAPS ONLY. S/N'S OR-CO92634, HT-3829736BBE, PT-927857, S/N 96E0030.	22,000.00
H-1361-B	GAULIN MS/MC18 5TBS STAINLESS STEEL CYLINDER BLOCK ASSEMBLY WITH STUDS, SEATS, VALVES, AND GUIDES ONLY. S/N'S L155072998, 56767159.	17,500.00
H-675-A	GAULIN MODEL MC18 5TBAX STAINLESS STEEL CYLINDER BLOCK WITH STUDS AND BRIDGEMAN FRONT THREADS ONLY. S/N'S 29993, 157539, CNS 155, 5-2-67.	11,500.00
H-1095-B	GAULIN MODEL MS/MC45 3TPSX STAINLESS STEEL ASEPTIC HOMOGENIZER CYLINDER BLOCK WITH STUDS, SEATS, VALVES, FRONT CAPS AND TOP CAPS ONLY. S/N'S PT-928754, OR-544263, HT-T-3597-4, SR-8905653, 3-23-89.	32,500.00
H-1389-B	GAULIN MODEL MS/MC18 2TPS STAINLESS STEEL CYLINDER BLOCK WITH STUDS, SEATS, PUMP VALVES, FRONT CAPS, TOP CAPS, AND PLUNGER COMPANION PARTS. S/N'S 15-5PH, 5X1343, H1150M, ARMCO.	17,500.00
H-120-B	GAULIN MODEL HCMP18 TFN STAINLESS STEEL HIGH CAPACITY PUMP CYLINDER BLOCK. 1,000 PSI TAPERED SEAT CYLINDER WITH DURABLA DISC TYPE PUMP VALVES.	12,500.00
H-121-B	MACHINE S/N 10787693. CYLINDER S/N'S 957891, 01252, ARMCO, 316SS, 3-22-85, 646505.	
	MACHINE S/N 48610042. CYLINDER S/N'S 957874, 85030, ARMCO, 316SS, 7-31-78, 386178.	
H-676-A	GAULIN MODEL M30 2.5SS STAINLESS STEEL CYLINDER BLOCK WITH STELLITE STRAIGHT SIDE REPLACEABLE SEATS, STUDS, FRONT CAPS, TOP CAPS, AND PUMP VALVES ONLY. S/N'S 6932157603, 5-14-59.	13,000.00
H-671-A	GAULIN MODEL K24 3PS STAINLESS STEEL CYLINDER BLOCK WITH STUDS, PUMP VALVES, FRONT CAPS, AND TOP CAPS ONLY. S/N'S 1574027967, 304, CA, 5-22-63.	15,500.00
H-083-A	GAULIN MODEL E24 3PS STAINLESS STEEL CYLINDER BLOCK WITH STUDS, PUMP VALVES, FRONT CAPS, AND TOP CAPS ONLY. S/N'S 29393, 1500 CGE, 127A, CYC 302.	15,500.00
H-670-A	GAULIN MODEL CGD SIZE 12 FRAME STAINLESS STEEL CYLINDER BLOCK WITH STUDS AND PUMP VALVES ONLY. LESS STUFFING BOX ASSEMBLIES. S/N'S 2963, 800CGD, 157335-703, 127A.	7,500.00
H-1150-B	GAULIN MODEL E FRAME SIZE 24 STAINLESS STEEL CYLINDER BLOCK WITH STUDS AND SEATS ONLY. S/N'S 1500CGE, 29516, 127A, B9916.	12,500.00
H-1047-B	GAULIN MODEL 800 GCE 3PS SIZE 12 HOMOGENIZER CYLINDER BLOCK USING 1-13/16" PLUNGERS WITH INTEGRAL SUCTION SEATS, STRAIGHT SIDE REPLACEABLE DISCHARGE SEATS, VALVES, FRONT CAPS, TOP CAPS, AND PLUNGER COMPANION PARTS ONLY. S/N'S 800 GCE, 755, CYC 302, 127.	17,500.00
H-849-B	GAULIN MODEL M6/12 2TPS STAINLESS STEEL CYLINDER BLOCK WITH STUDS, SEATS, PUMP VALVES, INLET ADAPTER, AND PLUNGER COMPANION PARTS. S/N'S 957630, 65846, 304LSS, 12-10-73, COLT	19,500.00
H-1090-B	GAULIN MODEL M6/12 2TPS STAINLESS STEEL CYLINDER BLOCK WITH STUDS, SEATS, PUMP VALVES, INLET ADAPTER, AND PLUNGER COMPANION PARTS. S/N'S PT-927681, OR-111781, HT-3806-1, SR-90B6046, DT-3-20-90.	19,500.00

H-1227-B	GAULIN MODEL M6/M12 2TPS 15-5PH STAINLESS STEEL CYLINDER BLOCK WITH STUDS, PUMP VALVES, SEATS, FRONT CAPS, TOP CAPS, AND 1-15/16" PLUNGERS WITH COMPANION PARTS. SERIAL NUMBERS 957681, 93732, PH 15-5, 7-18-80, 21411-2, ALTECH. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY</b>	21,500.00
H-381-B	GAULIN M6/12 3SS TYPE 304L STAINLESS STEEL CYLINDER BLOCK WITH STELLITE STRAIGHT SIDE REPLACEABLE SEATS, PUMP VALVES, STUDS, FRONT CAPS, AND TOP CAPS ONLY. S/N'S 957637, 304L-SS, I14509, 68644, 9-11-74.	21,500.00
H-927-B	GAULIN MODEL M6/M12 2PS 304L STAINLESS STEEL CYLINDER BLOCK WITH STUDS, FRONT CAPS, AND TOP CAPS ONLY. S/N'S 957635, 304LSS, 113139CA, 61836, 3-9-73.	18,500.00
H-629-B	GAULIN MODEL M6/12 2TBS TYPE 316L STAINLESS STEEL CYLINDER BLOCK WITH STUDS, SEATS, PUMP VALVES, FRONT CAPS, TOP CAPS, AND PLUNGER COMPANION PARTS. S/N'S HT-676947-B, PT-928203, OR-520126, SER-88C5394, DT-7/18/88	22,500.00
H-1089-B	GAULIN MODEL M6/12 3TPSX ASEPTIC CYLINDER BLOCK WITH SEATS, STUDS, AND TOP CAPS ONLY. S/N'S 957642, 76033, 304LSS, COLT, 3-23-76.	21,000.00
H-242-B	GAULIN MODEL M6/12 3TBS 316L STAINLESS STEEL CYLINDER BLOCK WITH STUDS AND SEATS ONLY. S/N'S 957223, 81017, 316, 8-5-77, AJAX.	14,500.00
H-1109-B	<b>NEW</b> , GAULIN J958203 MODEL M6/12 3TBS TYPE 316L STAINLESS STEEL CYLINDER BLOCK ASSEMBLY WITH STUDS, SEATS, VALVES, VALVE GUIDES, AND DISCHARGE VALVE SPRINGS. S/N'S	49,500.00
H-695-B	GAULIN M6/M12 10TBS CYLINDER BLOCK WITH SEATS, PUMP VALVES, GUIDES, STUDS, FRONT CAPS, TOP CAPS, AND PLUNGER COMPANION PARTS ONLY. S/N'S HT-3813434BFA, PT-928253, BR-42-611780, SE-94H0634	22,500.00
H-1088-B	GAULIN K6 2PS TYPE 304 STAINLESS STEEL CYLINDER BLOCK WITH FRONT AND TOP CAPS. S/N'S 157243, 13967, T304, 10-25-60, UNIV, CYLC.	17,500.00
H-758-B	GAULIN 300CGE 3BS SIZE 6 STAINLESS STEEL CYLINDER BLOCK WITH STUDS, SEATS, GUIDES, FRONT CAPS AND TOP CAPS ONLY. S/N'S 300CGE, 26654, CYC302.	13,500.00
H-265-B	GAULIN MODEL CGD SIZE 6 FRAME STAINLESS STEEL CYLINDER BLOCK WITH STUDS AND SEATS ONLY. S/N'S 300 CGD, 127A, B10199.	6,500.00
H-1149-B	GAULIN MODEL CGD FRAME SIZE 6 STAINLESS STEEL CYLINDER BLOCK WITH STUDS AND SEATS ONLY. S/N'S A6095, 300CGD 127A.	6,500.00
H-1223-B	GAULIN MODEL CGD FRAME SIZE 6 STAINLESS STEEL CYLINDER BLOCK WITH STUDS AND SEATS ONLY. S/N'S 300CGD, 127A, B9916.	6,500.00
H-136-B	GAULIN MODEL HCP6/12 1TPN STAINLESS STEEL HIGH CAPACITY PUMP CYLINDER BLOCK WITH STUDS, SEATS, VALVES, FRONT CAPS, AND TOP CAPS. S/N'S 958213, 316SS, 306065, ARMCO, 98619, 1-6-82.	4,500.00
H-1001-B	GAULIN MODEL HCP6/12 1TPN STAINLESS STEEL HIGH CAPACITY PUMP CYLINDER BLOCK WITH STUDS, SEATS, VALVES, FRONT CAPS, TOP CAPS, PLUNGERS, AND PLUNGER COMPANION PARTS. S/N'S 92308, 4-23-80, 316SS, 958213, 306065.	4,500.00
H-1002-B	GAULIN MODEL HCP6/12 1TPN STAINLESS STEEL HIGH CAPACITY PUMP CYLINDER BLOCK WITH STUDS, SEATS, VALVES, FRONT CAPS, TOP CAPS, PLUNGERS, AND PLUNGER COMPANION PARTS. SS/N'S 958213, 316SS, 306065, ARMCO, 96492, 6-22-81.	4,500.00
H-1032-B	GAULIN MODEL HCP6/12 1TPN STAINLESS STEEL HIGH CAPACITY PUMP CYLINDER BLOCK WITH STUDS, SEATS, VALVES, FRONT CAPS, TOP CAPS & PLUNGER COMPANION PARTS. S/N'S HT-WO182, PT-928220, OR-CO79479, SN-9510864.	4,500.00
H-019-B	<b>NEW</b> , GAULIN 927901 MODEL M3 3TBS STAINLESS STEEL CYLINDER BLOCK WITH STUDS AND SEATS ONLY. S/N'S HT3814123AACCB, PT927901, OR, SN.	28,500.00
H-004-A	GAULIN MODEL K3 3PS STAINLESS STEEL CYLINDER BLOCK WITH STUDS, FRONT CAPS, TOP CAPS, AND PUMP VALVES ONLY. S/N'S 306,125K, 127, CYL302, 4-14-54.	9,500.00
H-081-B	CREPACO MODEL 5DD435 STAINLESS STEEL HOMOGENIZER CYLINDER ASSEMBLY. KEYED CYLINDER DESIGN. WITH STUDS, SEATS, PUMP VALVES, FRONT CAPS, TOP CAPS, AND COMPANION PARTS FOR 1.630" PLUNGERS. S/N'S UNKNOWN.	4,350.00
H-138-B	CREPACO MODEL 5DD425 STAINLESS STEEL HOMOGENIZER CYLINDER ASSEMBLY. KEYLESS CYLINDER DESIGN. WITH STUDS, SEATS, PUMP VALVES, FRONT CAPS, TOP CAPS, AND COMPANION PARTS FOR 1.550" PLUNGERS. S/N'S UNKNOWN.	4,950.00
H-000-A	<b>NEW</b> , GAULIN STAINLESS STEEL EXTERIOR PANELS FOR MC45 HOMOGENIZERS FABRICATED USING ORIGINAL OEM DRAWINGS. LOUVERED AREA IS IDENTICAL TO OEM, BUT NOT EACH INDIVIDUAL LOUVER: 752708, GAULIN WELL STRIP MC45. 754714, GAULIN FRONT CENTER PANEL MC45. 754813, GAULIN FRONT RIGHT PANEL MC45. 754814, GAULIN FRONT LEFT PANEL MC45. 755702, GAULIN REAR PANEL MC45. 756704, GAULIN RIGHT SIDE PANEL MC45. 752704, GAULIN LEFT SIDE PANEL MC45. 758704, GAULIN TOP COVER MC45.	119.60/EA 472.70/EA 962.60/EA 962.60/EA 1,206.50/EA 1,797.50/EA 1,797.50/EA 2,351.50/EA
H-000-A	<b>NEW</b> , GAULIN STAINLESS STEEL EXTERIOR PANELS FOR MC18 HOMOGENIZERS FABRICATED USING ORIGINAL OEM DRAWINGS. LOUVERED AREA IS IDENTICAL TO OEM, BUT NOT EACH INDIVIDUAL LOUVER: 752512, GAULIN WELL STRIP MC18. 754520, GAULIN FRONT CENTER PANEL MC18. 30531R, GAULIN FRONT RIGHT PANEL MC18. 30531L, GAULIN FRONT LEFT PANEL MC18. 755502, GAULIN REAR PANEL MC18. 756511R, GAULIN RIGHT SIDE PANEL MC18.	107.30/EA 382.50/EA 655.50/EA 655.50/EA 490.70/EA 1,399.00/EA

	756511L, GAULIN LEFT SIDE PANEL MC18.	1,399.00/EA
	758511, GAULIN TOP COVER MC18.	2,860.00/EA
M-000-A	<b>NEW</b> , GAULIN STAINLESS STEEL EXTERIOR PANELS FOR MS18 HOMOGENIZERS FABRICATED USING ORIGINAL OEM DRAWINGS.	
	754614, GAULIN FRONT PANEL MS18.	3,827.65/EA
	756532, GAULIN RIGHT REAR PANEL MS18.	1,012.42/EA
	756535, GAULIN LEFT REAR PANEL MS18.	OUT OF STOCK
	756531, GAULIN LEFT FRONT PANEL MS18.	886.93/EA
	756533, GAULIN RIGHT FRONT PANEL MS18.	715.90/EA
	755515, GAULIN REAR PANEL MS18.	928.00/EA
	756534, GAULIN LEFT SIDE CENTER PANEL MS18.	OUT OF STOCK
	756536, GAULIN RIGHT SIDE CENTER PANEL MS18.	996.05/EA
	758514, GAULIN TOP COVER MS18.	2,176.00/EA
	760508, GAULIN LEFT/RIGHT SIDE BOTTOM SKIRT MS18.	520.50/EA
	760507, GAULIN BACK BOTTOM SKIRT MS18.	518.85/EA
	760506, GAULIN LEFT/RIGHT SIDE PAN GUIDE MS18	OUT OF STOCK
H-150-B	GAULIN MICRO GAP VALVE ASSEMBLY FOR HOMOGENIZER WITH 4-1/16" MOUNTING STUD CENTERLINE. 4-1/2" CANISTER HEIGHT. 4 VALVES PLUS BASE. S/N UNKNOWN.	7,250.00
H-107-B	GAULIN MICRO GAP VALVE ASSEMBLY FOR HOMOGENIZER WITH 4-1/2" MOUNTING STUD CENTERLINE. 5" CANISTER HEIGHT. 6 VALVES PLUS BASE. S/N UNKNOWN.	7,500.00
H-1341-B	<b>NEW</b> , GAULIN J1420018 ECCENTRIC SHAFT FOR MODEL G90 HOMOGENIZER.	12,807.00
H-1268-B	GAULIN 14220019 ECCENTRIC SHAFT FOR MODEL 132Q HOMOGENIZER. S/N UNKNOWN.	17,794.00
	<b>NEW</b> , GAULIN 900831 ECCENTRIC SHAFT FOR MODEL MC 75/100 HOMOGENIZER.	24,974.00
H-1207-B	S/N UNKNOWN	
H-1313-B	S/N UNKNOWN	
H-1334-B	S/N UNKNOWN	
H-1372-B	S/N UNKNOWN	
	<b>NEW</b> , GAULIN 900746 ECCENTRIC SHAFT FOR MODEL MS/MC45, MS804, & MS805 HOMOGENIZER.	17,173.00
H-1319-B	S/N UNKNOWN	
H-1333-B	S/N UNKNOWN	
H-1335-B	S/N UNKNOWN	
H-1376-B	S/N UNKNOWN	
H-1377-B	S/N UNKNOWN	
H-1052-B	GAULIN 900746 ECCENTRIC SHAFT FOR MODEL MS/MC45, MS804, & MS805 HOMOGENIZER. S/N UNKNOWN.	7,500.00
H-214-B	GAULIN 900741 ECCENTRIC SHAFT FOR MODEL M/MF45 HOMOGENIZER. S/N UNKNOWN.	7,500.00
H-1040-B	<b>UNUSED</b> , GAULIN J14220018 ECCENTRIC SHAFT, 118 MM STROKE FOR MODEL 200kW HOMOGENIZER.	4,227.00
	<b>NEW</b> , GAULIN 900547 ECCENTRIC SHAFT FOR MODEL MS/MC18 & MS803 HOMOGENIZER.	14,646.00
H-1329-B	S/N UNKNOWN	
H-1330-B	S/N UNKNOWN	
H-1331-B	S/N UNKNOWN	
H-1394-B	S/N UNKNOWN	
H-713-B	GAULIN 004400 ECCENTRIC SHAFT FOR MODEL CGD, E, K, AND DJ SIZE 24HOMOGENIZER. S/N UNKNOWN.	7,500.00
H-1124-B	GAULIN 004400 ECCENTRIC SHAFT FOR MODEL CGD, E, K, AND DJ SIZE 24 HOMOGENIZER. S/N UNKNOWN.	7,500.00
H-1208-B	<b>NEW</b> , GAULIN 004200 ECCENTRIC SHAFT FOR MODEL CGD, E, K, DJ, SIZE 6 ONLY OR M6/12 HOMOGENIZER. S/N UNKNOWN.	9,750.00
H-1309-B	<b>NEW</b> , GAULIN 900852 DRIVE SHAFT WITH 23 DEGREE PITCH PINION FOR MODEL MC75/100 HOMOGENIZER.	16,800.00
H-1310-B	<b>UNUSED</b> , GAULIN 900852 DRIVE SHAFT WITH 23 DEGREE PITCH PINION FOR MODEL MC75/100 HOMOGENIZER.	16,000.00
H-1179-B	GAULIN 900753 DRIVESHAFT WITH 23 DEGREE PINION FOR MODEL MC/MS45 & MS804/805 HOMOGENIZER.	6,500.00
H-1345-B	GAULIN 900753 DRIVESHAFT WITH 23 DEGREE PINION FOR MODEL MC/MS45 & MS804/805 HOMOGENIZER.	6,500.00
H-643-B	<b>NEW</b> , GAULIN 900863 DRIVESHAFT WITH 30 DEGREE PINION FOR MODEL MS/MC45 & MS804/805 HOMOGENIZER. S/N UNKNOWN.	16,802.00
H-1178-B	GAULIN 900863 DRIVESHAFT WITH 30 DEGREE PINION FOR MODEL MS/MC45 & MS804/805 HOMOGENIZER.	6,500.00
H-421-B	GAULIN 350903, 30 DEGREE PITCH PINION ONLY FOR MODEL MS/MC45, MC75/100, AND MS804/804 HOMOGENIZER. ASSEMBLED AS GAULIN 900865 DRIVE SHAFT WITH 30 DEGREE PITCH PINION FOR MODEL MC75/100 HOMOGENIZER. ASSEMBLED AS GAULIN 900863 DRIVE SHAFT WITH 30 DEGREE PITCH PINION FOR MODEL MS/MC45 & MS804/805 HOMOGENIZER.	9,500.00 8,500.00
H-1251-B	GAULIN 350803, 23 DEGREE PITCH PINION ONLY FOR MODEL MS/MC45, MC75/100, AND MS804/804 HOMOGENIZER. GAULIN 900852 DRIVE SHAFT WITH 23 DEGREE PINION FOR MODEL MC75/100 HOMOGENIZER. GAULIN 900753 DRIVE SHAFT WITH 23 DEGREE PINION FOR MODEL MC/MS45 & MS804/805 HOMOGENIZER.	10,500.00 9,500.00

H-213-B	GAULIN 900751 DRIVE SHAFT WITH 23 DEGREE PINION FOR MODEL M/MF45 HOMOGENIZER.	4,950.00
	<b>NEW</b> , GAULIN 900862 DRIVE SHAFT WITH 30 DEGREE PINION FOR MODEL MS/MC18 & MS803 HOMOGENIZER.	11,775.00
H-1217-B	S/N UNKNOWN	
H-1378-B	S/N UNKNOWN	
H-349-B	<b>NEW</b> , GAULIN 900553 DRIVE SHAFT WITH 23 DEGREE PINION FOR MODEL MS/MC18 & MS803 HOMOGENIZER. S/N UNKNOWN	10,000.00
	GAULIN 900553 DRIVE SHAFT WITH 23 DEGREE PITCH PINION FOR MODEL MS/MC18 & MS803 HOMOGENIZER.	5,500.00
H-889-B	S/N UNKNOWN.	
H-893-B	S/N UNKNOWN.	
H-863-B	S/N UNKNOWN.	
H-029-B	S/N UNKNOWN.	
H-031-B	S/N UNKNOWN.	
	GAULIN 350603 23 DEGREE PITCH PINION GEAR ONLY REMOVED FROM 900553 DRIVE SHAFT WITH PINION FOR MODEL MS/MC18 & MS803 HOMOGENIZER.	3,000.00
H-1121-B	S/N UNKNOWN.	
H-1122-B	S/N UNKNOWN.	
H-023-B	GAULIN 129500 DRIVE SHAFT LESS PINION FOR MODEL MS/MC18 & MS803 HOMOGENIZER. S/N UNKNOWN.	2,000.00
H-743-B	GAULIN 350400 23 DEGREE PITCH PINION GEAR ONLY FOR MODEL CGD, E, K, & DJ SIZE 24 HOMOGENIZER.	3,000.00
H-1125-B	<b>UNUSED</b> , GAULIN 129200 DRIVE SHAFT WITH 23 DEGREE PITCH PINION FOR MODEL M6/M12 HOMOGENIZER. S/N UNKNOWN.	OUT OF STOCK
H-1126-B	<b>NEW</b> , GAULIN 35020001 PINION SHAFT USED IN GEAR BOX 95310002 FOR MODEL 132Q HOMOGENIZER.	4,332.00
H-1308-B	<b>NEW</b> , GAULIN 35020001 PINION SHAFT USED IN GEAR BOX 95310002 FOR MODEL 132Q HOMOGENIZER.	4,332.00
H-1269-B	<b>NEW</b> , GAULIN J34920002 GEAR WHEEL FOR MODEL 132Q HOMOGENIZER.	12,701.00
	<b>NEW</b> , GAULIN 349902 30 DEGREE PITCH ECCENTRIC SHAFT GEAR FOR MODEL MS/MC45, MC75/100, MS804, AND MS805 HOMOGENIZER.	29,511.00
H-1202-B	S/N UNKNOWN	
H-1244-B	S/N UNKNOWN	
H-1383-B	S/N UNKNOWN	
H-1384-B	S/N UNKNOWN	
H-1373-B	S/N UNKNOWN	
	<b>NEW</b> , GAULIN 349804 23 DEGREE PITCH ECCENTRIC SHAFT GEAR FOR MODEL MS/MC45, MC75/100, MS804, AND MS805 HOMOGENIZER	25,000.00
H-1311-B	S/N UNKNOWN	
H-1312-B	S/N UNKNOWN	
	GAULIN 349804 23 DEGREE PITCH ECCENTRIC SHAFT GEAR FOR MODEL MS/MC45, MC75/100, MS804, AND MS805 HOMOGENIZER.	12,000.00
H-147-B	S/N UNKNOWN	
H-211-B	S/N UNKNOWN	
H-1065-B	S/N UNKNOWN	
H-1250-B	S/N UNKNOWN	
	<b>NEW</b> , GAULIN 349904 30 DEGREE PITCH ECCENTRIC SHAFT GEAR FOR MODEL MS/MC18 AND MS803 HOMOGENIZER.	22,538.00
H-1190-B	S/N UNKNOWN	
H-1191-B	S/N UNKNOWN	
H-1192-B	S/N UNKNOWN	
H-1220-B	S/N UNKNOWN	
H-1380-B	S/N UNKNOWN	
	GAULIN 349603 23 DEGREE PITCH ECCENTRIC SHAFT GEAR FOR MODEL MS/MC18 AND MS803 HOMOGENIZER.	10,000.00
H-146-B	S/N UNKNOWN.	
H-733-B	S/N UNKNOWN.	
H-734-B	S/N UNKNOWN.	
H-016-B	S/N UNKNOWN.	
H-782-B	S/N UNKNOWN.	
H-1118-B	S/N UNKNOWN.	
H-1119-B	S/N UNKNOWN.	
H-1120-B	S/N UNKNOWN.	
H-756-B	GAULIN 349400 23 PITCH ECCENTRIC SHAFT GEAR FOR MODEL CGD, E, K, AND DJ SIZE 24 HOMOGENIZER. S/N UNKNOWN.	6,000.00
H-1123-B	GAULIN 349400 23 DEGREE PITCH ECCENTRIC SHAFT GEAR FOR MODEL CGD, E, K OR DJ SIZE 24 HOMOGENIZER. S/N UNKNOWN.	6,000.00
	GAULIN 349300 ECCENTRIC SHAFT GEAR FOR MODEL CGD, E, K OR DJ SIZE 12 HOMOGENIZER.	5,500.00
H-485-B	S/N UNKNOWN.	
H-719-B	S/N UNKNOWN.	
H-735-B	S/N UNKNOWN.	
H-1154-B	S/N UNKNOWN.	
H-089-B	<b>NEW</b> , GAULIN 349208 23 DEGREE PITCH ECCENTRIC SHAFT GEAR FOR MODEL M6/12 HOMOGENIZER.	7,500.00
H-449-B	GAULIN 349208 23 DEGREE PITCH ECCENTRIC SHAFT GEAR FOR MODEL M6/12 HOMOGENIZER. S/N UNKNOWN.	5,000.00

H-1152-B	GAULIN 349200 ECCENTRIC SHAFT GEAR FOR MODEL CGD, E, K, SIZE 6 OR DJ SIZE 6, 7, OR 9 HOMOGENIZER.	5,000.00
	<b>NEW</b> , AFTERMARKET GAULIN MODEL E/K/DJ FRAME SIZE 3 EUROPEAN 20 PITCH GEAR SET INCLUDING DRIVESHAFT WITH PINION, ECCENTRIC SHAFT GEAR, AND OIL PUMP GEAR.	11,500.00
H-581-B	S/N UNKNOWN.	
H-582-B	S/N UNKNOWN.	
	GAULIN CONNECTING ROD ASSEMBLY WITH CROSSHEAD FOR MODEL G55 HOMOGENIZER.	2,500.00
H-1351-B	S/N UNKNOWN	
H-1352-B	S/N UNKNOWN	
H-1353-B	S/N UNKNOWN	
	<b>RECONDITIONED</b> , GAULIN R005200 CONNECTING ROD ASSEMBLY INCLUDING BOLTS, NUTS, SHIMS, DOWELS, BUSHING AND 116200 WRIST PIN FOR MODEL CGC, CGD, E, K, OR DJ FRAME SIZE 6, 7, 9, OR 10 HOMOGENIZER.	1,060.00
H-1295-B	S/N UNKNOWN	
H-1296-B	S/N UNKNOWN	
H-1297-B	S/N UNKNOWN	
H-1298-B	S/N UNKNOWN	
H-1299-B	S/N UNKNOWN	
H-1300-B	S/N UNKNOWN	
	<b>RECONDITIONED</b> , GAULIN R005300 CONNECTING ROD ASSEMBLY INCLUDING BOLTS, NUTS, SHIMS, DOWELS, BUSHING AND 116300 WRIST PIN FOR MODEL CGC, CGD, E, K, OR DJ FRAME SIZE 12 OR 20 HOMOGENIZER.	OUT OF STOCK
	<b>RECONDITIONED</b> , GAULIN R005400 CONNECTING ROD ASSEMBLY INCLUDING BOLTS, NUTS, SHIMS, DOWELS, BUSHING AND 116400 WRIST PIN FOR MODEL CGC, CGD, E, K, OR DJ FRAME SIZE 24 OR 30 HOMOGENIZER.	2,745.00
H-1304-B	S/N UNKNOWN	
H-1305-B	S/N UNKNOWN	
H-1306-B	S/N UNKNOWN	
H-1257-B	<b>NEW</b> , GAULIN J94410167 HYDRAULIC (POWER PACK) STATION FOR USE WITH OPEN LOOP CONTROL SYSTEM.	14,200.35
H-1307-B	<b>NEW</b> , GAULIN J94410167 HYDRAULIC (POWER PACK) STATION FOR USE WITH OPEN LOOP CONTROL SYSTEM.	14,200.35
H-1425-B	<b>NEW</b> , GAULIN J94430069 HYDRAULIC (POWER PACK) STATION.	7,127.00
	GAULIN 898082 PULSATION DAMPENER. 2" CLAMP CONNECTIONS.	2,950.00
H-685-B	S/N UNKNOWN	
H-686-B	S/N UNKNOWN	
H-816-B	S/N UNKNOWN	
H-821-B	S/N UNKNOWN	
H-848-B	S/N UNKNOWN	
H-644-A	AGC MODEL PD2, PULSATION DAMPENER. 2" CLAMP CONNECTIONS.	2,000.00
H-880-A	AGC MODEL PD2, PULSATION DAMPENER. 2" CLAMP CONNECTIONS.	2,000.00
H-1107-B	RELIANCE MODEL P44G5128J 200 HP, 1785 RPM, 447T FRAME, 460/3/60 HOMOGENIZER MOTOR. TOP CONDUIT BOX LOCATION. S/N S9001275-001.	8,500.00
H-1127-B	RELIANCE XE MODEL P44G0360N, 150 HP, 1785 RPM, 445T FRAME, 460/3/60 HIGH EFFICIENCY HOMOGENIZER MOTOR. S/N 33MN440360.	5,500.00
H-1181-B	BALDOR EM2558T-4, SUPER E, 150 HP, 1780 RPM, FRAME 444T, ODP HOMOGENIZER MOTOR. 460/3/60 S/N C0711060085.	5,500.00
H-1354-B	RELIANCE P44G5141-1, 150 HP, 1190 RPM, FRAME 447T, XEX TEFC HOMOGENIZER MOTOR. 460/3/60. TOP CONDUIT BOX LOCATION.	7,500.00
H-246-B	<b>UNUSED</b> , LEESON MODEL AVH 445TTDS17080AN, 125 HP, 1185 RPM, 445T FRAME HIGH EFFICIENCY HOMOGENIZER MOTOR. 208/3/60. S/N 3003072200029.	7,500.00
H-1393-B	<b>UNUSED</b> , BALDOR EM2555T SUPER-E 100 HP, 1780 RPM, 208-230-460/3/60, 404T FRAME INVERTER READY MOTOR. S/N C1609261477.	6,500.00
H-1263-B	<b>UNUSED</b> , WEG MODEL 100120T3E444T, 100 HP 1190 RPM INVERTER DUTY ODP PREMIUM EFFICIENCY HOMOGENIZER MOTOR. FRAME 444T. 208-230-460/3/60 AND 380/3/50 AT 985 RPM. S/N 1036302599.	6,500.00
H-645-B	GENERAL ELECTRIC 100/50 HP, 1175/585 RPM, 445T FRAME TWO SPEED HOMOGENIZER MOTOR. 230/3/60. <b>"AS IS"</b> .	5,000.00
H-123-B	LINCOLN 100 HP, 1770 RPM, FRAME 404T, ODP HOMOGENIZER MOTOR. 230-460/3/60. S/N 3199713.	2,500.00
H-259-B	LINCOLN 100 HP, 1770 RPM, FRAME 404T, ODP HOMOGENIZER MOTOR. 460/3/60. S/N 942716.	2,500.00
H-1391-B	<b>UNUSED</b> , BALDOR EM4316T SUPER-E 75 HP, 1780 RPM, 208-230-460/3/60, 365T FRAME, INVERTER READY MOTOR. S/N A1902222035.	6,500.00
H-1005-B	<b>UNUSED</b> , RELIANCE MODEL CEM4316T, 75 HP, 1750 RPM, 365T FRAME PREMIUM EFFICIENCY HOMOGENIZER MOTOR, 230-460/3/60. S/N A1209262045.	6,500.00
H-1006-B	<b>UNUSED</b> , LEESON WATTS AVER MODEL C365T17FB4E, 75 HP, 1750 RPM, 365T FRAME, PREMIUM EFFICIENCY HOMOGENIZER MOTOR, 230-460/3/60. S/N 090002	6,500.00
H-1261-B	<b>UNUSED</b> , WEG MODEL 075180T3E365T 75 HP 1800 RPM INVERTER DUTY ODP PREMIUM EFFICIENCY HOMOGENIZER MOTOR. FRAME 364/5T. 208-230-460/3/60 AND 380/3/50 AT 1,475 RPM. S/N 1023443625.	5,500.00

H-1392-B	<b>UNUSED</b> , BALDOR M4115T STANDARD DUTY 50 HP, 1765 RPM, 208-230-460/3/60, 326T FRAME MOTOR. S/N Z0910130531.	3,500.00
H-257-B	RELIANCE 50 HP, 1760 RPM, FRAME 326T HOMOGENIZER MOTOR. 460/3/60. S/N P32G0537E-G1-V8.	1,850.00
H-217-B	<b>UNUSED</b> , US MOTORS 40 HP, 1780 RPM, 324T FRAME HIGH EFFICIENCY INVERTER DUTY HOMOGENIZER MOTOR. 230-460/3/60. S/N H04-41078011-003R-01.	3,000.00
H-654-A	LINCOLN 25 HP, 1760 RPM, FRAME 284T HOMOGENIZER MOTOR. 230-460/3/60. S/N 3588029.	625.00
H-181-B	<b>UNUSED</b> , BALDOR 15/7.5 HP, 1800/900 RPM, FRAME 256T, 1800/900 RPM TWO SPEED HIGH EFFICIENCY HOMOGENIZER MOTOR. 460/3/60. S/N 1297C.	1,500.00
H-422-B	RELIANCE MODEL P28G4904R, 15 HP, 1175 RPM, FRAME 284T, E-MASTER HIGH EFFICIENCY HOMOGENIZER MOTOR. 230-460/3/60. S/N P28G4904-4.	1,000.00
H-576-A	GAULIN MODEL JP-112-AOX, 0-5000 PSI ELECTRONIC HOMOGENIZER PRESSURE MONITOR. 30' CABLE. S/N 11188601.	1,000.00

## SEPARATORS & CLARIFIERS

**Reconditioning of separators and clarifiers includes stripping and painting of painted surfaces, complete teardown and repair of drive systems, elastomer/seal replacement, drive and motor bearing replacement, additional motor repairs as necessary, bowl balancing as required, and cosmetic polishing as necessary of stainless steel surfaces. Tools that are unique to the machine are provided. Skidding, shrink wrapping, and loading on a flatbed carrier is included in the purchase price.**

S-452-B	WESTFALIA MODEL RN13004 STAINLESS STEEL CLARIFIER. CAPACITY OF 65,000 LBS/HR. S/N 1629308. <b>"AS IS"</b>	7,500.00
S-451-B	WESTFALIA MODEL MM13004 STAINLESS STEEL WARM MILK SEPARATOR. CAPACITY OF 30,000 LBS/HR. S/N UNKNOWN. <b>"AS IS"</b>	17,500.00
S-216-A	DE LAVAL MODEL 525 STAINLESS STEEL WARM MILK SEPARATOR. CAPACITY OF 26,000 LBS/HR. S/N 3862482.	49,500.00
S-359-A	S/N UNKNOWN.	
S-462-B	DE LAVAL MODEL 410 STAINLESS STEEL COLD MILK SEPARATOR. CAPACITY OF 20,000 LBS/HR WARM OR 10,000 LBS/HR COLD. <b>"AS IS"</b> . S/N 3776467.	15,500.00
S-450-B	WESTFALIA MODEL MM9004 STAINLESS STEEL WARM MILK SEPARATOR. CAPACITY OF 20,000 LBS/HR. S/N 1610698. <b>"AS IS"</b>	17,500.00
S-458-B	DE LAVAL MODEL 295 STAINLESS STEEL (NICKEL ALLOY) STANDARDIZING CLARIFIER. CAPACITY OF 20,000 LBS/HR. <b>"AS IS"</b>	15,000.00
S-454-B	S/N 3682186. S/N 3611078.	
S-448-B	WESTFALIA MODEL MP9004 STAINLESS STEEL COLD MILK SEPARATOR. CAPACITY OF 16,000 LBS/HR WARM OR 10,000 LBS/HR COLD. <b>"AS IS"</b>	20,000.00
S-449-B	S/N 1619009. S/N 1616685.	
S-456-B	DE LAVAL MODEL 3181M STAINLESS STEEL WARM MILK SEPARATOR. CAPACITY OF 10,000 LBS/HR. LESS BOWL TOP. INCOMPLETE SUITABLE FOR PARTS ONLY. S/N 2962644. <b>"AS IS"</b> .	25,000.00
S-460-B	DE LAVAL MODEL 292 STAINLESS STEEL (NICKEL ALLOY) COLD MILK SEPARATOR. CAPACITY OF 10,000 LBS/HR WARM OR 5,000 LBS/HR COLD. S/N 3609709. <b>"AS IS"</b>	20,000.00
S-DMO-B	DE LAVAL MODEL 392 STAINLESS STEEL COLD MILK SEPARATOR. CAPACITY OF 10,000 LBS/HR WARM OR 5,000 LBS HR COLD. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	59,500.00
S-472-B	DE LAVAL STAINLESS STEEL SEPARATOR OR CLARIFIER FRAME ONLY LESS DRIVE COMPONENTS FOR MODELS 366, 370, 372, 375. S/N UNKNOWN. <b>"AS IS"</b>	7,500.00
S-453-B	DE LAVAL MODEL 272 STAINLESS STEEL (NICKEL ALLOY) COLD MILK SEPARATOR. CAPACITY OF 7,000 LBS/HR WARM OR 3,500 LBS/HR COLD. S/N UNKNOWN. <b>"AS IS"</b>	17,500.00
S-455-B	DE LAVAL MODEL 340 STAINLESS STEEL WARM MILK SEPARATOR LESS MILK OUTLET, CREAM OUTLET, AND TOP COVER. INCOMPLETE, SUITABLE FOR PARTS ONLY. S/N UNKNOWN. <b>"AS IS"</b>	21,500.00
S-476-B	BROOK CROMPTON INVENSYS TYPE U-DF-180LZ-D, 22kW, 1730 RPM, 460/3/60 MOTOR FOR ALFA LAVAL MODEL MRPX-214 SEPARATOR. S/N E904486. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	9,500.00
S-442-B	DE LAVAL (US MOTORS) 15 HP, 284UC FRAME, 220-440/3/60 MOTOR FOR 500 SERIES SEPARATOR. S/N 3818601.	7,500.00

# FILLING & PACKAGING MACHINERY

Reconditioning of fillers and material handling equipment includes stripping and painting of painted surfaces, complete teardown and repair of drive systems, elastomer/seal replacement, motor repairs as necessary, water testing using customer provided bottles and closures, and cosmetic polishing as necessary of stainless steel surfaces. Shrink wrapping, and loading on a flatbed carrier is included in the purchase price.

FF-781-B	FEDERAL MODEL FKW4/2410, 24 VALVE RIGHT HAND STAINLESS STEEL 1/2 GALLON THRU 1/2 PINT PLASTIC BOTTLE FILLER AND CAPPER. ACCELERATING SPIRAL INFEED J3 FILLING VALVES. CIP RINGS AND SPRAYBALL. FEDERAL GEM SCREW CAPPING SYSTEM WITH TEN MAGNETIC CLUTCH CAPPERS. RTF CAP FEEDER WITH CAP CHUTE AND APPLIER. S/N 2045FKW4/2410R1238. "AS IS"	195,000.00
FF-567-B	FEDERAL MODEL G215, 21 VALVE LEFT HAND STAINLESS STEEL LIGHTWEIGHT GALLON PLASTIC BOTTLE FILLER AND CAPPER. J3 FILLING VALVES. BWC LEVEL CONTROLLER WITH SPRAYBALL. BOTTLE HANDLING EQUIPMENT FOR GALLONS. CAPPING SYSTEM FOR CAP SNAP AND SEAL CLOSURES WITH CAP SPINNER, STAINLESS STEEL NON ADJUSTABLE SUPPORT STAND WITH BULK HOPPER, CAP CHUTE, CAP APPLIER, AND UNIVERSAL TURRET WITH PRESS PLATES. S/N 1100G215LA475.	84,500.00
FF-488-B	FEDERAL MODEL G185, 18 VALVE RIGHT HAND STAINLESS STEEL LIGHTWEIGHT GALLON PLASTIC BOTTLE FILLER AND CAPPER. J3 FILLING VALVES. BWC LEVEL CONTROLLER. 3 PIN BOTTLE HANDLING EQUIPMENT FOR ONE SIZE CONTAINER. CAP SNAP AND SEAL CAPPING SYSTEM WITH CAP SPINNER MOUNTED ON FIXED HEIGHT STAND, CAP CHUTE, CAP APPLIER, AND ANNULAR TURRET. S/N UNKNOWN.	79,500.00
FF-515-A	FEDERAL MODEL G181 STAINLESS STEEL RIGHT HAND GALLON FILLER. FILLER SPECIALTIES .800 VALVES. BWC LEVEL CONTROLLER. 3 PIN BOTTLE HANDLING EQUIPMENT FOR GALLONS. MFG 1972. S/N 1087G181RA607.	51,000.00
FF-514-B	FILLER SPECIALTIES MODEL A188, 18 VALVE RIGHT HAND 1/2 GALLON THRU 1/2 PINT BOTTLE FILLER AND CAPPER. ACCELERATING SPIRAL INFEED. BWC LEVEL CONTROLLER. 3 PIN BOTTLE HANDLING EQUIPMENT FOR ONE SIZE CONTAINER. FEDERAL J3 FILLING VALVES. FILLER SPECIALTIES CAPPING SYSTEM FOR NEPCO SNAP/SCREW CLOSURES WITH RTF CAP FEEDER, CAP CHUTE, CAP APPLIER AND UNIVERSAL TURRET WITH PRESS PLATES. S/N 33789AWS188R.	82,500.00
FF-399-B	FEDERAL MODEL S181D8, 18 VALVE RIGHT HAND STAINLESS STEEL 1/2 GALLON THRU 1/2 PINT PLASTIC BOTTLE FILLER AND CAPPER. DUAL CAPPING POSTS. J3 FILLING VALVES. 2" MECHANICAL FLOAT. 3 PIN BOTTLE HANDLING EQUIPMENT FOR ONE SIZE CONTAINER WITH SPIRAL INFEED. CAP SNAP AND SEAL CAPPING SYSTEM WITH CAP SPINNER, STAINLESS STEEL SUPPORT STAND, BULK SUPPLY HOPPER, AND CAP CHUTE WITH APPLIER. MFG 1969. S/N 960S181D8RA510.	82,500.00
FF-463-B	FEDERAL MODEL G155, 15 VALVE LEFT HAND STAINLESS STEEL BOTTLE FILLER AND CAPPER. FOGG 1" EZ LOCK VALVES. ECONO SENSOR LEVEL CONTROLLER. 3 PIN BOTTLE HANDLING EQUIPMENT FOR GALLONS. CAP SNAP AND SEAL CAPPING SYSTEM WITH CAP SPINNER, BULK HOPPER, MILD STEEL FIXED HEIGHT FLOOR STAND, CAP CHUTE, CAP APPLIER, AND PRESS PLATES. S/N 319G155L150.	76,500.00
FF-625-B	FEDERAL MODEL A155, 15 VALVE LEFT HAND STAINLESS STEEL 1/2 GALLON THRU 1/2 PINT PLASTIC BOTTLE FILLER AND CAPPER. J3 FILLING VALVES. BWC LEVEL CONTROLLER. 3 PIN BOTTLE HANDLING EQUIPMENT FOR ONE SIZE CONTAINER. FILLER SPECIALTIES PUSH ON CAPPING SYSTEM FOR PORTOLA CLEM II CLOSURES CONSISTING OF RTF FEEDER MOUNTED ON STAINLESS STEEL STAND, CAP CHUTE, CAP APPLIER, AND ANNULAR TURRET. S/N UNKNOWN.	62,500.00
FF-398-B	FEDERAL MODEL G124, 12 VALVE RIGHT HAND 2/3 STAINLESS STEEL LIGHTWEIGHT PLASTIC BOTTLE FILLER AND CAPPER. J3 FILLING VALVES. 2" MECHANICAL FLOAT. SINGLE PIN BOTTLE HANDLING EQUIPMENT FOR GALLON CONTAINERS. CAP SNAP AND SEAL CAPPING SYSTEM WITH SYNTRON VIBRATORY FEEDER, FIXED HEIGHT MILD STEEL SUPPORT STAND, CAP CHUTE, CAP APPLIER, AND FEDERAL TURRET. S/N UNKNOWN.	58,500.00
FF-671-B	FEDERAL MODEL A62, 6 VALVE LEFT HAND PAINTED FRAME 1/2 GALLON THRU 1/2 PINT BOTTLE FILLER AND CAPPER. FOGG 48 MM GLASS FILLING VALVES WITH BOWL SLEEVES REMOVED. 1-1/2" MECHANICAL FLOAT. FEDERAL CAPPING TURRET LESS CAPPING HEADS. S/N 27A62L13.	35,500.00
FF-687-B	EASTERN MACHINE MODEL 38E4 IN LINE SCREW CAPPER. INCLUDING SYNTRON VIBRATORY FEEDER, CAP CHUTE, CAP APPLIER AND PAINTED MILD STEEL SUPPORT STAND. S/N 73121.	6,500.00
FF-673-B	FEDERAL CIP RINGS, 2 SECTIONS, FOR 36 VALVE FILLER. S/N UNKNOWN	9,500.00
FF-748-B	FEDERAL CIP RINGS, 2 SECTIONS, FOR MODEL GWS30/10, 30 VALVE FILLER.	9,500.00
FF-703-B	FEDERAL CIP RINGS, 2 SECTIONS, FOR MODEL KWS-24/10, 24 VALVE FILLER.	6,000.00
FF-702-B	FEDERAL CIP RING, 1 OF 2 SECTIONS ONLY, FOR GWS268 OR G266, 26 VALVE FILLER.	3,000.00
	FEDERAL CAM ACTUATED PUSH ON CAP SEATING SYSTEM FOR MODEL G266 OR GWS266 RIGHT HAND FILLER. CONVERTED TO LEFT HAND CONFIGURATION.	15,500.00
FF-657-B	S/N UNKNOWN.	20,500.00
FF-658-B	S/N UNKNOWN.	
FF-750-B	DAIRY HERITAGE ROTARY CAP FEEDER WITH CHUTE AND NON ADJUSTABLE FIXED HEIGHT CAP APPLIER FOR 48MM STANPAC CLOSURES. S/N UNKNOWN.	13,500.00
FF-780-B	VELOCITY ROTARY CAP FEEDER WITH BASE PLATE, BULK HOPPER, CAP CHUTE AND CAP APPLIER. S/N 486560, 8-0-11.	17,500.00
FF-758-B	VELOCITY BULK HOPPER WITH BASE PLATE FOR HORIZONTAL CAP SPINNER.	2,500.00
FF-768-B	FEDERAL RTF FEEDER WITH HOPPER CLOCKWISE ROTATION LEFT SIDE FEED WITH CAP CHUTE AND APPLIER FOR 38MM SCREW CAP.	12,500.00

	S/N FRTF850C.	
FF-770-B	PPI RTF FEEDER WITH HOPPER CLOCKWISE ROTATION LEFT SIDE FEED FOR 38MM SCREW CAP. S/N 004AC201025 DN27381.	7,500.00
FF-759-B	PORTOLA RTF CAP FEEDER WITH BULK HOPPER FOR 38SS, STN3H, SWTE OR CLEM-1 38MM CLOSURES. S/N UNKNOWN.	7,500.00
FF-655-B	FOGG RTF CAP FEEDER FOR 38MM TAMPER EVIDENT SCREW CLOSURES LESS MOUNTING STAND.	3,500.00
FF-656-B	S/N UNKNOWN. CLOCKWISE ROTATION. RIGHT HAND DISCHARGE.	
	S/N UNKNOWN. COUNTERCLOCKWISE ROTATION. LEFT HAND DISCHARGE.	
FF-652-B	PORTOLA PACKAGING STAINLESS STEEL CAP SPINNER WITH BULK HOPPER FOR SCII CLOSURES. CLOCKWISE ROTATION	4,500.00
FF-653-B	S/N UNKNOWN.	
	S/N UNKNOWN.	
FF-378-A	FEDERAL BULK HOPPER LESS SUPPORT STAND WITH HIGH SPEED SYNTRON VIBRATORY CAP FEEDER FOR 38MM TPS CLOSURES.	3,950.00
FF-379-A	S/N UNKNOWN.	
	S/N UNKNOWN.	
FF-719-B	STAINLESS STEEL 3 & 5 GALLON BOTTLING LINE INCLUDING: 1/EA ERIC LARSEN MODEL M3102CW8 COME BACK STYLE 3 & 5 GALLON ELECTRICALLY HEATED STAINLESS STEEL BOTTLE WASHER, S/N 070885; 1/EA CAP SNAP AND SEAL MODEL 8HD6G100 4 HEAD SIDE SHIFT STYLE 3 & 5 GALLON FILLER/CAPPER, MFG 8/3/88; AND CAP SNAP AND SEAL STAINLESS STEEL 3 & 5 GALLON CONVEYOR INCLUDING DRIVES, CURVES, LEG SUPPORTS, AND TAKE-UPS. CAPACITY OF APPROXIMATELY 550 BPH. <b>"AS IS"</b> .	50,000.00
FF-717-B	CAP SNAP AND SEAL 2 HEAD IN-LINE 3 & 5 GALLON BOTTLE FILLER AND CAPPER WITH APPROXIMATELY 20 FT OF BOTTLE CONVEYOR WITH 2/EA 90 DEGREE CURVES, POWER UNIT, AND TAKE UP. CAPACITY OF 200 BPH. S/N UNKNOWN.	17,500.00
FF-724-B	FEDERAL STAINLESS STEEL CAP ELEVATOR WITH APPROXIMATELY 15 CU FT HOPPER AND ELEVATOR CONVEYOR WITH 90" DISCHARGE HEIGHT. S/N UNKNOWN.	9,500.00
FF-782-B	PACE PACKAGING MODEL M-400-SSD PLASTIC BOTTLE UNSCRAMBLER WITH LARGE CAPACITY FEED HOPPER. S/N 1388. <b>"AS IS"</b>	22,500.00
FF-783-B	WS PACKAGING GROUP MODEL RT-300-SERVO PRESSURE SENSITIVE LABELER. 230/3/60 ELECTRICS. MFG 08/06/2009. S/N JN61380-1. <b>"AS IS"</b>	27,500.00
FF-726-B	STATCO MODEL D-HS SLANT CASER WITH ACCELERATOR, TWIST CHUTE, CONVEYOR DRIVE, AND ALLEN BRADLEY MICRO LOGIX PLC CONTROL. S/N DHS-0699-10.	43,500.00
FF-779-B	STATCO MODEL D-11 SLANT CASER WITH ACCELERATOR, TWIST CHUTE, CONVEYOR DRIVE, AND ALLEN BRADLEY MICRO LOGIX PLC CONTROL. S/N D-0900-12-2	43,500.00
FF-727-B	PAK-TEK MODEL PTC-HP2D, DUAL HEAD, DUAL INFEED HALF GALLON GABLE TOP CARTON CASER FOR CORRUGATED BOXES. ALLEN BRADLEY SLC-500 PLC. HYDRAULIC CONVEYOR DRIVE MOTORS. 10 HP HYDRAULIC POWER UNIT. S/N PTC-HP2D-261G8.	35,500.00
FF-728-B	PAK-TEK MODEL PTC-Q2D, DUAL HEAD, DUAL INFEED STANDARD CROSS SECTION ½ PINT THRU QUART GABLE TOP CARTON CASER FOR CORRUGATED BOXES. ALLEN BRADLEY SLC-500 PLC. ELECTRIC CONVEYOR DRIVE MOTORS. 5 HP HYDRAULIC POWER UNIT. S/N PTC-Q2D-326J0.	35,500.00
FF-695-B	SIMPLICATIC APPROXIMATE 15 FT INVERTED LENGTH 25 FT OVERALL LENGTH ONE GALLON THRU 1/2 PINT GRIPPER RINSER. S/N S/02732. <b>"AS IS"</b> .	19,500.00
FF-773-B	METTLER TOLEDO MODEL CS3600-XE STAINLESS STEEL WASHDOWN CASE CHECKWEIGHER WITH MODEL XE STAINLESS STEEL WASHDOWN CONTROLLER. 18" X 36" CONVEYOR BELT. +/- 32" TOP OF BELT HEIGHT. S/N 10036021.	27,500.00
FF-774-B	METTLER TOLEDO MODEL BELTWEIGH CCXS COMBINATION METAL DETECTOR AND CHECKWEIGHER WITH MODEL XS STAINLESS STEEL WASHDOWN CONTROLLER. 13-1/2" WIDE X 6" HIGH APERTURE. S/N 13055121.	37,500.00
FF-535-B	CULBRO TAMPER EVIDENT SLEEVE APPLICATOR AND HEAT TUNNEL PREVIOUSLY USED ON 16 OZ. COTTAGE CHEESE CONTAINERS. S/N 21015-04. <b>"AS IS"</b> .	12,500.00
FF-680-B	ZEPF (BARRY WEHMILLER) MODEL 300-W STAINLESS STEEL TRAY FORMER AND PACKER. INCLUDING NORDSEN HOT MELT GLUE SYSTEM. PREVIOUSLY USED TO PACK 24/EA 4 OUNCE FOIL LID PLASTIC CUPS, 6x4 PATTERN, IN A CORRUGATED TRAY. MFG 2002. S/N 300045. <b>"AS IS"</b> .	19,500.00
FF-528-A	LITTLE DAVID MODEL LD100, TOP AND BOTTOM CORRUGATED BOX SEALER. SIDE GRIPPER BELTS. LESS OPTIONAL MINOR FLAP TUCKER. S/N 11982800. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	2,750.00
FF-704-B	3M MODEL TYPE 28600 TOP AND BOTTOM CORRUGATED BOX SEALER. BOTTOM CONVEYOR BELTS. LESS OPTIONAL MINOR FLAP TUCKER. ONE TAPE HEAD. S/N 9520.	3,500.00
FF-733-B	3M MODEL 200A, TYPE 39600 TOP AND BOTTOM CORRUGATED BOX SEALER. BOTTOM CONVEYOR BELTS. LESS OPTIONAL MINOR FLAP TUCKER. SINGLE TAPE HEAD. MFG NUMBER 31-97. S/N 11587.	2,750.00
FF-705-B	INTERPACK MODEL USA-2024-B3 TOP AND BOTTOM CORRUGATED BOX SEALER. BOTTOM CONVEYOR BELTS. LESS OPTIONAL MINOR FLAP TUCKER. SINGLE TAPE HEAD. S/N M00-M045-012.	2,750.00
FF-540-A	DORAN MODEL CT-T5, HOT GLUE RSC CORRUGATED BOX TOP SEALER. S/N CT1011.	13,500.00
FF-470-A	STERLING MODEL 3A, 28MM "SPORT CAP" FEEDER WITH APPROX 50' OF JETSTREAM AIRVEYOR. S/N UNKNOWN.	12,500.00
FF-438-A	EVERGREEN (CHERRY BURRELL) MODEL G60 GALLON PURE PAK CARTON FORMER, FILLER, AND SEALER. DEFLECTOR TYPE FILLING VALVES. S/N 901. <b>"AS IS"</b> .	25,000.00

FF-734-B	EVERGREEN (CHERRY BURRELL) DOUBLE WALL FILLER BOWL FOR MODEL QN-110, 1/2 PINT PURE PAK CARTON FILLER.	7,500.00
FF-536-B	AUTOPROD MODEL RO-A7, STAINLESS STEEL ROTARY CUP FILLER SUITABLE FOR PARTS ONLY. S/N AP-1144. <b>"AS IS"</b> .	3,950.00
FF-448-A	ANDERSON MODEL 340 PAINTED FRAME CUP FILLER AND LIDDER. S/N 29057. <b>"AS IS"</b> .	3,500.00
FF-646-B	TAMPCO STAINLESS STEEL SHRINK WRAP BUNDLER AND HEAT TUNNEL. S/N UNKNOWN.	13,500.00
FF-371-B	<b>NEW</b> PALACE PACKAGING MODEL AC-1, IONIZED AIR RINSER FOR JOHNSON CONTROLS 1.5 LITER AND 12 OZ ROUND PET BOTTLES. WITH INDEXING STARWHEELS AND TWIST CHUTES.	18,500.00
FF-539-B	SJI MODEL PBR-50, STAINLESS STEEL TWIST STYLE BOTTLE RINSER WITH WATER RECIRCULATION SYSTEM. RATED CAPACITY OF 100 BPM @ 2.85" DIAMETER BOTTLE WITH 8 SECOND DRAIN TIME. S/N 300001084.	21,000.00

## HEAT EXCHANGERS & HTST SYSTEMS

Reconditioning of plate heat exchangers includes streaming for specific duties, stripping and painting of painted surfaces, cleaning and dye penetrant testing of plates, gasket replacement, and cosmetic polishing as necessary of stainless steel surfaces. Shrink wrapping, and loading on a flatbed carrier is included in the purchase price.

HE-795-B	APV MODEL STH SKID MOUNTED TUBULAR UHT SYSTEM WITH APV GAULIN MODEL G37 4.3BX ASEPTIC HOMOGENIZER DESIGNED TO ASEPTICALLY PASTEURIZE UP TO 12 GPM OF VARIOUS DAIRY BASED MILK, HALF AND HALF, AND NON DAIRY PRODUCTS. LESS PLC CONTROLS AND ENCLOSURE, BUT INCLUDING SOFTWARE PROGRAM. MFG 2004. <b>"AS IS"</b>	215,000.00
HE-790-B	APV R5 QUAD-DRIVE STAINLESS STEEL AUTOMATIC TAKE UP PLATE HEAT EXCHANGER FRAME WITH FOUR ROTATING TIE BARS CONTROLLED BY SIMULTANEOUS AND SYNCHRONOUS INTEGRAL HYDRAULIC ACTUATION THAT CAN BE ENGINEERED TO SPECIFIC DUTIES. SIZE 3 FRAME WITH A MAXIMUM CAPACITY OF 386 PLATES. INCLUDING ALLEN BRADLEY COMPACTLOGIX PLC, ALLEN BRADLEY HMI, 203 PLATES AND TWO CONNECTOR GRIDS. 4" CLAMP CONNECTIONS. CURRENT DUTY TO PASTEURIZE 70,000 LBS/HR OF YOGURT MIX UTILIZING REGENERATION, PREHEATING, AND FINAL HEATING AT VARIOUS TEMPERATURES. S/N G2009000229	87,500.00
HE-454-B	APV MODEL R51 PLATE HEAT EXCHANGER. SIZE 9 FRAME. 44H/239R/75C. CONFIGURED AS A 100,000 LB/HR CAPACITY HTST WITH A TEMPERATURE PROGRESSION OF 40-175-35 USING 600 GPM 180 DEGREE F. HOT WATER AND 300 GPM OF 28 DEGREE F. GLYCOL. MAXIMUM FRAME CAPACITY 363 PLATES. S/N 647.	39,500.00
HE-392-B	APV MODEL R51 HTST SYSTEM, MFG 1984, INCLUDING 181 TYPE 304 STAINLESS STEEL HEAT EXCHANGE PLATES WITH PARACRIL GASKETS, TWO CONNECTOR TERMINALS WITH 2-1/2" CLAMP CONNECTIONS, CHERRY BURRELL SERIES 62 2-1/2" CIP FDV, 3" STAINLESS STEEL HOLDER TUBE MOUNTED ON STAINLESS STEEL FLOOR STAND, 50 GALLON RECTANGULAR STAINLESS STEEL PMO LEGAL BALANCE TANK, CHERRY BURRELL 4CHEB-F, 15 HP 3500 RPM BOOSTER PUMP, CHERRY BURRELL 4BHEB-F 10/5 HP 3600/1800 RPM STUFFER CIP PUMP, AND INTERCONNECTING PIPING AND FITTINGS, SIZE 5 FRAME. MAXIMUM FRAME CAPACITY 221 PLATES. HEAT EXCHANGER S/N 15013. WITH BELL AND GOSSETT MODEL SU64-2 SHELL AND TUBE HEAT EXCHANGER, RECIRCULATION PUMP, STEAM VALVE AND STEAM TRAP. UNIT WAS CONFIGURED FOR 43,000 LBS/HR OF FLUID WHOLE MILK WITH A TEMPERATURE PROGRESSION OF 40-161.5-175-53.5-38 DEGREE F. (90% REGENERATION) USING 270 GPM OF 173 DEGREE F. HOT WATER AND 350 GPM OF 34 DEGREE F. CHILLED WATER. <b>CONTROL OPTIONS ARE AVAILABLE AT AN ADDITIONAL CHARGE.</b>	97,500.00
HE-799-B	HTST SYSTEM INCLUDING AGC MODEL SR25SL STAINLESS STEEL THREE SECTION TIE BAR TAKE UP PLATE HEAT EXCHANGER S/N 10316 DESIGNED TO PASTEURIZE 1,000 GPH OF FLUID WHOLE MILK WITH A TEMPERATURE PROGRESSION OF 40°-148°-170°-62°-40°F UTILIZING 83% REGENERATION 72 GPM OF 178°F HOT WATER AND 80 GPM OF 34° CHILLED WATER. HONEYWELL 1900 STLR, ANDERSON JD PRESSURE DIFFERENTIAL SWITCH, ANDERSON DART, STAINLESS STEEL WALL MOUNT CONTROL ENCLOSURE, 30 GALLON PMO LEGAL BALANCE TANK, STAINLESS STEEL WALL MOUNTED HOLDER TUBE, WCB "W" SERIES FLOW DIVERSION VALVE, FRISTAM FPX1741-195 5HP 1750 RPM STAINLESS STEEL CENTRIFUGAL BOOSTER PUMP, FRISTAM FPX1741-175 2HP 1750 RPM STAINLESS STEEL CENTRIFUGAL STUFFER PUMP, TRI CLOVER "361" SERIES START UP VALVE, WCB "W" SERIES RECYCLE VALVE, WCB "W" SERIES DRAIN VALVE, VACUUM BREAKER, TRI CLOVER 771 SERIES BACKPRESSURE VALVE, AMPCO MODEL 2X1.5ZC2 3HP 3450 RPM STAINLESS STEEL CENTRIFUGAL HOT WATER PUMP S/N CC-111772-1-1, BELL & GOSSETT MODEL SU-104-2 SHELL & TUBE HEAT EXCHANGER S/N 255281-01-2, AND INTERCONNECTING PIPING AND FITTINGS. <b>"AS IS", FOB TRUCK LOADED TRACY, CA</b>	75,000.00
HE-695-B	APV MODEL R51 PLATE HEAT EXCHANGER. SIZE 3 FRAME. 17H/57R/7C <b>NEW</b> TYPE 316 PLATES. CONFIGURED AS A 18,000 LB/HR HTST FOR 54 BRX JUICE CONCENTRATE BLENDS AND SMOOTHIE WITH A TEMPERATURE PROGRESSION OF 70-178-190-82-60 DEGREES F USING 55,000 LBS/HR OF 193 DEGREE F. HOT WATER AND 25,000 LBS/HR OF 34 DEGREE CHILLED WATER. FRAME 3" & 4" CLAMP CONNECTIONS. CONNECTORS 2-1/2" CLAMP CONNECTIONS. MAXIMUM CAPACITY 164 PLATES. SERIAL NUMBER 17671. <b>"RECONDITIONED", AVAILABLE FOR IMMEDIATE DELIVERY"</b> .	31,500.00
HE-733-B	APV MODEL R51-PC STAINLESS STEEL DUAL SPINDLE TAKE UP PLATE HEAT EXCHANGER WITH TWO CONNECTOR GRIDS. 4" CLAMP FRAME CONNECTIONS, 2-1/2" CLAMP GRID CONNECTIONS. SIZE 6 FRAME. 73H/74R/49C. MAXIMUM FRAME CAPACITY 267 PLATES. S/N 5907.	45,500.00
HE-625-B	CREPACO MODEL CR5-HYD STAINLESS STEEL HEAT EXCHANGER FRAME THAT CAN BE ENGINEERED TO SPECIFIC DUTIES. HYDRAULIC TAKE UP. SIZE 9 FRAME. 4" CLAMP CONNECTIONS. MAXIMUM FRAME CAPACITY 415 PLATES. S/N 18162.	22,500.00
HE-525-B	CREPACO MODEL CR5 STAINLESS STEEL HEAT EXCHANGER FRAME THAT CAN BE ENGINEERED TO SPECIFIC DUTIES. DUAL SPINDLE TAKE UP. SIZE 3 FRAME. 4" CLAMP CONNECTIONS. MAXIMUM FRAME CAPACITY 167 PLATES. S/N A5565-CR5.	14,500.00
	APV MODEL R51T STAINLESS STEEL DUAL SPINDLE TAKE-UP PLATE HEAT EXCHANGER THAT CAN BE ENGINEERED TO SPECIFIC DUTIES. 4" CLAMP CONNECTIONS. SIZE 6 FRAME. MAXIMUM FRAME CAPACITY 339 PLATES.	17,500.00
HE-747-B	S/N 40285.	
HE-748-B	S/N 40286.	

HE-638-B	<b>UNUSED</b> , APV MODEL TR51 STAINLESS STEEL HEAT EXCHANGER FRAME THAT CAN BE ENGINEERED TO SPECIFIC DUTIES. DUAL SPINDLE TAKE UP. SIZE 6 FRAME. 4" CLAMP CONNECTIONS. MAXIMUM FRAME CAPACITY 267 PLATES. S/N 410861.	23,500.00
HE-784-B	APV MODEL R51T STAINLESS STEEL PLATE HEAT EXCHANGER FRAME THAT CAN BE ENGINEERED TO SPECIFIC DUTIES. DUAL SPINDLE TAKE-UP. 83" FRAME. 4" CLAMP CONNECTIONS. MFG 2005. S/N 20053003000752.	16,500.00
HE-785-B	APV MODEL R56SH STAINLESS STEEL PLATE HEAT EXCHANGER FRAME THAT CAN BE ENGINEERED TO SPECIFIC DUTIES. TIE BAR TAKE UP. 83" FRAME. 4" CLAMP CONNECTIONS. MFG 2003. S/N 2003300300397.	8,500.00
HE-786-B	APV MODEL R56SH STAINLESS STEEL PLATE HEAT EXCHANGER FRAME THAT CAN BE ENGINEERED TO SPECIFIC DUTIES. TIE BAR TAKE UP. 83" FRAME. 4" CLAMP CONNECTIONS. MFG 2003. S/N 2003300300398.	8,500.00
HE-626-B	APV MODEL R51 STAINLESS STEEL PLATE HEAT EXCHANGER FRAME THAT CAN BE ENGINEERED TO SPECIFIC DUTIES. DUAL SPINDLE TAKE-UP. SIZE 3 FRAME. 3" CLAMP CONNECTIONS. MAXIMUM FRAME CAPACITY 164 PLATES. S/N M/C 2135.	14,950.00
HE-780-B	APV MODEL R56-S STAINLESS STEEL TIE BAR TAKE UP HEAT EXCHANGER FRAME THAT CAN BE ENGINEERED TO SPECIFIC DUTIES. 4" CLAMP CONNECTIONS. 57" SIZE 2 FRAME. S/N 18339.	7,500.00
HE-751-B	APV MODEL SR-310 STAINLESS STEEL DUAL SPINDLE TAKE UP THREE SECTION PLATE HEAT EXCHANGER WITH TWO CONNECTORS. 51H/39R/66C. 3" CLAMP CONNECTIONS. S/N UNKNOWN.	21,500.00
HE-793-B	APV MODEL SR31 STAINLESS STEEL DUAL SPINDLE TAKE UP SINGLE SECTION PLATE HEAT EXCHANGER FRAME ONLY LESS PLATES THAT CAN BE ENGINEERED FOR SPECIFIC DUTIES. 3" CLAMP CONNECTIONS. S/N 19244.	10,500.00
HE-570-A	APV MODEL HMB STAINLESS STEEL PLATE HEAT EXCHANGER FRAME ONLY. DUAL SPINDLE TAKE UP. SIZE 7 FRAME. 2-1/2" CLAMP CONNECTIONS. S/N M/C-2359-4031. <b>"AS IS"</b>	1,500.00
HE-577-A	APV MODEL HX STAINLESS STEEL PLATE HEAT EXCHANGER FRAME ONLY. SIZE 4 FRAME. 2" I-LINE CONNECTIONS. S/N M/C-2014. <b>"AS IS"</b>	2,000.00
HE-000-B	105 APV MODEL R5, <b>REGASKETED</b> TYPE 304 HEAT EXCHANGE PLATES. 2-L33, 43-L11, 34-R11, 3-L12, 3-L13, 3-L21, 1-L31, 1-L41, 1-L12D, 5-L21D, 3-R12, 4-R13, 5-R21, 3-R31, 1-R43, 3-R21D.	90.00/EA
HE-000-B	APV MODEL R5, <b>FACTORY REGASKETED</b> TYPE 304 HEAT EXCHANGE END PLATE, KL32.	180.00
HE-000-A	APV MODEL R5, TYPE 304 HEAT EXCHANGE KL33 END PLATE DYE TESTED WITH USED GASKET.	75.00
HE-543-B	APV MODEL R5 STAINLESS STEEL CONNECTOR GRID. 2" BEVEL SEAT CONNECTIONS.	1,950.00
HE-467-A	APV MODEL R51 SIZE 3 CARRYING BARS FOR HEAT EXCHANGER FRAME.	3,000.00
HE-385-A	APV MODEL R51 SIZE 5 CARRYING BARS FOR HEAT EXCHANGER FRAME.	3,000.00
HE-334-B	APV MODEL R50 FIXED HEAD ONLY. 4" CLAMP PORTS. S/N 514.	3,000.00
HE-552-B	APV MODEL JHE, PAINTED FRAME TIE BAR TAKE UP HEAT EXCHANGER. 1" DIN CONNECTIONS. 18/18 PLATES. S/N 238. <b>"AS IS"</b> .	500.00
HE-553-B	APV MODEL JHE, PAINTED FRAME TIE BAR TAKE UP HEAT EXCHANGER. 1" DIN CONNECTIONS. 30/12 PLATES. S/N 239. <b>"AS IS"</b> .	500.00
HE-559-A	CREPACO CXC STAINLESS STEEL PLATE HEAT EXCHANGER. 48/48 PLATES WITH ONE CONNECTOR TERMINAL. 2-1/2" CLAMP CONNECTIONS. S/N C-1958. <b>"AS IS"</b> .	2,500.00
HE-331-A	CREPACO CXC STAINLESS STEEL SINGLE SPINDLE HEAT EXCHANGER FRAME ONLY. S/N CXC-2150. <b>"AS IS"</b> .	750.00
HE-351-A	CREPACO CXC STAINLESS STEEL DUAL SPINDLE HEAT EXCHANGER FRAME ONLY. MECHANICAL TAKE UP. S/N CXC-2848. <b>"AS IS"</b> .	1,000.00
HE-320-A	CREPACO CXC STAINLESS STEEL DUAL SPINDLE HEAT EXCHANGER FRAME ONLY. HYDRAULIC TAKE UP. S/N D-0334-CXC. <b>"AS IS"</b> .	1,500.00
HE-610-A	CREPACO CXC PAINTED FRAME TIE BAR TAKE-UP PLATE HEAT EXCHANGER. 49 PLATES. 44" FRAME. 2" NPT CONNECTIONS. S/N MS-2834. <b>"AS IS"</b> .	1,000.00
HE-628-B	APV MODEL G-1, 2" X 96" STAINLESS STEEL WELDED CONSTRUCTION DOUBLE TUBE HEAT EXCHANGER. S/N UNKNOWN.	1,250.00
HE-486-A	CHESTER JENSEN MODEL HMC STAINLESS STEEL PLATE HEAT EXCHANGERS OF VARIOUS CAPACITIES THAT CAN BE ENGINEERED TO MEET SPECIFIC DUTIES. 2-1/2" BEVEL SEAT PORTS. DUAL TAKE UP HIGH PRESSURE FRAME. S/N'S:	POR
HE-310-A	5782884. SIZE 125.	
HE-497-A	10712220. SIZE 115.	
HE-503-A	4621108. SIZE 63.	
	UNKNOWN. SIZE 55. 2-1/2" CLAMP CONNECTIONS.	
HE-487-A	CHESTER JENSEN MODEL HM STAINLESS STEEL PLATE HEAT EXCHANGERS OF VARIOUS CAPACITIES THAT CAN BE ENGINEERED TO MEET SPECIFIC DUTIES. 2-1/2" BEVEL SEAT CONNECTIONS. SINGLE TAKE UP. S/N'S:	POR
HE-374-A	3533849. SIZE 55.	
HE-475-A	9533934. SIZE 76.	
HE-550-A	2523672. SIZE 76.	
HE-551-A	12554246. SIZE 80.	
HE-572-A	2533858. SIZE 80.	
HE-639-A	8554209. SIZE 63.	
	9554218. SIZE 45.	

HE-404-A	CHESTER JENSEN MODEL HMFS STAINLESS STEEL BOLTED TAKE UP PLATE HEAT EXCHANGERS OF VARIOUS CAPACITIES THAT CAN BE ENGINEERED TO MEET SPECIFIC DUTIES. 2-1/2" CLAMP CONNECTIONS.	POR
HE-405-A	9893917. SIZE 55. 8833582. SIZE 55.	
HE-530-A	CHESTER JENSEN MODEL HT STAINLESS STEEL PLATE HEAT EXCHANGERS OF VARIOUS CAPACITIES THAT CAN BE ENGINEERED TO MEET SPECIFIC DUTIES. 2" BEVEL SEAT CONNECTIONS. SINGLE TAKE UP.	POR
HE-532-A	S/N 7544072. SIZE 48.	
HE-736-B	S/N 1533825. SIZE 48. UNDER CONTRACT S/N 11523791. SIZE 48.	
HE-000-A	33 CHESTER JENSEN MODEL HG TYPE 304 HEAT EXCHANGE PLATES DYE TESTED WITH USED GASKETS.	45.00/EA
HE-641-B	AGC MODEL AR-56-F PAINTED FRAME TIE BAR TAKE UP PLATE HEAT EXCHANGER. 4" CLAMP CONNECTIONS. WITH 54 TOTAL PLATES AND ONE CONNECTOR WITH 2-1/2" CLAMP CONNECTIONS. S/N 97103. <b>"AS IS"</b>	5,000.00
HE-783-B	AGC MODEL PROHX-SH THREE SECTION STAINLESS STEEL TIE BAR TAKE UP HEAT EXCHANGER. 2" CLAMP CONNECTIONS. S/N 01129.	10,500.00
HE-781-B	AGC PRO-5 CONNECTOR GRID 2-1/2" CLAMP WITH TWO BLANK, ONE 2" CLAMP, AND ONE DOUBLE 2-1/2" CLAMP CORNER BOSSES.	2,500.00
HE-670-B	<b>UNUSED</b> , MUELLER MODEL AT161SS-B-10 PAINTED FRAME TIE BAR HEAT EXCHANGER. 3" CLAMP CONNECTIONS. 4 TOTAL PLATES. S/N 169874.	3,950.00
HE-765-B	TETRA PAK MODEL C10-SH TIE BAR TAKE UP PLATE HEAT EXCHANGER CONFIGURED AS A THREE SECTION ICE CREAM MIX HTST. 73H/288R/91C. 4" CLAMP CONNECTIONS. DUTY 36,000 LBS/HR OF ICE CREAM MIX WITH A TEMPERATURE PROGRESSION OF 50-170 F. BY REGENERATION, 170-185 USING 100 GPM OF 190 F. WATER, 185-67 F. BY REGENERATION, AND COOLING 67-34 F. USING 225 GPM OF 28 F. GLYCOL. S/N 30105-65904.	37,500.00
HE-646-B	DE LAVAL MODEL P13-RCF HTST SYSTEM INCLUDING STAINLESS STEEL TIE BAR TAKE UP PLATE HEAT EXCHANGER WITH 2" CLAMP CONNECTIONS. ATMOSPHERIC HOT WATER SET WITH MODULATING STEAM VALVE. 2" WELDED HOLDER TUBE MOUNTED ON STAINLESS STEEL FLOOR STAND. TRI CLOVER 262-121-1.5, 1-1/2" CIP CLEANABLE FDV. 20 GALLON RETROFITTED PMO LEGAL BALANCE TANK WITH LIFT TOP COVER. TRI CLOVER BOOSTER PUMP. TRI CLOVER STUFFER PUMP. AIC EHT-700 STL, AIC JD PRESSURE DIFFERENTIAL SWITCH, AIC DART REFERENCE THERMOMETER ALL MOUNTED IN STAINLESS STEEL WALL MOUNT PANEL. UNIT WAS CONFIGURED FOR 6,500 LBS/HR OF FLUID WHOLE MILK AND 1,800 LBS/HR OF 12.5% BF 42% TS ICE CREAM MIX. PLATE HEAT EXCHANGER S/N 30100-18026. <b>"AS IS"</b>	21,000.00
HE-247-A	DE LAVAL P15RC STAINLESS STEEL PLATE HEAT EXCHANGER FRAME ONLY. 3" CLAMP CONNECTIONS. S/N UNKNOWN. <b>"AS IS"</b> .	2,500.00
HE-578-A	DE LAVAL P14RC STAINLESS STEEL PLATE HEAT EXCHANGER FRAME ONLY. 2-1/2" BEVEL SEAT CONNECTIONS. 48" FRAME. S/N 1734. <b>"AS IS"</b> .	2,500.00
HE-750-B	DE LAVAL MODEL P5RC STAINLESS STEEL DUAL SPINDLE TAKE UP HEAT EXCHANGER WITH TWO DIVIDERS. 14H/33R/14C. 1-1/2" CLAMP CONNECTIONS. S/N 3028. <b>"AS IS"</b> .	2,500.00
HE-694-B	DE LAVAL MODEL P20HB, PAINTED FRAME TIE BAR HEAT EXCHANGER. 25MM DIN CONNECTIONS. 22/44 PLATES. MFG 1973. S/N 4336. <b>"AS IS"</b> .	500.00
HE-764-B	<b>UNUSED</b> , ALFA LAVAL MODEL M15-BFG PAINTED TIE BAR TAKE UP HEAT EXCHANGER FRAME ONLY. 70.9" CARRYING BARS. 5" 150# FLANGE CONNECTIONS FIXED HEAD ONLY. S/N 30116-94682.	5,000.00
HE-711-B	<b>UNUSED</b> , ALFA LAVAL STAINLESS STEEL MOVEABLE HEAD (PRESSURE PLATE) FOR H10RC TIE BAR TAKE UP PLATE HEAT EXCHANGER. S/N UNKNOWN.	3,500.00
HE-796-B	GEA AHLBORN CREAM COOLING SYSTEM CONSISTING OF GEA MODEL VT-10 STAINLESS STEEL TIE BAR TAKE UP PLATE HEAT EXCHANGER, 30 GALLON BALANCE TANK WITH LUMENITE LEVEL SENSOR, FRISTAM MODEL FPX1741-205 STAINLESS STEEL CENTRIFUGAL PUMP S/N FPX1741030917, AND WAUKESHA MODEL 15 STAINLESS STEEL POSITIVE DISPLACEMENT PUMP WITH VENTED FRONT COVER ALL MOUNTED ON STAINLESS STEEL TUBULAR FRAME. S/N 131649. <b>"AS IS"; FOB TRUCK LOADED TRACY, CA</b>	23,500.00
HE-797-B	DARI-KOOL MODEL 3PSC74 STAINLESS STEEL TIE BAR TAKE UP SINGLE SECTION RAW MILK COOLER HEAT EXCHANGER. S/N C4931432. <b>"AS IS"; FOB TRUCK LOADED TRACY, CA</b>	4,500.00
HE-683-B	CHERRY BURRELL THERMAFLEX MODEL 655STH STAINLESS STEEL PLATE HEAT EXCHANGER. DUAL SPINDLE HYDRAULIC TAKE UP. 4" I-LINE FIXED HEAD AND FOLLOWER CONNECTIONS. 5/EA INTERMEDIATE TERMINALS WITH 3" I-LINE CONNECTIONS. 55/61/23/39/53/39 (270 TOTAL) PLATES. S/N 92001XC. <b>"AS IS"</b> .	9,000.00
HE-706-B	CHERRY BURRELL MODEL N35TKSB-1 STAINLESS STEEL PLATE HEAT EXCHANGER. COMBINATION DUAL SPINDLE AND TIE BAR TAKE UP. 3" CLAMP CONNECTIONS. 59 TOTAL PLATES IN ONE SECTION. S/N 1122.	9,500.00
HE-669-B	CHERRY BURRELL MODEL SLAHS-100 STAINLESS STEEL PLATE HEAT EXCHANGER WITH 54 PLATES AND TWO CONNECTORS. 2" I-LINE CONNECTIONS. S/N 63CR-4156. <b>"AS IS"</b> .	5,000.00
HE-547-A	CHERRY BURRELL MODEL SXLAHS-200, STAINLESS STEEL PLATE HEAT EXCHANGER. 3" I-LINE CONNECTIONS. 64 TOTAL PLATES AND ONE CONNECTOR. S/N 74-4880. <b>"AS IS"</b> .	5,500.00
HE-573-A	CHERRY BURRELL MODEL SLS-150 STAINLESS STEEL PLATE HEAT EXCHANGER FRAME ONLY. 3" I-LINE CONNECTIONS. TWO CONNECTOR TERMINALS WITH 2" I-LINE CONNECTIONS. S/N 57-2481. <b>"AS IS"</b> .	1,500.00
HE-574-A	CHERRY BURRELL MODEL SLS-150 STAINLESS STEEL PLATE HEAT EXCHANGER FRAME ONLY. 3" BEVEL SEAT CONNECTIONS. TWO CONNECTOR TERMINALS ONE WITH 3" BEVEL SEAT CONNECTIONS OTHER 2" BEVEL SEAT CONNECTIONS. S/N 54-1652. <b>"AS IS"</b> .	1,500.00
HE-757-B	<b>UNUSED</b> , CHERRY BURRELL 135048U MODEL 672 NICKEL CHROME VOTATOR II BARREL. MANUFACTURED 5/2014. S/N 3656.	15,500.00

HE-741-B	ADVANCED PROCESS SOLUTIONS (APS) 32X120 STAINLESS STEEL COILED TUBULAR HEAT EXCHANGER. 150 PSI ASME RATED. MFG 2000. S/N 00-06403-0000	19,500.00
HE-746-B	SPX PARATUBE CORRUGATED DOUBLE TUBE HEAT EXCHANGER MOUNTED ON STAINLESS STEEL FLOOR STAND. 5 TUBES X 20 FT LONG. S/N UNKNOWN.	24,500.00
HE-792-B	FELDMEIER 4 X 20 FT DOUBLE TUBE HEAT EXCHANGER MOUNTED ON STAINLESS STEEL STAND. S/N UNKNOWN.	5,000.00
HE-692-B	MUELLER MODEL 12-PNL-FFC STAINLESS STEEL SHORT GAS FLOW CHILLER INCLUDING AMMONIA SURGE DRUM AND CONTROLS. 12 PLATES APPROXIMATELY 48"H X 96"L. S/N F-24121.	25,500.00
HE-601-B	CHERRY BURRELL MODEL E, STAINLESS STEEL VACUMIZER FOR HTST SYSTEM. 36" D X 60" SS. CAPACITY OF 33,000 LBS/HR. MFG 1997. S/N E-268-97.	9,950.00
HE-594-B	CREPACO MODEL 510 STAINLESS STEEL VACUMIZER FOR HTST SYSTEM. CAPACITY OF 25,000 LBS/HR. S/N VL-125.	12,500.00
HE-702-B	CREPACO MODEL V-3 STAINLESS STEEL VACUMIZER FOR HTST SYSTEM. CAPACITY OF 15,000 LBS/HR. S/N 637.	7,950.00
HE-699-B	PERMA SAN MODEL CVC, 270 GALLON STAINLESS STEEL VACUMIZER FOR HTST SYSTEM. 4" PV CLAMP TANGENTIAL INLET. RECTANGULAR PUMP FLANGE OUTLET. SIDE ENTERING MANWAY. STAINLESS STEEL NON ADJUSTABLE PAD STYLE FEET. S/N 43326-3.	12,500.00
HE-700-B	PERMA SAN MODEL CVC, 130 GALLON STAINLESS STEEL VACUMIZER FOR HTST SYSTEM. 6" ANSI FLANGE TANGENTIAL INLET. 2" PV CLAMP OUTLET. SIDE MOUNTED 8" ANSI FLANGE ACCESS PORT. SIDE MOUNTING TABS. S/N 43325-1.	10,500.00
HE-667-B	A&B 150 GALLON STAINLESS STEEL VACUUMIZER FOR HTST SYSTEM. CAPACITY OF 22,750 LBS/HR. BOLT ON TOP COVER. 2" CLAMP OUTLET 1" CLAMP INLET, 3/4" CLAMP INLET, AND 1-1/2" CLAMP INLET IN TOP HEAD. 1" CLAMP INLET AND 2" CLAMP INLET IN SIDEWALL. 150 PSI ASME PRESSURE RATING. 22"D X 84"SS. S/N 10625306-009.	12,500.00
HE-685-B	APV 75 GALLON STAINLESS STEEL VACUUMIZER FOR HTST SYSTEM. CAPACITY OF 15,000 LBS/HR. SIDE ENTERING MANWAY. 3" CLAMP OUTLET. 3" CLAMP INLET. SPRAYBALL. VESSEL S/N 27885. 24" D X 36" SS. MOUNTED ON STAINLESS STEEL BASE WITH TUBULAR CONDENSER AND NASH MODEL MHC25, 2 HP 3500 RPM VACUUM PUMP. PUMP S/N 90U155.	18,500.00
HE-652-B	APV SKID MOUNTED HOT WATER MAKE UP SYSTEM CONSISTING OF BELL AND GOSSET MODEL SU146-2 SHELL AND TUBE HEAT EXCHANGER S/N 88P80768-01, WORTHINGTON MODEL , 15 HP 3500 RPM CIRCULATION PUMP, FISCHER 1-1/2" STEAM VALVE AND SARCO STEAM TRAP. APPROXIMATE CAPACITY OF 300 GPM.	9,950.00
HE-760-B	BELL AND GOSSETT HOT WATER MAKE UP SET WITH MODEL SU-103-2 SHELL AND TUBE HEAT EXCHANGER S/N 134793-01, I-R MODEL 2.5X2.5X4 5 HP 3450 RPM MILD STEEL CENTRIFUGAL PUMP, FISHER 1-1/2" MODULATING STEAM VALVE, AND TLV 1-1/2" STEAM TRAP MOUNTED ON PAINTED MILD STEEL BASE. APPROXIMATE CAPACITY OF 150 GPM.	8,950.00
HE-771-B	ARMSTRONG HOT WATER MAKE UP SET WITH MODEL WS104-2, 10" DIAMETER X 48" LONG TWO PASS SHELL AND TUBE HEAT EXCHANGER, PEERLESS TYPE 825A, DESIGN DB, 2.5X3X8, 10 HP 3450 RPM RECIRCULATION PUMP, 6" IMPELLER DIAMETER, IMPELLER NUMBER 2683738, PUMP SERIAL NUMBER 8531251, 1-1/2" STEAM VALVE, AND SARCO 1-1/2" STEAM TRAP ALL MOUNTED ON PAINTED MILD STEEL FRAME.	8,950.00
HE-774-B	HOT WATER MAKE UP SET WITH BELL & GOSSETT MODEL SU-83-2 HEAT EXCHANGER S/N 594926, BELL & GOSSETT MODEL 3AC 3 HP 1800 RPM PUMP 6.750" IMPELLER, 1/2" MODULATING STEAM VALVE AND STEAM TRAP ALL MOUNTED ON MILD STEEL FRAME. APPROXIMATE CAPACITY OF 75 GPM.	8,950.00
HE-775-B	HOT WATER MAKE UP SET WITH BELL & GOSSETT MODEL SU-83-2 HEAT EXCHANGER S/N 594925, 1.5 HP 3480 RPM PUMP, 1/2" MODULATING STEAM VALVE AND STEAM TRAP ALL MOUNTED ON MILD STEEL FRAME. APPROXIMATE CAPACITY OF 75 GPM.	8,950.00
HE-773-B	BELL & GOSSET MODEL SU-107-4 MILD STEEL SHELL AND TUBE HEAT EXCHANGER. 2" FPT CONNECTIONS. S/N 735741-01-1.	3,000.00
HE-693-B	BELL AND GOSSET MODEL SU-104-2, SHELL AND TUBE HEAT EXCHANGER FOR HOT WATER MAKE UP SET. S/N 125682.	2,500.00
HE-787-B	ENERQUIP MODEL BEUB 8" x 108" STAINLESS STEEL SHELL AND TUBE HEAT EXCHANGER. 3" X 3" IPS FLANGE CONNECTIONS. MFG 2005. S/N 8252.	9,500.00
HE-788-B	ENERQUIP MODEL BEUB 8" x 108" STAINLESS STEEL SHELL AND TUBE HEAT EXCHANGER. 3" X 3" IPS FLANGE CONNECTIONS. MFG 2003. S/N 6835.	9,500.00
HE-789-B	ENERQUIP MODEL BEUB 8" x 108" STAINLESS STEEL SHELL AND TUBE HEAT EXCHANGER. 3" X 3" IPS FLANGE CONNECTIONS. MFG 2003. S/N 6536.	9,500.00
HE-794-B	ENERQUIP MODEL 8" X 54" MODEL 6 X 54 STAINLESS STEEL SHELL AND TUBE HEAT EXCHANGER. 2-1/2" CLAMP CONNECTIONS. S/N 1670.	7,000.00
HE-738-B	ENERQUIP MODEL 6 X 54 STAINLESS STEEL SHELL AND TUBE HEAT EXCHANGER. 2" CLAMP CONNECTIONS. MOUNTED ON STAINLESS STEEL FLOOR STAND. S/N 2626. <b>RECIRCULATION PUMP, PIPING, &amp; STEAM VALVE AVAILABLE AND PRICED ON APPLICATION.</b>	10,500.00
HE-761-B	ENERQUIP 6 X 72 STAINLESS STEEL SHELL AND TUBE HEAT EXCHANGER. 2" CLAMP CONNECTIONS. MFG 2008. SN 10421.	7,000.00
HE-744-B	ENERQUIP 6 X 54 STAINLESS STEEL 4 PASS SHELL AND TUBE HEAT EXCHANGER. 1-1/2" CLAMP CONNECTIONS. MFG 2001. S/N 5204.	6,500.00
HE-758-B	<b>UNUSED</b> , ENERQUIP REPLACEMENT STAINLESS STEEL TUBE BUNDLE FOR MODEL 6 X 54 SHELL & TUBE HEAT EXCHANGER. S/N 15535.	1,950.00
HE-759-B	<b>UNUSED</b> , ENERQUIP REPLACEMENT STAINLESS STEEL TUBE BUNDLE FOR MODEL 8 X 36 SHELL & TUBE HEAT EXCHANGER. S/N 13394	1,550.00
HE-798-B	KOSS MODEL STHE-6X96-.75SI-316 STAINLESS STEEL TUBULAR HEAT EXCHANGER. RATED 150 PSI. MFG AUGUST 2014. S/N 897. <b>"AS IS", FOB TRUCK LOADED TRACY, CA</b>	5,000.00

HE-745-B	KOSS 4" OD X 28" OAL STAINLESS STEEL SINGLE PASS MINIATURE SHELL AND TUBE HEAT EXCHANGER. 1-1/2" CLAMP CONNECTIONS. MFG 1997. S/N 415.	2,500.00
HE-629-B	CHROMALOX 150KW ELECTRIC HOT WATER HEATER. 480/3/60. WITH ELECTRICAL PANEL INCLUDING FUSES AND CONTACTORS. S/N 054-146767-128.	15,000.00
HE-705-B	<b>UNUSED</b> , PICK MODEL SC-7-1 SANITARY STEAM INJECTION HEATER. 1-1/2" CLAMP PRODUCT CONNECTIONS. 1" CLAMP STEAM CONNECTION. S/N UNKNOWN.	750.00
HE-600-B	<b>UNUSED</b> , FISCHER 1-1/4" AIR OPERATED STEAM VALVE. BODY TYPE GS, ACTUATOR TYPE 66A. AIR OPENS. S/N 10219749	1,750.00
HE-732-B	SCHERPING 120 GALLON PMO LEGAL BALANCE TANK. 4/EA 3" CLAMP TOP MOUNTED INLETS, 2/EA 2" CLAMP TOP MOUNTED INLETS. 1/EA 4" CLAMP SIDE MOUNTED INLET, 1/EA 2-1/2" CLAMP SIDE MOUNTED INLET, 1/EA 2" CLAMP SIDE MOUNTED LEVEL SHELL. 3" SUMP STYLE OUTLET. 50"OD X 16"AD X 26"DRH. S/N UNKNOWN	5,150.00
HE-731-B	SHERPING 100 GALLON RECTANGULAR PMO LEGAL BALANCE TANK. RAISED CENTER BRIDGE WITH LIFT TOP COVERS. 3" CLAMP SUMP STYLE OUTLET. 2-1/2" SIDEWALL CLAMP INLET. 4/EA BRIDGE MOUNTED 2-1/2" CLAMP CONNECTIONS, 3/EA BRIDGE MOUNTED 1-1/2" CLAMP CONNECTIONS. 1/EA BRIDGE MOUNTED 2" CLAMP CONNECTION. 45"W X 35"L X 17"AD X 29" DRH. S/N UNKNOWN.	4,950.00
HE-668-B	SCHERPING 100 GALLON PMO LEGAL BALANCE TANK. 2" SIDEWALL OUTLET. 2/EA 2" SIDEWALL INLETS. 4" CLAMP SIDEWALL LEVEL FERRULE. 3/EA 2" CLAMP TOP INLETS. 1/EA 3" TOP INLET. 50"D X 12" AD. S/N UNKNOWN.	4,950.00
HE-707-B	STAINLESS STEEL 90 GALLON RECTANGULAR PMO LEGAL BALANCE TANK. CENTER BRIDGE WITH LIFT TOP COVERS 3" SUMP STYLE OUTLET. 3/EA 2" TOP CLAMP INLETS. 2/EA 2-1/2" TOP CLAMP INLETS. 1/EA 2-1/2" SIDE CLAMP INLET. 1/EA 2" CLAMP SIDE INLET. 1/EA 4" CLAMP SIDE INLET. 33" W X 40" D X 16" AD X 30" DRH. S/N UNKNOWN.	4,950.00
HE-696-B	SCHERPING 80 GALLON PMO LEGAL BALANCE TANK. 3" PARTIAL SUMP STYLE OUTLET. 3" CLAMP SIDEWALL INLET. SIDE MOUNT ALFA LAVAL LEVEL SHELL ONLY. 2/EA 3" CLAMP TOP INLETS. 2/EA 2-1/2" TOP INLET. 2" CLAMP TOP INLET. 40"D X 16" AD X 27" DRH. S/N UNKNOWN.	4,950.00
HE-456-A	CREPACO 250 GALLON NON-PMO RECTANGULAR BALANCE TANK.	2,000.00
HE-464-A	CREPACO 20 GALLON NON-PMO BALANCE TANK WITH MECHANICAL FLOAT ASSEMBLY.	2,650.00

## BUTTER & CHEESE MACHINERY

Reconditioning of butter and cheese machinery includes stripping and painting of painted surfaces, complete teardown and repair of drive systems, elastomer/seal replacement, motor repair as necessary, and cosmetic polishing as necessary of stainless steel surfaces. Shrink wrapping and loading on a flatbed carrier is included in the purchase price.

	STOELTING MODEL SVC2847231WR, 3,000 GALLON CAPACITY COTTAGE CHEESE VAT WITH STAINLESS STEEL EXTERIOR BOTTOM, TANK MOUNTED STAINLESS STEEL VERTI-STIR AGITATION WITH PADDLES, AND HOT WATER RECIRCULATION PUMP AND PIPING. INTERIOR DIMENSIONS 28'0" LONG X 72" WIDE X 33" AVERAGE DEPTH.	59,500.00
D-252-B	TANK S/N 35716-59-3200-86-1, AGITATION S/N 8603209	
D-253-B	TANK S/N 35716-59-3200-86-2, AGITATION S/N 8603210	
D-254-B	QUALTECH MODEL 32-5925VA2 1,500 GALLON STAINLESS ROUND END CHEESE VAT. STAINLESS STEEL TANK MOUNTED OVERHEAD AGITATION WITH PADDLES. STAINLESS STEEL EXTERIOR BOTTOM. VAPOR STEAM JACKET. MFG 2008. S/N 04706-02	49,500.00
D-242-B	KUSEL MODEL 4MX, 560 LB, 65 GALLON CAPACITY STAINLESS STEEL CHEESE VAT MOUNTED ON CASTERS. STAINLESS STEEL OVERHEAD AGITATION WITH AGITATOR PADDLES, FORKERS, AND CURD KNIVES. VAT STRAINER. 2" CLAMP OUTLET WITH TEE TYPE COMPRESSION VALVE. INTERIOR DIMENSIONS 47"L X 30" W X 14-3/16" AD. S/N 888188.	29,500.00
D-225-B	MANUFACTURER UNKNOWN 50 GALLON CAPACITY STAINLESS STEEL COTTAGE CHEESE VAT. LESS OVERHEAD MECHANICAL AGITATION. HOT WATER CIRCULATION PUMP AND PIPING WITH STAINLESS STEEL COVER. 2" CLAMP OUTLET. S/N UNKNOWN. INSIDE DIMENSIONS OF 22" W X 46" L X 14" AD.	8,500.00
D-243-B	SERMIA MODEL MSL STAINLESS STEEL ROTARY FILTER TYPE CHEESE WHEY FINES SAVER. MAXIMUM CAPACITY OF 10,000 LBS/HR WITH 5 MICRON SCREEN UP TO 80,000 LBS/HR WITH 40 MICRON SCREEN. S/N A3-441.	29,500.00
D-223-B	KUSEL MODEL AFVS STAINLESS STEEL 8 ROW AIR OPERATED A-FRAME CHEESE PRESS ON CASTERS. S/N 0403AFVS3269.	16,500.00
D-251-B	DAMROW CHAMPION MODEL S-15, 15" STAINLESS STEEL CURD MILL MOUNTED ON PAINTED MILD STEEL TUBULAR BASE WITH CASTERS. S/N UNKNOWN.	17,500.00
D-229-B	MANUFACTURER UNKNOWN 52" WIDE X 144" LONG CHEESE DRAINING TABLE. PAINTED MILD STEEL LEGS WITH CASTERS. S/N UNKNOWN. <b>STAINLESS STEEL LEGS ARE AVAILABLE AT AN ADDITIONAL CHARGE.</b>	3,250.00
D-209-A	KUSEL STAINLESS STEEL 8 CAN CULTURE CABINET.	2,950.00
D-163-A	DAMROW STAINLESS STEEL 2-1/2 LB ROUND GEM CHEESE HOOPS. (45 TOTAL).	75.00/EA
D-227-B	STAINLESS STEEL ROUND CAMEMBERT STYLE CHEESE MOLDS WITH HOOP FILLER FUNNEL. APPROXIMATELY 4-1/2" DIAMETER. (70 TOTAL)	35.00/EA
D-228-B	STAINLESS STEEL RECTANGULAR PERFORATED RICOTTA FORMAGGIO CHEESE DRAINING BASKET MOLDS. 20" LONG X 7" WIDE X 7-1/2" HIGH. (15 TOTAL)	50.00/EA

D-231-B	STAINLESS STEEL RECTANGULAR PERFORATED RICOTTA FORMAGGIO CHEESE DRAINING BASKET MOLDS. 11" LONG X 4" WIDE X 6-1/2" HIGH (50 TOTAL)	45.00/EA
D-232-B	STAINLESS STEEL RECTANGULAR PERFORATED RICOTTA FORMAGGIO CHEESE DRAINING BASKET MOLDS. 10" LONG X 4" WIDE X 7" HIGH. (47 TOTAL)	45.00/EA
D-233-B	STAINLESS STEEL RECTANGULAR PERFORATED RICOTTA FORMAGGIO CHEESE DRAINING BASKET MOLDS. 10" LONG X 5" WIDE X 6" HIGH. (149 TOTAL)	45.00/EA
D-000-C	LOT OF ASSORTED CHEESE CURD KNIVES, STRAINERS, RAKES, AND OTHER ACCESSORIES	POR
D-239-B	IVARSON BULK PACKER FOR BUTTER, MARGARINE OR OTHER HIGHLY VISCOUS PRODUCTS. EMPTY CARTON POSITIONED ON PLATFORM AND BOX CLAMPING DEVICE CLOSURES AROUND CARTON. PLATFORM RAISES CARTON INTO POSITION FOR FILLING AND AS CARTON IS FILLED, PLATFORM LOWERS TO CONVEYOR LEVEL WHEN PROPER CARTON WEIGHT IS REACHED. FILLING CYCLE 25 SECONDS, PERMITS PROCESSING TWO TO THREE 68 LB. BOXES PER MINUTE. ALLEN BRADLEY MICROLOGIX PLC CONTROLLED. S/N UNKNOWN	22,500.00

## ICE CREAM MACHINERY

Reconditioning of ice cream machinery includes stripping and painting of painted surfaces, complete teardown of drive systems, elastomer/seal replacement, motor repair as necessary, pressure testing of heat transfer surfaces, rechroming of freezer barrels as required, repair and sharpening of dashers and blades as required, and cosmetic polishing as necessary of stainless steel surfaces. Shrink wrapping and loading on a flatbed carrier is included in the purchase price.

C-257-B	GRAM MODEL FCF-8-22 AMMONIA REFRIGERATED ICE CREAM FREEZER. CAPACITY OF 150-800 LITERS PER HOUR. S/N 840401340.	35,500.00
C-218-B	SAWVEL MODEL 702 BULK ICE CREAM FILLER AND LIDDER. S/N 702R-83-08.	13,500.00
C-261-B	CHERRY BURRELL MODEL FFH-4 PAINTED FRAME INGREDIENT FEEDER WITH A CAPACITY OF 80 TO 300 GPH OF COMBINED THROUGHPUT. "AS IS"	5,000.00
C-256-B	WCB ICE CREAM MODEL V-3 VIBRATORY FEEDER. S/N UNKNOWN.	4,500.00
C-254-B	KAESTNER STAINLESS STEEL ROTARY FRUIT STRAINER. S/N 5669F.	9,500.00

## REFRIGERATION

Reconditioning of refrigeration machinery includes stripping and painting of painted surfaces, complete teardown of drive systems, elastomer/seal replacement, motor repair as necessary, pressure testing of heat transfer surfaces, and cosmetic polishing as necessary of stainless steel surfaces. Loading on a flatbed carrier is included in the purchase price.

I-389-B	APV AMERIO MODEL 35 STAINLESS STEEL EXTERIOR AMMONIA REFRIGERATED PLATE CHILLER. 18/EA 92" X 144" PLATES WITH 2" SPACING. INCLUDING HYDRAULIC POWER UNIT. S/N A-3931. EXTERIOR DIMENSIONS OF 154"L X 132"W X 147"H. "AS IS"	35,000.00
I-407-B	VILTER MODEL VMC450XL, 40 HP TWO CYLINDER FREON (R-22) COMPRESSOR WITH RECEIVER. LESS CONDENSER. S/N 47663. "AS IS".	12,500.00
I-404-B	MYCOM MODEL N4A, FOUR CYLINDER AMMONIA COMPRESSOR. 40 HP MOTOR. S/N 1178. "AS IS".	3,500.00
I-399-B	PHILLIPS MODEL P-5441-1 30" DIAMETER X 96" HIGH VERTICAL AMMONIA ACCUMULATOR. S/N 8217. MFG 1998. "AS IS"	600.00
I-382-B	<b>UNUSED</b> , ROOTS MODEL 865-102-020, DESIGNATOR 22U-RAI, 2 HP AIR AGITATION PUMP FOR ICE BUILDER. S/N 91N9648.	1,250.00
I-401-B	CONDE 2 HP AIR AGITATION PUMP WITH FILTER, BASE PLATE, AND V-BELT DRIVE FOR ICE BUILDER. S/N UNKNOWN.	900.00
I-208-A	KRAMER MODEL DD191 AIR COOLED FREON CONDENSER. S/N E07075.	1,000.00
I-362-B	<b>UNUSED</b> , APV CREPACO 641-P-356159 ECCENTRIC SHAFT FOR AMMONIA COMPRESSOR.	750.00

## WASHING & SANITATION MACHINERY

Reconditioning of washing equipment includes stripping and painting of painted surfaces, complete teardown of drive systems, elastomer/seal replacement, motor repair as necessary, pressure testing of heat transfer surfaces, and cosmetic polishing as necessary of stainless steel surfaces. Shrink wrapping and loading on a flatbed carrier is included in the purchase price.

W-316-B	CANNON EQUIPMENT "ULTRA CLEAN" STAINLESS STEEL ULTRASONIC CASE WASHER. MFG 1997. S/N 89-3900-009. CAPACITY OF 35 CASES PER MINUTE. "AS IS".	85,000.00
W-262-A	APV STAINLESS STEEL FLOOR STANDING PANEL WITH PANELMATE III TOUCH SCREEN, S/N 5036-14. "AS IS"	2,500.00
W-450-B	UNITED STAINLESS 3 X 200 GALLON SKID MOUNTED 3 TANK CIP SYSTEM INCLUDING: 3 X 200 GALLON SINGLE SHELL MAKE UP TANKS WITH SIDE OVERFLOWS. INTERIOR STAINLESS STEEL STEAM COIL IN WASH TANK. G&H SRC 2" AIR OPERATED VALVES. APV I6V RECIRCULATION PUMP. FREE STANDING WALL MOUNT STAINLESS STEEL CONTROL PANEL WITH A/B 503 PLC AND PANELVIEW 1000 PLUS OPERATOR INTERFACE. S/N UNKNOWN.	59,500.00
W-425-B	MANUFACTURER UNKNOWN 400 GALLON ELECTRICALLY HEATED STAINLESS STEEL CIP TANK. 2-1/2" SMS THREADED OUTLET. S/N UNKNOWN.	14,500.00
W-441-B	HARTEL 500 GALLON CLOSED TOP FLAT PITCHED BOTTOM STAINLESS STEEL SINGLE SHELL CIP TANK. 2B INTERIOR AND EXTERIOR FINISH. TOP MANWAY. 2-1/2" CLAMP OUTLET. STAINLESS STEEL LEGS WITH NON ADJUSTABLE PAD STYLE FEET. 46"D X 76"SS. S/N UNKNOWN.	4,500.00
W-309-A	SANI MATIC 300 GALLON SINGLE SHELL CIP TANK. CENTER BRIDGE WITH LIFT TOP COVERS. 2-1/2" CLAMP OUTLET.	2,950.00
W-339-B	SANI MATIC 200 GALLON DOME TOP SINGLE SHELL CIP TANK. SKIMMER OVERFLOW. 3" CLAMP OUTLET.	2,950.00
W-497-B	KLENZADE 100 GALLON RECTANGULAR CIP TANK WITH SKIMMER OVERFLOW MOUNTED ON STAINLESS STEEL TUBULAR FRAME. TANK DIMENSIONS 24" LONG X 48" WIDE X 27" HIGH WITH 6" FREEBOARD. S/N UNKNOWN	2,750.00
W-362-B	SANI MATIC MODEL RWJ-50/100 MINI COP/CIP TANK WITH AMPCO 5 HP RECIRCULATION PUMP AND OPTIONAL MODEL 290 CHP HIGH PRESSURE CLEANING PUMP. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	25,500.00
W-484-B	SANI MATIC MODEL RWJ-50/150 TWO COMPARTMENT COMBINATION CIP/COP JET PARTS RECIRCULATION WASHER WITH TRI CLOVER C216 10 HP RECIRCULATION PUMP AND IN TANK STEAM DIFFUSER. S/N UNKNOWN.	18,500.00
W-496-B	SANI MATIC MODEL RWJ-250 JET PARTS RECIRCULATION WASHER WITH AMPCO MODEL ZC2 5 HP 3500 RPM RECIRCULATION PUMP, AND STEAM EDUCTOR. INTERIOR DIMENSIONS OF 24" WIDE X 120" LONG X 21" DEEP. S/N UNKNOWN.	16,500.00
W-499-B	SANI MATIC MODEL RWJ-150, JET PARTS RECIRCULATION WASHER WITH FRISTAM RECIRCULATION PUMP. INTERIOR DIMENSIONS OF 24" WIDE X 74-1/2" LONG X 21" DEEP.	14,500.00
W-480-B	SANI MATIC 119-1S STAINLESS STEEL PIPE WASH TANK WITH REAR DRAIN BOARD AND STAINLESS STEEL PIPE RACK. S/N UNKNOWN.	3,500.00
W-342-B	GIRTON MODEL PM-10, JET PARTS RECIRCULATION WASHER WITH TRI CLOVER C216 5 HP RECIRCULATION PUMP.	9,250.00
W-412-B	GIRTON THRIFT KING 10 FT STAINLESS STEEL PUSH PULL RECIRCULATION WASHER WITH PAINTED LEGS AND CHERRY BURRELL VBH RECIRCULATION PUMP. S/N UNKNOWN.	7,500.00
W-415-B	GIRTON THRIFT KING 6 FT STAINLESS COP TANK ONLY WITH PAINTED LEGS. S/N UNKNOWN	2,500.00
W-498-B	MANUFACTURER UNKNOWN 6 FOOT COP TANK WITH STAINLESS STEEL LEGS, TRI CLOVER C216 RECIRCULATION PUMP, AND LOCALLY FABRICATED INTERNAL JET DISTRIBUTION MANIFOLD.	9,500.00
	SEPARATORS INC STAINLESS STEEL 90 GALLON RECTANGULAR OPEN TOP SEPARATOR DISC STACK WASHER. INCLUDES CENTER BOTTOM DISTRIBUTION MANIFOLD, STEM DIFFUSER, AND HINGED SEPARATOR DISC RACK. INTERIOR TANK DIMENSIONS OF 53"L X 19" W X 21"H.	5,500.00
W-464-B	S/N UNKNOWN.	
W-479-B	S/N UNKNOWN.	
W-409-B	CHROMALOX MODEL NWRSSMT-31805E2XX, 18 KW, 480/3/60 ELECTRIC SOLUTION HEATER FOR CIP/COP APPLICATIONS. S/N 054-074336-583.	2,500.00
W-462-B	SANI MATIC URWB-7 LARGE STAINLESS STEEL PARTS BASKET FOR COP TANK. 22" LONG X 22" WIDE X 18" DEEP, 28" OAH HEIGHT WITH HANDLES	200.00
W-435-B	CHERRY BURRELL MODEL PRW-120, 120 GALLON PORTABLE FILLER CIP TANK WITH CHERRY BURRELL MODEL VAHJ-F, 3 HP 3510 RPM RECIRCULATION PUMP MOUNTED ON STAINLESS STEEL TUBULAR BASE ON CASTERS. S/N UNKNOWN.	5,750.00
W-422-B	CHERRY BURRELL MODEL PRW-100, 100 GALLON PORTABLE FILLER CIP TANK WITH TRI CLOVER MODEL C216MD18T-S, 5 HP 3485 RPM RECIRCULATION PUMP MOUNTED ON STAINLESS STEEL TUBULAR BASE ON CASTERS. S/N UNKNOWN.	5,500.00
W-493-B	KLENZADE MODEL SB8C-1 TANK TRUCK WASHER S/N	1,950.00
W-471-B	<b>UNUSED</b> , ALFA LAVAL TE11B100, 1-1/2" TOFTEJORG SANI MAGNUM 360 ROTATING SPRAY DEVICE, 360 DEGREE COVERAGE, 1-1/2" CLIP CONNECTION WITH PIN, 72 GPM @ 30 PSI, 316L. S/N UNKNOWN.	800.00
	<b>UNUSED</b> , ALFA LAVAL TE10B102-1, 1" TOFTEJORG SANI MAGNUM MIDGET 360 ROTATING SPRAY DEVICE, 360 DEGREE COVERAGE,	300.00

W-472-B	1" CLIP CONNECTION WITH PIN, 26 GPM @ 30 PSI, 316L . S/N UNKNOWN.	
W-473-B	S/N UNKNOWN.	
W-474-B	S/N UNKNOWN.	
W-485-B	UNUSED, POWERS MODEL STO75H-CO8DN05 3/4", 110-170 DEGREE F. SELF ACTING TEMPERATURE REGULATOR.	1,500.00
W-486-B	UNUSED, POWERS MODEL STO75H-CO8DN05 3/4", 110-170 DEGREE F. SELF ACTING TEMPERATURE REGULATOR.	1,500.00
W-487-B	UNUSED, POWERS MODEL STO50H-CO8DN05 1/2", 110-170 DEGREE F. SELF ACTING TEMPERATURE REGULATOR.	1,500.00
W-488-B	UNUSED, SPENCE MODEL 10110TC-GTK, 1/2" 120-230 DEGREE F. SELF ACTING TEMPERATURE REGULATOR. S/N 80317090.	1,500.00
W-416-B	CHERRY BURRELL PAINTED MILD STEEL MILK CAN RINSER WITH FOOT PEDALS	250.00
W-000-C	ASSORTED STAINLESS STEEL PARTS BASKETS, SEPARATOR DISC RACKS, AND ACCESSORIES	POR

## LABORATORY SUPPLIES

L-215-B	ADVANCED INSTRUMENTS MODEL 4D3 CRYOSCOPE.	4,250.00
L-216-B	BROOKFIELD MODEL HAT DIAL READING VISCOMETER WITH OPTIONAL HELIPATH STAND FOR MEASUREMENT OF NON-FLOWING SUBSTANCES SUCH AS GELS, PASTES, CREAMS AND PUTTY INCLUDING HA/HB AND HELIPATH T-BAR SPINDLE SETS. S/N B1349.	2,000.00
L-213-B	THELCO MODEL 32M SINGLE DOOR REACH IN FLOOR STANDING INCUBATOR. 30 CU FT CAPACITY. +5 TO 70 DEGREES C. CHAMBER DIMENSIONS 24-1/2"L X 30"W X 72"H. SOLID DOOR. S/N 1544.	1,250.00
L-184-A	NATIONAL CONTROLS INC MODEL 3250, STAINLESS STEEL 10LB X .005 LB CAPACITY ELECTRONIC OVER UNDER SCALE. S/N 50810-778.	500.00
L-185-A	NATIONAL CONTROLS INC MODEL 3250, STAINLESS STEEL 10LB X .01 LB CAPACITY ELECTRONIC OVER UNDER SCALE. S/N 50610-539.	500.00
L-193-A	FISHER SCIENTIFIC MODEL MARATHON 21K, TYPE Z-380, LABORATORY CENTRIFUGE. MFG 1991. S/N 15910244.	1,450.00
L-202-A	BOEKEL MODEL 148001 MINIATURE LABORATORY WATERBATH. S/N 0216353.	200.00
L-167-A	ANGENICS MODEL 500R ROTATOR. S/N 0000099AU.	100.00

## MISCELLANEOUS ITEMS

M-274-B	MONDOMIX MODEL QUATTRO-VB25 STAINLESS STEEL FOUR BARREL MIXER AERATOR MIXER WITH ALLEN BRADLEY PANELVIEW PLUS 1500 HMI. PROJECT NUMBER P14884. S/N C120541C.	97,500.00
M-275-B	<b>UNUSED</b> , HANSA MODEL FOOD-MIX SINGLE BARREL MIXER AERATOR MIXER WITH ALLEN BRADLEY PANELVIEW 1000 HMI. S/N 10959.	75,500.00
M-276-B	YOGURT CULTURE INJECTION SYSTEM CONSISTING OF DCI 25 GALLON DOME TOP DISHED BOTTOM SINGLE SHELL ASEPTIC TANK. 3" CLAMP OUTLET. SINGLE PIECE SINGLE O-RING BOLT ON COVER. INTERIOR BASKET STRAINER. VESSEL RATED 14.9 PSI AND -15 PSI AT 300 DEGREES F. S/N JS5952, SUDMO MIXPROOF AND SINGLE SEAT VALVE MATRIX, APV MODEL W+33/55 20 HP 3500 RPM STAINLESS STEEL CENTRIFUGAL PUMP. 3" X 2-1/2" CLAMP CONNECTIONS. STAINLESS STEEL WASHDOWN MOTOR. S/N 1000002802474, ENDRESS + HAUSER MODEL PROMAG H 3" MAG METER INCLUDING INTEGRAL CONVERTER WITH DIGITAL READOUT. S/N FC087C19000.AND PLEXIGLAS ENCLOSURE WITH ENVIRCO MODEL 11240-013 HEPA FILTRATION SYSTEM S/N 130405936-2A-AR1FH. <b>"AS IS"</b>	
M-281-B	ZEPELIN MODEL JS-800 STAINLESS STEEL CONE BOTTOM DUST COLLECTOR. S/N 25099655-10000117715	12,500.00
M-277-B	AERZEN MODEL GM-35S 50 HP ROTARY AIR BLOWER WITH FILTER AND CONTROL VALVE. LESS ENCLOSURE. S/N 1046780.	14,500.00
M-278-B	AERZEN MODEL GM-35S 50 HP ROTARY AIR BLOWER WITH FILTER AND CONTROL VALVE. LESS ENCLOSURE. S/N 1046777.	14,500.00
M-279-B	AERZEN MODEL GM-35S 60 HP ROTARY AIR BLOWER WITH FILTER AND CONTROL VALVE. LESS ENCLOSURE. S/N 1051103.	15,500.00
M-280-B	ZEPELIN MODEL 08103-004 STAINLESS STEEL 14 FOOT OVERALL LENGTH STAINLESS STEEL INCLINE AUGER CONVEYOR WITH NORD 15 HP, 61 OUTPUT RPM INVERTER READY DRIVE. S/N X2657.	5,000.00
M-079-B	HEMCO MODEL XEP24 GALVANIZED STEEL TANKER TRUCK WORK PLATFORM. S/N 010615.	7,500.00
M-758-B	TAYLOR BEALL MODEL 4500, 10 HP AIR COMPRESSOR MOUNTED ON 200 GALLON HORIZONTAL TANK. MFG 2000. S/N 45Y-2-FOO. <b>"AS IS"</b> .	1,200.00
M-072-B	<b>UNUSED</b> , SHIPCO MODEL HT, HIGH TEMPERATURE CONDENSATE RETURN SYSTEM RATED 5 GPM @ 33 PSI. 3/4 HP 460/3/60 PUMP.	1,750.00
M-073-B	S/N 32950. S/N 32951.	

M-158-B	TRI CLOVER MODEL F3218MD-MBV-S TRI BLENDER WITH MANUAL BUTTERFLY VALVE, LESS FUNNEL, MOUNTED ON STAINLESS STEEL BASE WITH CASTERS. S/N 448359-01.	14,500.00
M-229-B	TRI CLOVER MODEL F2116-EZ-SYS TRI BLENDER MOUNTED ON STAINLESS STEEL PORTABLE CART WITH TWO MOTOR STARTERS AND MODEL C114 1/2 HP, 1750 RPM SUPPLY PUMP. S/N Y3044..	13,500.00
M-240-B	WCB MODEL F2116MD-EZ-SYS, TRI BLENDER SYSTEM MOUNTED ON STAINLESS STEEL PORTABLE CART WITH MODEL C114 3/4 HP 1750 RPM FEED PUMP. S/N UNKNOWN.	13,500.00
M-273-B	TRI CLOVER MODEL F2116-B10 TRI BLENDER WITH 2-1/2 HP MOTOR. S/N R8890.	8,500.00
M-162-B	SANI Matic PORTABLE STAINLESS STEEL "POOR MAN'S" DRY INGREDIENTS BLENDER/MIXER CONSISTING OF FUNNEL, MANUAL BUTTERFLY VALVE, APV 6V RECIRCULATION PUMP, & STAINLESS STEEL TABLE TOP ALL MOUNTED ON STAINLESS STEEL BASE ON CASTERS.	4,950.00
M-068-B	GENERAL PROCESSING SYSTEMS INC. MODEL PS-S9 STAINLESS STEEL PRODUCT SAVER LIQUID RECLAIMER. OPENS AND SEPARATES VARIOUS 1 GALLON THRU 4 OZ PRODUCT CONTAINERS AND RECLAIMS LIQUIDS. S/N 2070.	10,500.00
M-145-B	MANUFACTURER UNKNOWN STAINLESS STEEL ICE CREAM CARTON CRUSHER AND PRODUCT RECLAIMER. 1.5 HP MOTOR. MOUNTED ON STAINLESS STEEL FRAME WITH CASTERS. S/N UNKNOWN.	9,500.00
M-099-B	INDIANA SCALE COMPANY MODEL WS900IS, 6,000 LB CAPACITY STAINLESS STEEL DIGITAL EXPLOSION PROOF FLOOR SCALE INCLUDING STAINLESS STEEL FORKLIFT RAMP. S/N 1166.	7,500.00
M-264-B	SALTER BRECKNELL MODEL DCSB-4848-5, 5,000 LB CAPACITY MILD STEEL PLATFORM SCALE WITH FORKLIFT RAMP. S/N 110360794.	2,500.00
M-777-B	PENNSYLVANIA SCALE COMPANY MODEL 7400-M STAINLESS STEEL DIGITAL TABLE TOP SCALE. 100 LB X .05LB CAPACITY. S/N 94-217505.	750.00
M-215-B	ATLANTIUM MODEL R200-DL-T 8.4 kW ULTRAVIOLET WATER PURIFIER MOUNTED ON STAINLESS STEEL STAND. 6" CLAMP CONNECTIONS. CAPACITY DEPENDENT ON INCOMING WATER QUALITY. MFG SEPT 2006. S/N R200-1011.	19,500.00
M-1022-B	JV NORTHWEST STAINLESS STEEL 2,000 GALLON VERTICAL OZONE CONTACT TANK WITH LEXAN MANWAY/VIEWING PORT. S/N . 60" DIAMETER X 180" STRAIGHT SIDE X 220" OVERALL HEIGHT.	12,500.00
M-780-B	HESS MODEL T-300, STAINLESS STEEL OZONE CONTACT TANK. S/N 175198.	7,250.00
M-781-B	S/N UNKNOWN.	
M-783-B	S/N UNKNOWN.	
M-787-B	S/N UNKNOWN.	
M-059-B	HESS MODEL L-100 OZONE SYSTEM CONSISTING OF L-100 OZONE GENERATOR WITH SELF CONTAINED AIR COMPRESSOR AND MODEL T-150 STAINLESS STEEL OZONE MIXING TANK. S/N 137089.	13,500.00
M-060-B	HESS MODEL L-100 OZONE GENERATOR WITH SELF CONTAINED AIR COMPRESSOR S/N UNKNOWN.	6,000.00
M-694-B	2046/EA STANPAC 38MM 1/2 GALLON OBLONG GLASS MILK BOTTLES PACKED IN 3X2 PATTERN CORRUGATED CASES. GREEN PRINTING.	.75/EA
M-111-B	3720/EA STANPAC 38MM 1/2 GALLON OBLONG GLASS MILK BOTTLES PACKED IN 3X2 PATTERN CORRUGATED CASES. RED/BLACK PRINTING.	.75/EA
M-112-B	250/EA <b>UNUSED</b> CASIA 3 GALLON TALL GLASS WATER BOTTLES WITH STANDARD 56MM BOTTLED WATER NECK FINISH.	15.00/EA
M-707-B	MANUFACTURER UNKNOWN STAINLESS STEEL 4.75 CU FT, 36 GALLON, CAPACITY FUNNEL. 28" DIAMETER X 40" HIGH. 4" CLAMP OUTLET. S/N UNKNOWN.	950.00
M-708-B	S/N UNKNOWN.	
M-709-B	S/N UNKNOWN.	
M-710-B	S/N UNKNOWN.	
M-711-B	S/N UNKNOWN.	
M-712-B	S/N UNKNOWN.	
M-713-B	S/N UNKNOWN.	
M-714-B	S/N UNKNOWN.	
M-715-B	S/N UNKNOWN.	
M-716-B	S/N UNKNOWN.	
M-717-B	S/N UNKNOWN.	
M-718-B	S/N UNKNOWN.	
M-719-B	S/N UNKNOWN.	
M-720-B	S/N UNKNOWN.	
M-151-B	MANUFACTURER UNKNOWN STAINLESS STEEL .83 CU FT, 6 GALLON CAPACITY FUNNEL. 18" DIAMETER X 20" HIGH. 2" BEVEL SEAT NUT OUTLET. S/N UNKNOWN.	350.00
M-1017-B	MANUFACTURER UNKNOWN STAINLESS STEEL .06 CU FT, 2 LITER CAPACITY FUNNEL. 7-1/2" DIAMETER X 7-1/2" HIGH. 1/4" NPT OUTLET. S/N UNKNOWN.	100.00
M-1018-B	S/N UNKNOWN.	
M-066-B	<b>UNUSED</b> , SALINA VORTEX MODEL BA06-S-MG-WSI-X, 6" AIR OPERATED GUILLOTINE KNIFE ORIFICE GATE VALVE. S/N 61224-001.	1,750.00
M-782-B	ALLEGHENY BRADFORD 12 ROUND X 4 HIGH, CODE 7, 316L FILTER HOUSING. 3" CLAMP CONNECTIONS. S/N 515-1-1.	9,500.00
M-778-B	S/N 515-1-1.	
M-779-B	S/N 813-1-1.	

M-784-B	S/N 515-1-1.	
M-785-B	S/N UNKNOWN.	
M-786-B	S/N UNKNOWN.	
M-789-B	S/N UNKNOWN.	
M-978-B	S/N 515-1-1.	
M-081-B	S/N 515-1-1.	
M-082-B	S/N 515-1-1.	
M-083-B	S/N 813-1-1.	
M-560-B	FILTERITE 36 ROUND X 3 HIGH STAINLESS STEEL FILTER HOUSING. 4" IPS FLANGE CONNECTIONS. S/N 46135-2.	9,500.00
M-061-B	SHELCO MODEL 5F0S4 TYPE 316 STAINLESS STEEL 5 ROUND X 4 HIGH FILTER HOUSING. 2" NPT CONNECTIONS. S/N 63473.	2,950.00
M-733-B	PALL MODEL LCS1015-8632E, 5 ROUND X 4 HIGH STAINLESS STEEL FILTER HOUSING. 2" CLAMP CONNECTIONS. S/N 4HS-M7837-1.	2,950.00
M-468-A	PALL MODEL BFL1501733G-33H13, STAINLESS STEEL FILTER HOUSING. MFG 1990. S/N D5865-011A.	2,500.00
M-987-B	HARMSCO MODEL HUR40HP, STAINLESS STEEL COMBINATION CENTRIFUGAL SEPARATOR AND CARTRIDGE FILTER. 2" NPT CONNECTIONS. MAXIMUM CAPACITY 50 GPM. S/N 2007.	300.00
M-091-B	MARTIN PETERSON STAINLESS STEEL BASKET FILTER. BASKET DIMENSIONS 6" D X 18" L. 6" CLAMP CONNECTIONS. MFG 2000.	2,000.00
M-092-B	S/N MT-0085-1.	
	S/N MT-0085-2.	
M-001-B	SANI MATIC DUAL 6" OD X 40" LONG IN-LINE STRAINER MOUNTED ON STAINLESS STEEL WALL BRACKET. 3" CLAMP CONNECTIONS. PIPING AND VALVES AVAILABLE AT AN ADDITIONAL CHARGE. S/N UNKNOWN.	4,500.00
M-237-B	SANI MATIC DUAL 6" OD X 40" LONG IN-LINE STRAINER. 3" CLAMP CONNECTIONS. S/N UNKNOWN.	2,500.00
M-101-B	SANI MATIC DUAL 4"OD X 36" LONG WEDGEWIRE ANGLE STRAINERS MOUNTED ON STAINLESS STEEL FLOOR STAND. 2" CLAMP CONNECTIONS. PIPED WITH TRI CLOVER 3-WAY RUBBER PLUG VALVES. S/N UNKNOWN.	4,750.00
M-196-B	SANI MATIC 4"OD X 36" LONG WEDGEWIRE ANGLE STRAINER. 3" CLAMP CONNECTIONS.	1,350.00
M-221-B	S/N UNKNOWN.	
M-222-B	S/N UNKNOWN.	
M-168-B	SANI MATIC 4" OD X 36" LONG STAINLESS STEEL ANGLE STRAINER WITH 3" CLAMP CONNECTIONS. S/N UNKNOWN.	1,250.00
M-1040-B	SANI MATIC 4" OD X 36" LONG STAINLESS STEEL ANGLE STRAINER WITH 2" CLAMP CONNECTIONS	1,250.00
M-1041-B	S/N UNKNOWN	
	S/N UNKNOWN	
M-218-B	SANI MATIC 4" OD X 20-3/4" LONG STAINLESS STEEL WEDGEWIRE ANGLE STRAINER WITH 3" CLAMP CONNECTIONS.	950.00
M-219-B	S/N UNKNOWN.	
M-220-B	S/N UNKNOWN.	
M-222-B	S/N UNKNOWN.	
M-283-B	<b>UNUSED</b> , SANI MATIC 4" OD X 20-3/4" LONG STAINLESS STEEL WEDGEWIRE ANGLE STRAINER WITH 2" CLAMP CONNECTIONS. .002 (270 MESH, 50 MICRON WEDGEWIRE SPACING).	1,350.00
M-227-B	SANI MATIC 4" OD X 20-3/4" LONG STAINLESS STEEL WEDGEWIRE ANGLE STRAINER WITH 2" CLAMP CONNECTIONS.	950.00
M-228-B	S/N UNKNOWN.	
	S/N UNKNOWN.	
M-167-B	FLOWTECH MODEL 55-Y-3, STAINLESS STEEL 3" Y TYPE WEDGEWIRE STRAINER WITH OPTIONAL SIGHT GLASS. CLAMP CONNECTIONS.	1,000.00
M-258-B	UNUSED, TRI CLOVER 2-1/2" SIGHT GLASS, CLAMP CONNECTIONS.	550.00
M-1001-B	TRI CLOVER 2-1/2" SIGHT GLASS, CLAMP CONNECTIONS.	300.00
M-259-B	<b>UNUSED</b> , GEA TUCHENHAGEN VARENLINE 2" SIGHT GLASS, WELD CONNECTIONS	550.00
M-260-B	<b>UNUSED</b> , GEA TUCHENHAGEN VARENLINE 2" SIGHT GLASS, WELD CONNECTIONS	550.00
M-235-B	LIFT PRODUCTS STAINLESS STEEL SANITARY GROUND ENTRY LIFT TABLE. 2,500 LB CAPACITY. 36" MAXIMUM LIFT HEIGHT. 42" X 48" PLATFORM. WITH HYDRAULIC POWER PACK, S/N 5002-7L9-2.	2,000.00
M-272-A	KALAMAZOO MODEL 848 MOTORIZED PALLET STRETCH WRAP TURNTABLE. S/N 850105.	950.00
M-624-B	HINDS BOCK STAINLESS STEEL AGITATOR ASSEMBLY WITH SUPPORT STAND FOR HOPPER OR FUNNEL.	750.00
M-165-B	ALLEN BRADLEY POWERFLEX 700, MODEL 20BD125A3AYNANAO, 100 HP NORMAL DUTY, 75 HP HEAVY DUTY 480/3/60, VARIABLE FREQUENCY DRIVE MOUNTED IN STAINLESS STEEL NEMA 4 ENCLOSURE WITH AIR CONDITIONING UNIT. S/N MEAG8NX7.	9,500.00
M-152-B	ALLEN BRADLEY POWERFLEX 700, MODEL 20BB154A3ANNAND0, 208-230/3/60, 60 HP NORMAL DUTY, 50 HP HEAVY DUTY VARIABLE FREQUENCY DRIVE. S/N MEAH2TF5.	8,500.00

M-1032-B	ALLEN BRADLEY CONTROLLOGIX MODEL 5563 PLC MOUNTED IN 10 SLOT RACK WITH POWER SUPPLY, TWO ETHERNET/IP, ONE DEVICENET,, ONE ANALOG INPUT, ONE DC INPUT, ONE AC INPUT, AND ONE AC OUTPUT CARDS.	5,500.00
M-1033-B	HOFFMAN 3 DOOR STAINLESS STEEL FLOOR STANDING NEMA-4 ELECTRICAL ENCLOSURE. 118" WIDE X 84" HIGH + 6" LEGS x 18" DEEP. INCLUDING RIGHT SIDE MOUNTED MCLEAN COOLING TECHNOLOGY AIR CONDITIONING UNIT.	4,500.00
M-080-B	MICRO MOTION MODEL CMF300M361NU 3" MASS FLOW METER S/N 363015 WITH MODEL 3350A1A00DUEZZZ FLOW TRANSMITTER WITH KEYPAD S/N 2263583 AND MODEL RFT9739E45UJ ELITE REMOTE FLOW TRANSMITTER S/N 363015. 3" CLAMP CONNECTIONS.	9,500.00
M-579-B	MICRO MOTION MODEL DL2005226SU-940626, 2" MASS FLOW METER WITH FMS-3 FLOW MONITOR. 2" CLAMP CONNECTIONS. S/N 175393.	3,950.00
M-984-B	MICRO MOTION MODEL DL200S226SUR, 2" MASS FLOW METER S/N 161718 WITH RFT9739 TRANSMITTER S/N 1524913. 2" CLAMP CONNECTIONS.	3,950.00
M-214-B	MICRO MOTION MASS FLOW METER MODEL R100S138WDCAEZZZZ FLOW SENSOR S/N 730944 WITH MODEL 1700R11ABAEZZZ TRANSMITTER S/N 2258337 AND SENSOR S/N 724169. 1" CLAMP CONNECTIONS. MFG 2002.	2,950.00
M-153-B	MICRO MOTION MODEL 7845 HIGH PERFORMANCE HYGIENIC DENSITY METER WITH INTEGRAL TRANSMITTER. 1" CLAMP CONNECTIONS. S/N 451049.	2,500.00
M-154-B	S/N 471007.	
M-730-B	ACCURATE METERING SYSTEMS SKID MOUNTED CERTIFIABLE RECEIVING SYSTEM CONSISTING OF MODEL IMS-80D, 3" MAG METER, AE-301 AIR ELIMINATOR, TRI CLOVER HD CENTRIFUGAL PUMP, CHECK VALVE, AND VEEDER ROOT PRINTER ALL MOUNTED ON STAINLESS STEEL FRAME WITH ADJUSTABLE BALL FEET. <b>IN PLANT CERTIFICATION IS AVAILABLE AT AN ADDITIONAL CHARGE.</b>	21,500.00
M-093-B	ACCURATE METERING SYSTEMS SKID MOUNTED CERTIFIABLE RECEIVING SYSTEM CONSISTING OF MODEL IZM-80 3" MAG METER S/N 69095-07, MODEL SC-21-RCV IN LINE SAMPLER S/N 2457, AE-301 AIR ELIMINATOR S/N UNKNOWN, TRI CLOVER MODEL C328MD18T-S 5 HP 1750 RPM CENTRIFUGAL PUMP S/N J2448, 3" CHECK VALVE, AND VEEDER ROOT MODEL 769085-407 TICKET PRINTER S/N 12481. ALL MOUNTED ON STAINLESS STEEL FRAME WITH ADJUSTABLE BALL FEET. <b>IN PLANT CERTIFICATION IS AVAILABLE AT AN ADDITIONAL CHARGE.</b>	25,500.00
M-1021-B	UNUSED, ACCURATE METER SYSTEMS MODEL AE-301 AIR ELIMINATOR WITH 3" CLAMP CONNECTIONS. MAXIMUM CAPACITY 300 GPM. S/N UNKNOWN.	4,950.00
M-276-B	ENDRESS + HAUSER MODEL PROMAG H, 3" MAG METER INCLUDING INTEGRAL CONVERTER WITH DIGITAL READOUT. S/N FC087C19000.	4,000.00
M-107-B	ACCURATE METERING SYSTEMS MODEL IZMS-80, 3" STAINLESS STEEL MAG METER INCLUDING CONVERTER. S/N 37333-D13.	4,000.00
M-979-B	ACCURATE METERING SYSTEMS MODEL IZMS-80D, 3" STAINLESS STEEL MAG METER INCLUDING CONVERTER WITH DIGITAL DISPLAY. S/N 38956D37A.	4,000.00
M-995-B	S/N UNKNOWN.	
M-997-B	S/N 66396C15.	
M-998-B	S/N 38956D17.	
M-211-B	ACCURATE METERING SYSTEMS MODEL IZMS-80D, 3" STAINLESS STEEL MAG METER INCLUDING STANDARD CONVERTER LESS OPTIONAL DIGITAL DISPLAY. S/N 25956-D4.	3,500.00
M-206-B	ACCURATE METERING SYSTEMS MODEL IZMS-80D, 3" STAINLESS STEEL MAG METER. S/N 78465-D3.	3,500.00
M-197-B	ACCURATE METERING SYSTEMS MODEL IZMS-50D, 2" STAINLESS STEEL MAG METER INCLUDING CONVERTER WITH DIGITAL DISPLAY MOUNTED ON STAINLESS STEEL TWO WHEEL PORTABLE CART. METER S/N 38954-C25. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	UNDER CONTRACT
M-242-B	ACCURATE METERING SYSTEMS MODEL IZMS-50A 2" STAINLESS STEEL MAGNETIC FLOWMETER. S/N 64894-B10	2,500.00
M-243-B	S/N 66356-A17	
M-261-B	ACCURATE METERING SYSTEMS MODEL IZMS-32D 1-1/2" STAINLESS STEEL MAGNETIC FLOWMETER. S/N N20016-B9	2,500.00
M-057-B	<b>UNUSED</b> , ACCURATE METERING SYSTEMS MODEL FTT-710 TOTALIZER WITH TAPE PRINTER MOUNTED IN STAINLESS STEEL ENCLOSURE. S/N 0723980.	2,700.00
M-106-B	ACCURATE METERING SYSTEMS MODEL FTT-710 TOTALIZER WITH TAPE PRINTER MOUNTED IN STAINLESS STEEL ENCLOSURE. S/N KK12711.	1,350.00
M-110-B	ACCURATE METERING SYSTEMS MODEL MB-51 BATCHING CONTROLLER MOUNTED IN STAINLESS STEEL ENCLOSURE. S/N 19553. MFG 12/29/93.	750.00
M-705-B	S/N 19060.	
M-245-B	ACCURATE METERING SYSTEMS MODEL RZ2AU, 2" ROTARY PISTON FLOWMETER. 30.31 PULSES/GAL. S/N 85-31-118.	2,850.00
M-246-B	30.35 PULSES/GAL. S/N 85-31-142	
M-247-B	30.35 PULSES/GAL. S/N 85-31-152	
M-248-B	30.39 PULSES/GAL. S/N 85-31-1524	
M-279-A	FOXBORO MODEL 696A, TYPE 2803-SDTC, 3" STAINLESS STEEL MAG METER WITH DIGITAL READOUT AND TICKET PRINTER. S/N 2854662-C.	7,500.00
M-506-A	FOXBORO MODEL 281H-SABB-7S, 2" STAINLESS STEEL MAG METER WITH MODEL E96T-IA-F TRANSMITTER. S/N 4477239.	4,000.00
M-567-B	ACCURATE METERING SYSTEMS MODEL IZI-2, 2" CLAMP MAG METER. MFG 7/82. S/N 751449.	3,000.00

M-396-A	ACCURATE METERING SYSTEMS MODEL IZI-15, 5/8" MAG METER. S/N 24401B.	2,500.00
M-569-B	FOXBORO MODEL SA-03TFAA, 3" STAINLESS STEEL VORTEX METER AND TRANSMITTER. S/N 95160040.	1,500.00
M-268-A	CREPACO (AMS) 4" CLAMP STAINLESS STEEL POSITIVE DISPLACEMENT METER WITH MECHANICAL TOTALIZER. S/N 296286.	7,500.00
M-252-A	DIESSEL 2" BEVEL SEAT STAINLESS STEEL POSITIVE DISPLACEMENT METERS WITH MECHANICAL TOTALIZERS.	4,000.00
M-253-A	S/N 6504616 UNKNOWN.	
M-446-B	LIQUID CONTROLS MODEL M7-41800-3, POSITIVE DISPLACEMENT METER WITH MECHANICAL REGISTER AND AUTO STOP VALVE. S/N 159303.	3,950.00
M-185-B	<b>NEW</b> , W.E. ANDERSON MODEL 2001VA32-230 LIN-E-AIRE 3/4" MODULATING STEAM CONTROL VALVE. 3-15 PSI ACTUATOR, AIR TO OPEN, BRONZE BODY, STAINLESS TRIM, LINEAR VALVE PLUG. S/N S080755-01.	950.00
M-1020-B	<b>NEW</b> , W.E. ANDERSON MODEL 2001VA32-230 LIN-E-AIRE 3/4" MODULATING STEAM CONTROL VALVE. 3-15 PSI ACTUATOR, AIR TO OPEN, BRONZE BODY, STAINLESS TRIM, LINEAR VALVE PLUG. S/N 129014-00.	950.00
M-186-B	<b>NEW</b> , W.E. ANDERSON MODEL 2004VA32-231 LIN-E-AIRE 1-1/2" MODULATING STEAM CONTROL VALVE. 3-15 PSI ACTUATOR, AIR TO OPEN, BRONZE BODY, STAINLESS TRIM, LINEAR VALVE PLUG. S/N S133684-03.	1,250.00
M-187-B	<b>NEW</b> , W.E. ANDERSON MODEL 2005VA32-233 LIN-E-AIRE 2" MODULATING STEAM CONTROL VALVE. 3-15 PSI ACTUATOR, AIR TO OPEN, BRONZE BODY, STAINLESS TRIM, LINEAR VALVE PLUG. S/N S120483-02.	2,250.00
M-208-B	<b>UNUSED</b> , CONTINENTAL DISC CORPORATION 60 PSI PRESSURE RELIEF ASSEMBLY CONSISTING OF TYPE G, 1-1/2" RUPTURE DISC, LOT 25943, RATED AT 2314 SCFM-AIR AND STAINLESS STEEL TWO PIECE RUPTURE DISC INSERT HOLDER WITH 2" FEMALE I-LINE CONNECTIONS	500.00
M-581-B	SIHI MODEL PMB-3704-BWN00N012, 5HP 1750 RPM VACUUM PUMP WITH BASE, MOTOR AND COUPLING. S/N 3392714. <b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	2,250.00
M-737-B	<b>UNUSED</b> , SIHI MODEL ADH44101 VACUM PUMP ONLY LESS BASE, COUPLING, GUARD, AND MOTOR. S/N 3164568.	1,950.00
M-757-B	NASH MODEL EG90M, 4KW, 1740 RPM VACUUM PUMP. 1-1/2" IPS FLANGE CONNECTIONS. S/N 0208526-2.	1,950.00
M-180-B	TRAVAINI MODEL PVL35 1.12Kw VACUUM PUMP. 25 CFM CAPACITY. S/N 02011318.	1,500.00
M-724-B	TRAVAINI MODEL PL5T/2C/A3 VACUUM PUMP ONLY LESS BASE COUPLING, GUARD, AND MOTOR. S/N C5748.	2,100.00
M-272-B	<b>UNUSED</b> , SCIOLOG VITAPUMP VITAMIN METERING SYSTEM CONSISTING OF FMI MODEL Q CERAMPUMP, 080-095A PRINTER KIT, AND EXTERNAL I/O CABLE. S/N E100-649-0806.	2,500.00
M-728-B	<b>UNUSED</b> , KING MODEL 5411-1-A05-11, ELECTRONIC LEVEL SENSOR AND TRANSMITTER. S/N L11743.	1,500.00
M-684-B	<b>UNUSED</b> , ANDERSON MODEL SL6096100002837 LEVEL TRANSMITTER. 0-283.7" WC, FOR USE WITH TANK MATE 205WVE MEDIUM SLEEVE. S/N 00257588.	950.00
M-231-B	ANDERSON LIQUITRACK MODEL LT41001 PLC BASED FOUR CHANNEL LEVEL MONITOR MOUNTED IN STAINLESS STEEL NEMA-4X ENCLOSURE. 12/EA 24VDC RELAYS. HEAVY DUTY 24 VDC POWER SUPPLY. WALL MOUNT. MFG 07/08/2004. S/N 0336832.	3,750.00
M-1035-B	ANDERSON LIQUITRACK MODEL LT41000 PLC BASED FOUR CHANNEL LEVEL MONITOR MOUNTED IN STAINLESS STEEL NEMA-4X ENCLOSURE. 12/EA 24VDC RELAYS. STANDARD DUTY 24 VDC POWER SUPPLY. WALL MOUNT. MFG 06/30/2017. S/N 1700334.	3,750.00
M-729-B	ANDERSON MODEL GF114J12, PULSE 400 LIQUID LEVEL MONITOR. MFG 2001. S/N 0166941.	1,750.00
M-985-B	ANDERSON MODEL GF114J11, PULSE 400 LIQUID LEVEL MONITOR. MFG 2003. S/N 0316655.	1,750.00
M-392-B	<b>UNUSED</b> , ANDERSON RTD, 100 OHM, 1/4"D X 12"L WITH ADJUSTABLE UNION AND 3/4" BUSHING. CONDUIT HOUSING W/O CABLE. S/N 94-10246.	150.00
M-481-B	<b>UNUSED</b> , ANDERSON RTD, 100 OHM, SPLIT FERRULE CONNECTION. CONDUIT HOUSING W/O CABLE. S/N 9215271.	150.00
M-094-B	<b>UNUSED</b> , ANDERSON SA510621390000 RTD WITH DIGITAL DISPLAY FOR USE WITH TAYLOR 41247, 9-1/8" THERMOWELL. S/N 0545345.	300.00
M-095-B	<b>UNUSED</b> , ANDERSON SA10070530000 3" CLAMP RTD WITH WIRING HEAD. S/N 0641467.	200.00
M-176-B	<b>UNUSED</b> , ANDERSON AJ300 RECORDER MODEL AJ31000010002100, AJ300. S/N 1302037.	1,700.00
M-249-B	ANDERSON AJ300 RECORDER. MODEL 31000000002100, S/N 9910432.	950.00
M-234-B	ANDERSON AJ300 TWO PEN RECORDER, MODEL. 31100010002100. S/N 1020258.	1,100.00
M-1037-B	ANDERSON TWO PEN RECORDER, MODEL 3110001000. S/N 0817756.	1,100.00
M-1038-B	ANDERSON TWO PEN RECORDER, MODEL 31100010002201. S/N 1244342.	1,100.00
M-1019-B	ANDERSON AJ300 RECORDER, MODEL 31000010002100. S/N 1026789-0007.	950.00
M-1036-B	ANDERSON GUARDIAN MODEL 5501000107 RECORDER. S/N UNKNOWN.	650.00
M-1039-B	ANDERSON GUARDIAN MODEL 5501000107 RECORDER. S/N 0619158.	650.00

M-178-B	HONEYWELL TYPE 1913JA110000STD SINGLE PEN ELECTRONIC RECORDER/CONTROLLER. S/N N/32123/2/6.	850.00
M-183-B	ABB COMMANDER 1901JA0010000STD, SINGLE PEN CIRCULAR CHART RECORDER. S/N H/46742/17/1.	750.00
M-431-B	HONEYWELL MODEL DR4501-2000-00-000-0-NG-0111, SINGLE PEN ELECTRONIC RECORDER WITH RTD. STAINLESS STEEL DOOR PANEL. USING CHART 16376, 0-200 F., 24 HR. S/N 9303892262001.	1,250.00
M-182-B	ABB COMMANDER 1911JCA01400600, SINGLE PEN CIRCULAR CHART RECORDER/CONTROLLER WITH TRUE TIME EVENT PEN PREVIOUSLY USED WITH HTST METER BASED TIMING SYSTEM. S/N 8/54265/18/2.	1,200.00
M-239-B	ANDERSON MODEL 9920000100133AH, AV9900 HTST SAFETY THERMAL LIMIT RECORDER (STLR) CONFIGURED WITH HOT WATER PID CONTROL, NO COLD PRODUCT RECORDER, NO FLOW RECORDER, NO RELAYS, ONE INTERNALLY POWERED 40-20mA OUTPUT, NO TRANS POWER, WALL/PANEL MOUNT; MOUNTED IN STAINLESS STEEL NEMA-4 ENCLOSURE WITH VARIOUS SWITCHES AND INDICATOR LIGHTS. S/N 1165842-0005.	15,500.00
M-181-B	ABB COMMANDER 1951TJAA01100090STD, SAFETY THERMAL LIMIT RECORDER (STLR) FOR HTST SYSTEM. S/N C/58385/12/1.	2,500.00
M-096-B	ANDERSON MODEL HT-233A-2400 FILLED CAPILLARY TYPE HTST SAFETY THERMAL LIMIT RECORDER. OPTIONAL DUAL DIVERSION SETPOINTS. 1-1/2" CLAMP HOT MILK SENSOR. 1/2" NPT HOT WATER CONNECTION. S/N AHT-187987.	2,500.00
M-171-B	<b>UNUSED</b> , ANDERSON FD110 DART DIGITAL REFERENCE THERMOMETER LESS SENSOR. S/N 0151156.	1,750.00
M-1026-B	ANDERSON MODEL FD120 DIGITAL REFERENCE THERMOMETER WITH SENSOR. S/N 1447811.	1,050.00
M-1003-B	ANDERSON MODEL FD110 DIGITAL REFERENCE THERMOMETER LESS SENSOR. S/N 0733454.	1,050.00
M-672-B	ANDERSON MODEL JD-122-601-C, ELECTRONIC PRESSURE DIFFERENTIAL SWITCH. 1-1/2" CLAMP CONNECTIONS. S/N 9213597.	2,450.00
M-702-B	ANDERSON MODEL JD-122-B06-1025, ELECTRONIC PRESSURE DIFFERENTIAL SWITCH. 2" CLAMP CONNECTIONS. S/N 9112240.	2,450.00
M-1002-B	ANDERSON MODEL GB1070G097111, JD222, 120VAC, 0-15 PSI DIFFERENTIAL, TWO RELAY DIFFERENTIAL PRESSURE SWITCH. 2" CLAMP CONNECTIONS. S/N 0151144.	2,450.00
M-1006-B	ANDERSON MODEL GB1070G097121, JD222, 120VAC, 0-15 PSI DIFFERENTIAL, TWO RELAY, RAW AND PASTEURIZED RETRANSMISSION DIFFERENTIAL PRESSURE SWITCH. 2" CLAMP CONNECTIONS. S/N 0826286.	2,450.00
M-1027-B	ANDERSON MODEL JD222-B02-0025, PRESSURE DIFFERENTIAL SWITCH WITH PRESSURE SENSORS, 2" CLAMP CONNECTIONS. S/N 9101056.	2,450.00
M-1030-B	<b>UNUSED</b> , ANDERSON 79999A6609 2" CLAMP PRESSURE TRANSDUCER WITH 0-99 PSI CARD FOR USE WITH PRESSURE DIFFERENTIAL SWITCH. S/N 9516715.	1,000.00
M-084-B	ANDERSON MODEL AV-9000, 911000010033AA, ELECTRONIC RECORDER. ONE TREND/COLOR. SINGLE INPUT. ONE 24VDC POWER SUPPLY. S/N 0009482.	1,000.00
M-085-B	S/N 0009483.	
M-086-B	S/N 9831851.	
M-1004-B	ANDERSON MODEL AV-9000, 9122000000033AA, ELECTRONIC RECORDER. TWO PEN, TWO TREND, TWO COLOR. TWO INPUTS. NO 24VDC POWER SUPPLY. S/N 0642027.	1,200.00
M-528-B	ANDERSON MODEL ACR 700, 72020210002100F, SINGLE PEN ELECTRONIC RECORDING THERMOMETER, S/N 9508277. WITH SA310621390000 RTD, S/N 9508525.	800.00
M-475-A	ANDERSON MODEL EAT113A, ELECTRONIC RECORDING THERMOMETER WITH RTD. S/N 0998066.	700.00
M-321-A	ANDERSON MODEL DP-161-A20 PRESSURE INDICATING CONTROLLER. 0-100 PSI RANGE. S/N ACH814888. 2" CLAMP CONNECTION.	650.00
M-087-B	ANDERSON ED-190 1/8 DIN PROCESS CONTROLLER PACKAGE WITH I/P TRANSDUCER MOUNTED IN FIBERGLASS ENCLOSURE. S/N 0619305.	650.00
M-1042-B	ANDERSON 801101000 MODEL 801 1/8 DIN PROCESS CONTROLLER. S/N 0157212.	400.00
M-429-B	PARTLOW TYPE ARC 4100, MODEL 413101001211-036-036, 2 PEN ELECTRONIC TEMPERATURE RECORDER LESS RTD'S. S/N 89147109.	800.00
M-343-A	ANDERSON MODEL DP-160 PRESSURE CONTROLLER. 30-0-30 RANGE. 2" CLAMP CONNECTION.	750.00
M-458-A	<b>UNUSED</b> , WALKER FILTER FLO TANK TRUCK MANWAY VENT.	300.00
M-542-A	WALKER FILTER FLO TANK TRUCK MANWAY VENT.	175.00
M-071-B	LIGHTNIN MODEL V6C55A AIR OPERATED TANK TRUCK AGITATOR WITH STAINLESS STEEL MANWAY ADAPTER. S/N 93/B46638.	1,500.00
M-090-B	STAINLESS STEEL 18 PORT (6 WIDE X 3 HIGH) 4" FLOW PANEL WITH INTEGRAL BUTTERFLY VALVES. CLAMP CONNECTIONS FRONT, WELD CONNECTIONS REAR. #4 FINISH. S/N UNKNOWN.	9,500.00
M-514-A	<b>UNUSED</b> , WINBCO 6 PORT, 5 STATION, 2" FLOW VERTER. MALE I-LINE CONNECTIONS FRONT, BUTT WELD REAR. WITH STAINLESS LEGS, 4/EA G&H 2" MANUAL BUTTERFLY VALVES, PROXIMITY SWITCH MOUNTING HOLES ONLY AND HOFFMAN NEMA 4X STAINLESS TERMINATION ENCLOSURE. S/N UNKNOWN.	1,800.00
M-515-A	S/N UNKNOWN.	

M-1043-B	MANUFACTURER UNKNOWN 2" X 9 PORT STAINLESS STEEL FLOW PANEL WITH FOUR U-BENDS MOUNTED ON FLOOR STAND.	1,000.00
	<b>UNUSED</b> , CSI 3" PIG PRODUCT RECOVERY SYSTEM CONSISTING OF LATERAL "Y" LAUNCHER, AIR BLOW CHECK VALVE, AND PROJECTILE CATCHER.	3,000.00
M-265-B	S/N UNKNOWN.	
M-266-B	S/N UNKNOWN.	
M-267-B	S/N UNKNOWN.	
M-268-B	S/N UNKNOWN.	
M-269-B	S/N UNKNOWN.	
	THOMSEN 2" PIG PRODUCT RECOVERY SYSTEM CONSISTING OF LATERAL "Y" LAUNCHER, AIR BLOW CHECK VALVE, AND PROJECTILE CATCHER.	1,500.00
M-270-B	S/N UNKNOWN.	
M-271-B	S/N UNKNOWN.	
	ALFA LAVAL MODEL CPM-D-60-GC CONSTANT PRESSURE MODULATING VALVE. 3" CLAMP CONNECTIONS.	5,500.00
M-668-B	<b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	
M-670-B	<b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	
M-675-B	<b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	
M-676-B	<b>RECONDITIONED, AVAILABLE FOR IMMEDIATE DELIVERY.</b>	
M-791-B	<b>UNUSED</b> , TRI CLOVER 48-2120-E-220V, MODEL 262-121MD STAINLESS STEEL FDV CONTROL PANEL. 220 VOLT. S/N 216847-001.	4,450.00
M-230-B	TRICORE AEA TCFLOWDIVERT VERSION 2.0 PLC FLOW DIVERSION VALVE CONTROLLER MOUNTED IN STAINLESS STEEL NEMA-4X ENCLOSURE. MFG 2005. S/N 20050428101230.	4,000.00
M-703-B	G&H STAINLESS STEEL 230 VOLT CONTROL PANEL FOR FLOW DIVERSION VALVE. S/N 77-1-347.	3,750.00
M-1023-B	RWS DESIGN & CONTROLS MODEL 5891LEGAL ALLEN BRADLEY MICROLOGIX PLC CONTROLLER MOUNTED IN FIBERGLASS ENCLOSURE.	4,000.00
M-238-B	TRI CLOVER 262TH-121M-3-316 CIP CLEANABLE FLOW DIVERSION VALVE LESS CONTROL PANEL. S/N 216675-001.	5,500.00
M-428-B	CHERRY BURRELL SERIES 62, 3" CIP CLEANABLE FLOW DIVERSION VALVE LESS CONTROL PANEL. S/N UNKNOWN.	4,950.00
M-166-B	TRI CLOVER MODEL 762-227-MRAL-2.5 2-1/2" REVERSE ACTING NON SLAMMING FLOW DIVERSION VALVE LESS CONTROL PANEL. S/N UNKNOWN.	6,500.00
M-1005-B	TRI-CLOVER MODEL 762TR-227M-2.5-316L-1-4, 2-1/2" FLOW DIVERSION VALVE WITH RWS DESIGN & CONTROLS MODEL 5891LEGAL ALLEN BRADLEY MICROLOGIX PLC CONTROLLER MOUNTED IN FIBERGLASS ENCLOSURE.	8,500.00
M-376-A	G&H MODEL GC160-2.5-FDV, 2-1/2" CIP CLEANABLE FLOW DIVERSION VALVE WITH STAINLESS STEEL 115 VOLT CONTROL PANEL. S/N 81-6-530.	6,500.00
M-483-A	G&H MODEL GC160-2.5-FDV, 2-1/2" CIP CLEANABLE FLOW DIVERSION VALVE LESS CONTROL PANEL. S/N UNKNOWN.	3,500.00
	TRI CLOVER MODEL 262D-121-2.5-316, 2-1/2" CIP CLEANABLE FLOW DIVERSION VALVE LESS CONTROL PANEL.	4,250.00
M-655-B	S/N 1181432.	
M-731-B	S/N 143153.	
M-427-B	STAINLESS PRODUCTS 2-1/2" CIP CLEANABLE FLOW DIVERSION VALVE LESS CONTROL PANEL. S/N UNKNOWN.	2,500.00
M-164-B	CHERRY BURRELL MODEL 262FD-20MP-W/4.0" ACT-316, 2" CIP CLEANABLE FLOW DIVERSION LESS CONTROL PANEL. S/N 150515.	4,250.00
M-449-A	APC 2" CIP CLEANABLE FLOW DIVERSION VALVE LESS CONTROL PANEL. S/N 243.	2,250.00
M-496-A	APC 2" CIP CLEANABLE FLOW DIVERSION VALVE LESS CONTROL PANEL. S/N 251.	2,250.00
M-1029-B	TAYLOR MODEL 39VJ3 FLOW DIVERSION VALVE. S/N 22197577.	2,500.00
M-1028-B	TAYLOR 61P154 DIAPHRAGM FOR MODEL 39VJ2 & 39VJ3 FLOW DIVERSION VALVE. <b>"AS IS"</b>	500.00
M-519-B	<b>UNUSED</b> , TRI CLOVER 561-30W-23-1.5-316, 1-1/2" ASEPTIC WELD CROSS BODY VALVE. S/N 226731-001.	1,200.00
M-199-B	<b>UNUSED</b> , ALFA LAVAL 761-10W-20S-1.5-316L, 1-1/2" SHUT OFF VALVE, WELD CONNECTIONS. S/N 654305-1.	1,500.00
M-232-B	<b>UNUSED</b> , ALFA LAVAL 762-29M-20L-2-316L, 2" KETTLE STYLE TANK OUTLET VALVE WITH WELD IN TANK FLANGE. CLAMP CONNECTION. S/N 804776.	2,500.00
M-200-B	<b>UNUSED</b> , ALFA LAVAL 761-10W-20S-2-316L, 2" SHUT OFF VALVE, WELD CONNECTIONS. S/N 642356-01.	1,750.00
M-201-B	<b>UNUSED</b> , ALFA LAVAL 761-10W-20S-2-316L, 2" SHUT OFF VALVE, WELD CONNECTIONS. S/N 596527-01.	1,750.00
M-202-B	<b>UNUSED</b> , ALFA LAVAL 761TR-10M-29L-2-316L-02-1-E, 2" LONG STROKE SHUT OFF VALVE, CLAMP CONNECTIONS, GREEN CONTROL TOP W/ CABLE. S/N 476080-03.	2,150.00
M-653-A	<b>UNUSED</b> , TRI CLOVER 741-21M-20S-3-E-316L, 3" CLAMP DIVERT VALVE. S/N 516519-01.	2,750.00
M-659-B	<b>UNUSED</b> , TRI CLOVER 761-27M-80S-3-316L, REVERSE ACTING 3" CLAMP SHUT OFF VALVE WITH THREE POSITION ACTUATOR PISTON. S/N 225385-01.	3,200.00
M-520-B	<b>UNUSED</b> , TRI CLOVER 361-10W-23-3-316L, 3" WELD SHUT OFF VALVE. S/N 226996-001.	1,650.00

M-521-B	<b>UNUSED</b> , TRI CLOVER 361-41W-13-3-316L, 3" WELD DIVERT VALVE WITH CROSS BODY TOP. S/N 22587-001.	2,500.00
M-522-B	<b>UNUSED</b> , TRI CLOVER 361-41W-13-3-316L, 3" WELD DIVERT VALVE WITH CROSS BODY TOP. S/N 22587-002.	2,500.00
M-722-B	<b>UNUSED</b> , TRI CLOVER DL11WWWR-2.5-S, 2-1/2" RUBBER PLUG VALVE WITH WELD CONNECTIONS	2,450.00
	<b>UNUSED</b> , WCB W61T-1.5, 1-1/2" AIR OPERATED T BODY SHUT OFF VALVE, CLAMP CONNECTIONS, TEFLON STEM, VITON ELASTOMERS, 4" AIR TO RAISE ACTUATOR.	1,000.00
M-133-B	S/N 231686-98.	
M-134-B	S/N 217926-98.	
	<b>UNUSED</b> , WCB W61T-1, 1" AIR OPERATED T BODY SHUT OFF VALVE, CLAMP CONNECTIONS, TEFLON STEM, VITON ELASTOMERS, 4" AIR TO RAISE ACTUATOR.	850.00
M-126-B	S/N 234568-99.	
M-127-B	S/N 234572-99.	
M-128-B	S/N 234570-99.	
M-129-B	S/N 234571-99.	
M-130-B	S/N 234567-99.	
M-131-B	S/N 234569-99.	
M-132-B	S/N 234573-99.	
	<b>UNUSED</b> , WCB 122118B TWO PIECE INDICATOR TOP WITH TARGET STEM AND 2/EA IFM EFECTOR 24VDC-115VAC PROXIMITY SWITCHES, NO SOLENOIDS, AND MOUNTING HARDWARE. FOR USE WITH W SERIES 4" DIAMETER AIR OPERATED VALVE ACTUATOR.	300.00/EA
M-115-B	S/N UNKNOWN.	
M-116-B	S/N UNKNOWN.	
M-117-B	S/N UNKNOWN.	
M-118-B	S/N UNKNOWN.	
M-119-B	S/N UNKNOWN.	
M-120-B	S/N UNKNOWN.	
M-121-B	S/N UNKNOWN.	
M-122-B	S/N UNKNOWN.	
M-250-B	<b>UNUSED</b> , WCB MODEL W6802118, 2-1/2" THROTTLING VALVE EQUIPPED WITH ROTORK MODEL CVL1000FA07 ELECTRIC LINEAR ACTUATOR. ACTUATOR S/N 1M00260104.	3,000.00
M-251-B	<b>UNUSED</b> , WCB MODEL W6802118, 2-1/2" THROTTLING VALVE EQUIPPED WITH ROTORK MODEL CVL1000FA07 ELECTRIC LINEAR ACTUATOR. ACTUATOR S/N 1M00260101.	3,000.00
M-252-B	<b>UNUSED</b> , WCB MODEL W6802118, 2-1/2" THROTTLING VALVE EQUIPPED WITH ROTORK MODEL CVL1000FA07 ELECTRIC LINEAR ACTUATOR. ACTUATOR S/N 1M01470101.	3,000.00
M-253-B	WCB MODEL W6802118, 2-1/2" THROTTLING VALVE EQUIPPED WITH ROTORK MODEL CVL1000FA07 ELECTRIC LINEAR ACTUATOR. ACTUATOR S/N MW00230101.	1,750.00
M-254-B	WCB MODEL W6021188, 2-1/2" THROTTLING VALVE EQUIPPED WITH ROTORK MODEL CVL1000FA07 ELECTRIC LINEAR ACTUATOR. ACTUATOR S/N 1M00260103.	1,750.00
M-257-B	TRI CLOVER MODEL 771S-10M-14P-2.5-316L 2-1/2" THROTTLING VALVE WITH POSITIONER, CLAMP CONNECTIONS. S/N 816262.	1,750.00
M-282-B	<b>UNUSED</b> , SUDMO MODEL S370-SE-E-40-T-XX-PR(0.5-2.5)-AAS TANK OUTLET VALVE. S/N 2320626.	3,500.00
M-161-B	TRI CLOVER 761 SERIES 3", 48 VALVE MANIFOLD CONFIGURED IN A 6 X 8 PATTERN MOUNTED ON FLOOR STAND. STANDARD TOP, NO INDICATION OR INTEGRAL SOLENOIDS.	48,000.00
M-140-B	G&H SERIES GC160, 2-1/2", 28 AIR VALVE MANIFOLD. <b>"AS IS"</b> .	7,500.00
M-386-B	TRI CLOVER 2" SERIES 361, 20 VALVE MANIFOLD WITH STAINLESS STEEL SOLENOID CONTROL PANEL.	17,500.00
M-413-B	TRI CLOVER 2" SERIES 361, 20 VALVE MANIFOLD.	15,500.00
M-125-B	<b>UNUSED</b> , TRU-FLO EA-3308 3" CLAMP STAINLESS STEEL 3 WAY SANITARY BALL VALVE. DIVERTER "L" CONFIGURATION.	500.00
	<b>NEW</b> SANITARY COUPLERS 3" X 12'OAL PROTECTOR SUCTION/DISCHARGE HOSE WITH USED RESEAL 3" CLAMP CONNECTION ONE END & USED RESEAL 3" BEVEL SEAT 13H NUT CONNECTION OTHER.	450.00
M-172-B	S/N UNKNOWN.	
M-173-B	S/N UNKNOWN.	
M-174-B	S/N UNKNOWN.	
M-738-A	HAYNES 2 SELF STAINLESS STEEL PARTS CART ON CASTERS.	300.00
M-000-C	COMPLETE ASSORTMENT OF STAINLESS FITTINGS. SIZES FROM 1" THRU 4".	CLAMP - LIST LESS 50% BEVEL SEAT - LIST LESS 60%
M-000-C	COMPLETE ASSORTMENT OF TRI CLOVER, CHERRY BURRELL, AND G&H STAINLESS STEEL AIR OPERATED VALVES IN 1-1/2" TO 3" SIZES TOO NUMEROUS TO LIST.	LIST LESS 40%

## TERMS OF SALE

All prices are FOB Hazleton, PA and subject to prior sale.

Prices include reconditioning with the exception of those described differently.

No warranty is expressed or implied unless received in writing from Rowlands Sales Co., Inc.

Any returned material must have prior authorization from Rowlands and may be subject to restocking and/or return freight charges.

All sales or use taxes are the responsibility of the purchaser.

Delivery is available at an additional charge. Prepaid freight shipments via ICC carriers, unless paid in advance, will be invoiced at cost plus a 15% fee and are payable by federal law within 10 days of shipment.

Equipment purchased in "as is" condition is subject to lower pricing and inspection is urged before purchase.

Most skidding or crating is subject to additional charges. Skidding and banding, domestic crating, or export packing are an additional 1%, 2%, or 3% of list price respectively.

Export documentation and/or irrevocable letters of credit may require a service fee.

Prices and specifications subject to change without prior notice.

Terms are 50% deposit with order, balance upon shipment. **Orders will not be processed without deposit and required samples.**

All delivery times are approximate and quoted from receipt of deposit and required samples rather than receipt of order.

## **MORE CONVENIENT THAN AN AUCTION!**

**No buyer's premiums**

**No rigging or loading fees**

**Inspection at your convenience**

**Flexible shipping schedules**

## **DON'T DELAY YOUR PROJECT!**

**US and Canadian transportation available  
using our own truck fleet**

**Direct truck transportation to Mexico using  
insured and bonded carriers**

**Overdimensional items transported using  
our specialized air ride extendable  
lowboy silo tank trailer**

More than the largest  
homogenizer inventory  
on the planet...

we offer these  
**UNBEATABLE**  
PRODUCTS & SERVICES!



**Rowlands**  
INNOVATIVE FLUID SOLUTIONS™

Over the past 47 years, Rowlands has engineered, designed, and installed fluid systems for numerous name brand dairy, food, beverage, and pharmaceutical companies throughout the world. Rowlands offers innovative ideas, combined with dedication to creating projects, which have been uniquely designed, engineered, and fabricated for our clients around the planet, by way of the following services:

#### **New and Reconditioned Machinery**

Rowlands can provide a complete myriad of new equipment, from some of the most respected companies in the food and sanitary processing industry.

Or, we can provide used – reconditioned machinery from our extensive six and a half acre warehouse, backed by the Rowlands guarantee.

#### **Design and Engineering**

Our designers and engineers work as a team when studying a customer's specifications and goals. Whether you are looking to expand a production line or start a new bottled water or milk plant – Rowlands is the right choice.

#### **Fabrication**

Our experienced team, including ASME certified high-purity welders, are able to meet your needs – whether it be a small custom fitting, a complete skid system, or anything in between.

#### **Field Installation**

Our experienced field service and installation crews, have completed projects throughout the United States, Canada, Mexico, Europe and South America. These have included simple piping projects, rigging of machinery - such as silos, processors, and homogenizers, and complete plant design and start-up services – always on-time and within budget!

#### **Start-up Services**

Whether purchasing a single piece of machinery or an entire project, Rowlands can provide you with start-up services, including on-site training for your operation and maintenance staff.

#### **Turnkey Systems**

Rowlands offers complete turnkey systems – including design, fabrication, testing, installation and training – offering you one-stop service with peace of mind.

#### **24/7/365**

Rowlands offers round-the-clock service and support – often including after hours emergency technical support, as well as the ability to ship parts from our vast inventory at all hours of the day!

#### **Spare Parts**

Rowlands offers an extensive stock of parts and supplies, with an inventory of over 22,000 items. Parts that are at your fingertips, when you need them most.

Visit us at [www.rowlands.com](http://www.rowlands.com) to learn more about the Rowlands Difference!